

Grupa Produs	Cod Produs	Descriere produs	Pret Unitar Distributie EURO Fara TVA
Embedded Computers	9.5 to 19in. Rack Panel Extender	TC-6000 Series 9.5 to 19in. Rack Panel Extender	€ 244.80
Embedded Computers	A-CRF-CTPSF-R2-50	TNC to SMA (female) adaptor with 50 cm cable	€ 37.80
Embedded Computers	A-CRF-MHFSF	i-PEX MHF (male, on cellular module) to SMA (female, on top cover) adaptor with cable. When you need to install GPS antenna or the second cellular antenna.	€ 9.00
Embedded Computers	A-CRF-QMAMSF-R2-50	QMA (male) to SMA (female) adaptor with 50cm cable	€ 45.00
Embedded Computers	ANT-GPS-OSM-05-3M	26 dBi, 1572 MHz, L1 band antenna for GPS	€ 203.40
Embedded Computers	A-PLG-WPM9-IP67-01	Field-installation screw-in D-Sub 9-pin female connector, rated IP67	€ 79.20
Embedded Computers	A-PLG-WPRJ-IP67-01	Field-installation screw-in RJ45 connector, rated IP67	€ 25.20
Embedded Computers	A-PLG-WPUSBA-IP67-01	Field-installation screw-in USB A type male connector, rated IP67	€ 25.20
Embedded Computers	CBL-M12XMM8PRJ45-BK-100-IP67	1-meter X-coded M12-to-RJ45 Cat-5E UTP Gigabit Ethernet cable, 8-pin male M12 connector, IP67-rated	€ 219.60
Embedded Computers	CBL-RG58AUBNCMF9-150	RG58AU BNC Male to DB9 Male cable, 150cm.	€ 16.94
Embedded Computers	CBL-RJ45F9-150	8pin RJ45 to female DB9 connection cable, 150cm, for NPort 5210, 5610	€ 7.20
Embedded Computers	CBL-RJ45M9-150	8pin RJ45 to male DB9 connection cable, 150cm, for NPort 5210, 5610	€ 7.20
Embedded Computers	CELLULAR-3G-EVDO-HSPA	Sierra Wireless MC9090 (HSPA+CDMA)	€ 184.88
Embedded Computers	CELLULAR-LTE-EU	Sierra Wireless MC7304 (LTE for Europe)	€ 252.22
Embedded Computers	CELLULAR-LTE-US	Sierra Wireless MC7354 (LTE for North America)	€ 285.88
Embedded Computers	CELLULAR-MC8090	Sierra Wireless MC8090 (HSPA only)	€ 226.80
Embedded Computers	DA-662A-16-DP-LX	RISC-based 19-inch rackmount computer w/ 16 serial ports, 4 LANs, USB, Linux OS, 2 power inputs	€ 1,447.81
Embedded Computers	DA-662A-16-LX	RISC-based 19-inch rackmount computer w/ 16 serial ports, 4 LANs, USB, Linux OS	€ 1,409.92
Embedded Computers	DA-662A-8-LX	RISC-based 19-inch rackmount computer w/ 8 serial ports, 4 LANs, USB, Linux OS	€ 1,221.88

Embedded Computers	DA-662A-I-16-LX	RISC-based 19-inch rackmount computer w/ 16 isolated serial ports, 4 LANs, USB, Linux OS	€ 1,550.84
Embedded Computers	DA-662A-I-8-LX	RISC-based 19-inch rackmount computer w/ 8 isolated serial ports, 4 LANs, USB, Linux OS	€ 1,362.80
Embedded Computers	DA-681A HDD Kit	DA-681A HD Accessory Package.	€ 33.61
Embedded Computers	DA-681A-I-DPP	x86 Rackmount IEC 61850-3 computer with VGA, 6 LAN, 2 RS-232, 10 RS-485, mSATA, SATA, USB, dual power, without RAM, mSATA and OS,-25 to	€ 2,628.52
Embedded Computers	DA-681A-I-DPP-LX	x86 Rackmount IEC 61850-3 computer with VGA, 6 LAN, 2 RS-232, 10 RS-485, mSATA, SATA, USB, dual power, -25 to 55°C, Linux Debian 8.	€ 2,795.29
Embedded Computers	DA-681A-I-DPP-T	x86 Rackmount IEC 61850-3 computer with VGA, 6 LAN, 2 RS-232, 10 RS-485, mSATA, SATA, USB, dual power, without RAM, mSATA and OS, -40 to	€ 2,837.65
Embedded Computers	DA-681A-I-DPP-T-LX	x86 Rackmount IEC 61850-3 computer with VGA, 6 LAN, 2 RS-232, 10 RS-485, mSATA, SATA, USB, dual power, -40 to 70°C, Linux Debian 8.	€ 3,004.42
Embedded Computers	DA-681A-I-SP	x86 Rackmount Computer with VGA, 6 LAN, 2 RS-232, 10 RS-485, mSATA, SATA, USB, Single Power, without RAM, mSATA and OS,-25 to 55°C.	€ 2,207.65
Embedded Computers	DA-681A-I-SP-LX	x86 Rackmount Computer with VGA, 6 LAN, 2 RS-232, 10 RS-485, mSATA, SATA, USB, Single Power, -25 to 55°C, Linux Debian 8.	€ 2,374.42
Embedded Computers	DA-681-I-DP-LX	x86 Rackmount Computer with VGA, 6 LANs, 4 Isolated RS-232, 8 Isolated RS-485, CompactFlash, SATA, USB, Dual Power, Linux 2.6	€ 1,474.20
Embedded Computers	DA-681-I-DPP-T-LX	x86 Rackmount Computer with VGA,6LANs,4RS-232,8RS-485,CF,SATA,USB,DualPower,Linux2.6(IEC-61850-3)	€ 2,012.40
Embedded Computers	DA-681-I-DPP-T-XPE	x86 Rackmount Computer with VGA,6LANs,4RS-232,8RS-485,CF,SATA,USB,DualPower,XPE(IEC-61850-3)	€ 2,451.60
Embedded Computers	DA-681-I-DP-XPE	x86 Rackmount Computer with VGA, 6 LANs, 4 Isolated RS-232, 8 Isolated RS-485, CompactFlash, SATA, USB, Dual Power, WinXP SP2	€ 1,801.80
Embedded Computers	DA-681-I-SP-LX	x86 Rackmount Computer with VGA, 6 LANs, 4 Isolated RS-232, 8 Isolated RS-485, CompactFlash, SATA, USB, Single Power, Linux 2.6	€ 1,393.20
Embedded Computers	DA-681-I-SP-XPE	x86 Rackmount Computer with VGA, 6 LANs, 4 Isolated RS-232, 8 Isolated RS-485, CompactFlash, SATA, USB, Single Power, WinXP SP2	€ 1,719.00
Embedded Computers	DA-682A HDD Kit	DA-682A HD Accessory Package	€ 59.40
Embedded Computers	DA-682A-C0	Celeron 827E, 1.4GHz, SC CPU, without DOM/RAM/OS	€ 1,360.80
Embedded Computers	DA-682A-C0-LX	Celeron 827E, 1.4 GHz, SC CPU, with 2G DOM, 2G RAM and Linux Debian 7	€ 1,477.80
Embedded Computers	DA-682A-C0-W7E	Celeron 827E, 1.4 GHz, SC CPU, with 8G DOM, 2G RAM and Windows Embedded Standard 7	€ 2,068.20
Embedded Computers	DA-682A-C1	Celeron 847E, 1.1 GHz, 2C CPU, without DOM/RAM/OS	€ 1,731.60
Embedded Computers	DA-682A-C1-LX	Celeron 847E, 1.1 GHz, 2C CPU, with 2G DOM, 2G RAM and Linux Debian 7	€ 1,850.40
Embedded Computers	DA-682A-C1-W7E	Celeron 847E, 1.1 GHz, 2C CPU, with 8G DOM, 2G RAM and Windows Embedded Standard 7	€ 2,354.40
Embedded Computers	DA-682A-C7	Core i7-2610UE 1.5 GHz CPU, without DOM/RAM/OS	€ 3,245.40

Embedded Computers	DA-682A-C7-LX	Core i7-2610UE 1.5 GHz CPU, with 2G DOM, 2G RAM and Linux Debian 7	€ 3,362.40
Embedded Computers	DA-682A-C7-W7E	Core i7-2610UE 1.5 GHz CPU, with 8G DOM, 2G RAM and Windows Embedded Standard 7	€ 3,951.00
Embedded Computers	DA-682-LX	x86 Ready-to-Run Rackmount Computer with VGA, 4 Gigabit Ethernet, 2 Peripherals Expansion Slots, CompactFlash, USB, Linux 2.6	€ 1,652.40
Embedded Computers	DA-682-XPE	x86 Ready-to-Run Rackmount Computer with VGA, 4 Gigabit Ethernet, 2 Peripherals Expansion Slots, CompactFlash, USB, WinXP SP2	€ 1,971.00
Embedded Computers	DA-683-DPP-T-LX	x86 Ready-to-Run Rackmount Computer with 1.66GHz CPU, DVI-I, 6 Giga LANs, 2 UART, 4 DI + 4DO, 2 Peripherals Expansion Slots, CompactFlash, 4 USB, Dual Power, Linux (IEC-61850-3 certified)	€ 3,249.00
Embedded Computers	DA-683-DPP-T-W7E	x86 Ready-to-Run Rackmount Computer with 1.66GHz CPU, DVI-I, 6 Giga LANs, 2 UART, 4 DI + 4DO, 2 Peripherals Expansion Slots, CompactFlash, 4 USB, Dual Power, (IEC-61850-3 certified) and Windows Embedded Standard 7	€ 3,993.75
Embedded Computers	DA-683-DPP-T-XPE	x86 Ready-to-Run Rackmount Computer with 1.66GHz CPU, DVI-I, 6 Giga LANs, 2 UART, 4 DI + 4DO, 2 Peripherals Expansion Slots, CompactFlash, 4 USB, Dual Power, Windows Embedded Standard (IEC-61850-3 certified)	€ 3,543.75
Embedded Computers	DA-683-SP-LX	x86 Rackmount Computer with 1.66GHz CPU, DVI-I, 6 Giga LANs, 2 UART, 4 DI + 4DO, 2 Peripherals Expansion Slots, CompactFlash, 4 USB, Single Power, Linux	€ 2,659.50
Embedded Computers	DA-683-SP-W7E	x86 Rackmount Computer with 1.66GHz CPU, DVI-I, 6 Giga LANs, 2 UART, 4 DI + 4DO, 2 Peripherals Expansion Slots, CompactFlash, 4 USB, Single Power and Windows Embedded Standard 7	€ 3,361.50
Embedded Computers	DA-683-SP-XPE	x86 Rackmount Computer with 1.66GHz CPU, DVI-I, 6 Giga LANs, 2 UART, 4 DI + 4DO, 2 Peripherals Expansion Slots, CompactFlash, 4 USB, Single Power, Windows Embedded Standard	€ 2,952.00
Embedded Computers	DA-685-LX	x86 Rackmount Computer with 1.66GHz CPU, VGA, 6 Giga LANs, 2 RS-232/422485, 6 2W RS-485, CompactFlash, 2 USB, Single Power, Linux	€ 2,943.00
Embedded Computers	DA-685-W7E	x86 Rackmount Computer with 1.66GHz CPU, VGA, 6 Giga LANs, 2 RS-232/422485, 6 2W RS-485, CompactFlash, 2 USB, Single Power and Windows Embedded Standard 7	€ 3,467.25
Embedded Computers	DA-685-XPE	x86 Rackmount Computer with 1.66GHz CPU, VGA, 6 Giga LANs, 2 RS-232/422485, 6 2W RS-485, CompactFlash, 2 USB, Single Power, Windows Embedded Standard	€ 3,258.00
Embedded Computers	DA-710-LX	Intel x86 Ready-to-Run Rackmount Computer with VGA, 4 Gigabit LANs, 2 RS-232, 4 Peripherals Expansion Slots, CF, 2 SATA, 4 USB, 4DI, 4DO, Linux 2.6	€ 3,614.40
Embedded Computers	DA-710-XPE	Intel x86 Ready-to-Run Rackmount Computer with VGA, 4 Gigabit LANs, 2 RS-232, 4 Peripherals Expansion Slots, CF, 2 SATA, 4 USB, 4DI, 4 DO, WinXP	€ 3,866.40
Embedded Computers	DA-820-C7-DP-HV	i7-3355LE, HV Power x 2	€ 5,266.80
Embedded Computers	DA-820-C7-DP-HV-T	i7-3355LE, Dual-core 2.5 GHz, 100 ~ 240 VAC/VDC x 2, -40 ~ 75°C, w/o CFast/RAM/OS	€ 5,897.25

Embedded Computers	DA-820-C7-DP-LV-T	i7-3355LE, Dual-core 2.5 GHz, 24 ~ 110 VDC x 2, -40 ~ 75°C, w/o CFast/RAM/OS	€ 6,880.50
Embedded Computers	DA-820-C7-SP-HV	i7-3355LE, HV Power x 1	€ 4,939.07
Embedded Computers	DA-820-C7-SP-HV-T	i7-3355LE, Dual-core 2.5 GHz, 100 ~ 240 VAC/VDC, -40 ~ 75°C, w/o CFast/RAM/OS	€ 5,571.00
Embedded Computers	DA-820-C7-SP-LV-T	i7-3355LE, Dual-core 2.5 GHz, 24 ~ 110 VDC, -40 ~ 75, w/o CFast/RAM/OS	€ 6,061.50
Embedded Computers	DA-820-C8-DP-HV	i7-3612QE, Quad-core 2.1 GHz, 100 ~ 240 VAC/VDC x 2, -40 ~ 60°C, w/o CFast/RAM/OS	€ 6,255.00
Embedded Computers	DA-820-C8-DP-LV	i7-3612QE, Quad-core 2.1 GHz, 24 ~ 110 VDC x 2, -40 ~ 60°C, w/o CFast/RAM/OS	€ 7,238.25
Embedded Computers	DA-820-C8-SP-HV	i7-3612QE, Quad-core 2.1 GHz, 100 ~ 240 VAC/VDC, -40 ~ 60°C, w/o CFast/RAM/OS	€ 5,926.50
Embedded Computers	DA-820-C8-SP-LV	i7-3612QE, Quad-core 2.1 GHz, 24 ~ 110 VDC, -40 ~ 60°C, w/o	€ 6,419.25
Embedded Computers	DA-FX04-MM-ST-T	4 port (100 BaseFX) Fiber LAN, Multi-mode, ST Connector and support IP Teaming	€ 606.60
Embedded Computers	DA-IRIGB-4DIO-PCI104-EMC4	IRIG-B Expansion Module, PCI104 Interface, 1 DB9M In/Out, 3DI ,4DO EMC level4 protection	€ 420.16
Embedded Computers	DA-IRIG-B-S-02-T	IRIG-B Expansion Module, PCI Interface, 1 Fiber IRIG-B in, 1 DB9M In/Out, 1 DB9M Out	€ 253.80
Embedded Computers	DA-IRIG-B-S-04-T	IRIG-B Expansion Module, PCI Interface, 1 Fiber IRIG-B in, 1 DB9M In/Out, 3 DB9M Out	€ 304.20
Embedded Computers	DA-LN04-RJ	4 10/100 Mbps LAN Port Module for DA-682	€ 138.60
Embedded Computers	DA-PRP-HSR	2-port 100/1000 Mbps Ethernet ports compatible with IEC62439-3 protocol	€ 1,210.09
Embedded Computers	DA-SP08-DB	8 RS-232/422/485 Serial Port Module with DB9 Connector for DA-682	€ 138.60
Embedded Computers	DA-SP08-I-DB	8 Isolated RS-232/422/485 Serial Port Module with DB9 Connector for DA-682	€ 455.40
Embedded Computers	DA-SP08-I-EMC4-DB	8-port RS-232/422/485 serial module with DB9 connector, digital isolation and capable of withstand EMS Level 4 env.	€ 514.31
Embedded Computers	DA-SP08-I-EMC4-TB	8-port RS-232/422/485 serial module with terminal block connector, digital isolation, capable of withstand EMS Level 4 env.	€ 514.31
Embedded Computers	DA-SP08-I-TB	8 Isolated RS-232/422/485 Serial Port Module with Terminal Block Connector for DA-682	€ 455.40
Embedded Computers	DA-SP38-I-TB	8 isolated RS-422/485 Serial Port Module with Terminal Block for DA Series	€ 351.00
Embedded Computers	DA-SW08-RJ	8 Port 10/100 Mbps Switch Module for DA Series	€ 140.40
Embedded Computers	DA-UPCI-DK	Universal PCI Extension Kit for DA-682	€ 138.60
Embedded Computers	DDR3-Thermal-Kit-82001	Thermal Kit for non-DDR3L SDRAM	€ 75.62
Embedded Computers	DE-FX02-SFP-T	2 Ports 100 Mbps Fiber Card, SFP slot x 2, PCIe Interface (SFP module excluded)	€ 455.29
Embedded Computers	DE-GX02-SFP-T	2 Ports 1,000 Mbps Fiber Card, SFP slot x 2, PCIe Interface (SFP module excluded)	€ 471.60

Embedded Computers	DK-DC50131-01	V2400 Din-rail Kit V1.0	€ 77.40
Embedded Computers	EM-1220-LX	RISC-based Ready-to-Run Embedded Core Module with 2 Serial Ports, Dual LAN, SD, uClinux OS	€ 149.40
Embedded Computers	EM-1220-LX Development Kit	EM-1220-LX Development Kit, UK Plug	€ 297.00
Embedded Computers	EM-1220-T-LX	RISC-based Ready-to-Run Embedded Core Module with 2 Serial Ports, Dual LAN, SD, uClinux OS. Wide Temperature	€ 210.60
Embedded Computers	EM-1240-LX	RISC-based Ready-to-Run Embedded Core Module with 4 Serial Ports, Dual LAN, SD, uClinux OS	€ 176.40
Embedded Computers	EM-1240-LX Development Kit	EM-1240-LX Development Kit, US and Euro Plug	€ 387.00
Embedded Computers	EM-1240-T-LX	RISC-based Ready-to-Run Embedded Core Module with 4 Serial Ports, Dual LAN, SD, uClinux OS. Wide Temperature	€ 246.60
Embedded Computers	EM-2260-CE	RISC-based Ready-to-Run Embedded Core Module with VGA, 4 Serial Ports, Dual LANs, DIO, WinCE 6.0	€ 379.80
Embedded Computers	EM-2260-CE Development Kit	EM-2260-CE Development Kit, US and Euro Plug	€ 871.20
Embedded Computers	EM-2260-LX	RISC-based Ready-to-Run Embedded Core Module with VGA, 4 Serial Ports, Dual LANs, DIO, Linux 2.6	€ 387.00
Embedded Computers	EM-2260-LX Development Kit	EM-2260-LX Development Kit	€ 928.80
Embedded Computers	EPM-3032	V2420 series expansion module, 2-Ports RS-232/422/485 with 2KV isolation, -25 to 55 °C operating temperature	€ 292.50
Embedded Computers	EPM-3112	2 CAN Port Module with DB9 Connector	€ 265.50
Embedded Computers	EPM-3438	V2420 series expansion module, 8 DI, 8 DO with 3KV isolation, one 5 KHz Counter, -25 to 55 °C operating temperature	€ 319.50
Embedded Computers	EPM-DK 3G Package	Gemalto PHS8-P 3G mini card x 1, black screw x 4, Cellular mini card thermal pad x 1, Mini card internal antenna with QMA connector x 1, Locking washer x 1, O-ring x 1, Nut x 1	€ 213.10
Embedded Computers	EPM-DK LTE-EU Package	Gemalto PLS8-US LTE mini card x 1, black screw x 4, Cellular mini card thermal pad x 1, Mini card internal antenna with QMA connector x 1, Locking washer x 1, O-ring x 1, Nut x 1	€ 300.67
Embedded Computers	EPM-DK LTE-US Package	Gemalto PLS8-US LTE mini card x 1, black screw x 4, Cellular mini card thermal pad x 1, Mini card internal antenna with QMA connector x 1, Locking washer x 1, O-ring x 1, Nut x 1	€ 300.67
Embedded Computers	EPM-DK Wi-Fi Package	SprakLAN WPEA-121N Wi-Fi mini card x 1, bracket x 1, silver screw x 2, black screw x 4, Mini card internal antenna with QMA connector x 2, Locking washer x 2, O-ring x 2, Nut x 2	€ 106.00
Embedded Computers	EPM-DK02	Mini PCIe *2 Expansion Module	€ 265.50
Embedded Computers	EPM-DK03	GPS, 2-slot mini PCIe expansion module	€ 432.00
Embedded Computers	FAN-Kit-82001	Fan Kit without lock for heat dispense if system is overheated when using high performance graphic card in PCIe x 16 slot	€ 67.23

Embedded Computers	FAN-Kit-82002	Fan Kit with lock for heat dispense if system is overheated when using high performance graphic card in PCIe x 16 slot	€ 75.62
Embedded Computers	FK-12072-01	DA-685 HD Accessory Package	€ 34.20
Embedded Computers	FK-75125-01	V2400 HD Accessory Package V1.0	€ 43.20
Embedded Computers	FK-75125-02	Hard disk installation package (Anti-vibration design)	€ 64.80
Embedded Computers	FK-76127-01	FK-76127-01 DA-683 HD Kit	€ 30.60
Embedded Computers	FLI-1260-CT-T	Rail Auto-configuration controller for configure and monitor Moxa's products in harsh environments, coating model.	€ 3,507.75
Embedded Computers	FLI-1260-T	Rail Auto-configuration controller for configure and monitor Moxa's products in harsh environments	€ 2,697.75
Embedded Computers	HDD-Door-Lock-82001	HDD Door with lock	€ 30.26
Embedded Computers	IA240-LX	Industrial Ready-to-Run Embedded Computer with 4 Serial Ports, 4 DI Channels, 4 DO Channels, Dual LAN, USB, SD, Linux OS, US and Euro Plug	€ 432.00
Embedded Computers	IA240-T-LX	Industrial Ready-to-Run Embedded Computer with 4 Serial Ports, 4 DI Channels, 4 DO Channels, Dual LAN, USB, SD, Linux OS, Wide Temperature, US and Euro Plug	€ 567.00
Embedded Computers	IA260-CE	RISC-based Embedded Computer with VGA, 4 Serial Ports, Dual LANs, DIO, CompactFlash, USB, WinCE 6.0	€ 763.20
Embedded Computers	IA260-LX	RISC-based Embedded Computer with VGA, 4 Serial Ports, Dual LANs, DIO, CompactFlash, USB, Linux 2.6	€ 747.00
Embedded Computers	IA260-T-CE	RISC-based Embedded Computer with VGA, 4 Serial Ports, Dual LANs, DIO, CompactFlash, USB, WinCE 6.0, Wide Temperature	€ 1,017.00
Embedded Computers	IA260-T-LX	RISC-based Embedded Computer with VGA, 4 Serial Ports, Dual LANs, DIO, CompactFlash, USB, Linux 2.6, Wide Temperature	€ 1,000.80
Embedded Computers	IA261-I-CE	RISC-based Embedded Computer with VGA, 4 Serial Ports, Dual LANs, DIO, CompactFlash, USB, WinCE 6.0, US and Euro Plug	€ 1,137.60
Embedded Computers	IA261-I-LX	RISC-based Embedded Computer with VGA, 4 Isolated Serial Ports, Dual LANs, DIO, CompactFlash, USB, Linux 2.6	€ 1,121.40
Embedded Computers	IA261-I-T-CE	RISC-based Embedded Computer with VGA, 4 Serial Ports, Dual LANs, DIO, CompactFlash, USB, WinCE 6.0, Wide Temperature, US and Euro Plug	€ 1,486.80
Embedded Computers	IA261-I-T-LX	RISC-based Embedded Computer with VGA, 4 Isolated Serial Ports, Dual LANs, DIO, CompactFlash, USB, Linux 2.6, Wide Temperature	€ 1,470.60
Embedded Computers	IA262-I-CE	RISC-based Embedded Computer with VGA, 2 Serial Ports, Dual LANs, CAN, DIO, CompactFlash, USB, WinCE 6.0, US and Euro Plug	€ 1,227.60
Embedded Computers	IA262-I-LX	RISC-based Embedded Computer with VGA, 2 Isolated Serial Ports, Dual LANs, CAN, DIO, CompactFlash, USB, Linux 2.6	€ 1,209.60
Embedded Computers	IA262-I-T-CE	RISC-based Embedded Computer with VGA, 2 Serial Ports, Dual LANs, CAN, DIO, CompactFlash, USB, WinCE 6.0, Wide Temperature, US and Euro Plug	€ 1,576.80
Embedded Computers	IA262-I-T-LX	RISC-based Embedded Computer with VGA, 2 Isolated Serial Ports, Dual LANs, CAN, DIO, CompactFlash, USB, Linux 2.6, Wide Temperature	€ 1,558.80

Embedded Computers	IA3341-LX	RISC embedded computer with 2 Serial ports, 4DI/4DO, 2AI, 2 thermocouples, Dual LANs, SD, Linux 2.6	€ 615.60
Embedded Computers	M12A-5PMM-IP68	D-coded screw-in USB connector, 5-pin male M12 connector, IP68-rated	€ 18.00
Embedded Computers	M12X-8PMM-IP67	Field-installation A-coded 8-pin male screw-in M12 connector, IP67-rated	€ 134.44
Embedded Computers	M12X-8PMM-IP68	Field-installation X-coded screw-in Gigabit Ethernet connector, 8-pin male M12 connector, IP68-rated	€ 135.00
Embedded Computers	MAR-2001-T	Multi-WAN programmable router w/2LAN,2serial,4DIO,2USB,CF,2x2G/3G,2WiFi AP/bridge/client,GPS,LX,T3	€ 3,735.00
Embedded Computers	MAR-2002-T	Multi-WAN programmable router w/2LANs,2serial,4DIO,2USB,CF,3x 2G/3G, WiFi AP/bridge/client,GPS,LX,T3	€ 4,192.94
Embedded Computers	PWC-C7CN-2B-183	Power Cord (PWC-C7CN-2B-183)	€ 3.38
Embedded Computers	PWR-24250-DT-S1	Power Adapter for V481, V462/464/466/468 series	€ 36.00
Embedded Computers	PWR-24250-DT-S1 Adapter w/AU Plug	Power Adapter, Power jack, M12 Connector, AU Power Cord	€ 81.00
Embedded Computers	PWR-24250-DT-S1 Adapter w/CN Plug	Power Adapter, Power jack, M12 Connector, CN Power Cord	€ 81.00
Embedded Computers	PWR-24250-DT-S1 Adapter w/EU Plug	Power Adapter, Power jack, M12 Connector, EU Power Cord	€ 81.00
Embedded Computers	PWR-24250-DT-S1 Adapter w/UK Plug	Power Adapter, Power jack, M12 Connector, UK Power Cord	€ 81.00
Embedded Computers	PWR-24250-DT-S1 Adapter w/US Plug	Power Adapter, Power jack, M12 Connector, US Power Cord	€ 81.00
Embedded Computers	PWS-40W24-DT-01	Power Supply for UC-8410/16/18/30 & IA260 Series	€ 39.60
Embedded Computers	RNAS slide rail package	RNAS slide rail package	€ 68.40
Embedded Computers	RNAS standard wall-mount assembly	RNAS standard wall-mount assembly	€ 228.60
Embedded Computers	RNAS wall-mount assembly with a lock	RNAS wall-mount assembly with a lock	€ 311.40
Embedded Computers	RNAS-1201-T	Network-attached storage with 2 M12 Gigabit PoE+ LAN ports, and -40 to 70°C temperature tolerance (operating)	€ 1,648.80
Embedded Computers	RNAS-1201-T-CT	Network-attached storage with 2 M12 Gigabit PoE+ LAN ports, and -40 to 70°C temperature tolerance (operating), Coating	€ 2,573.53
Embedded Computers	RNAS-1211-T	Network-attached storage with 2 M12 Gigabit PoE+ LAN ports, 2 pre-installed 100 GB hard disks, and -40 to 70°C temperature tolerance (operating)	€ 2,689.20
Embedded Computers	RNAS-1211-T-CT	Network-attached storage with 2 M12 Gigabit PoE+ LAN ports, 2 pre-installed 100 GB hard disks, and -40 to 70°C temperature tolerance (operating), Coating	€ 4,201.67
Embedded Computers	RTC Battery Kit	Lithium battery with built-in connector for easy replacement	€ 27.74

Embedded Computers	TC-6110-CT-LX	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz CPU, 24 to 110VDC isolated power, Linux Debian 7, - 25~55°C operating temperature compliant with EN50155 T1, Conformal coating	€ 7,224.75
Embedded Computers	TC-6110-CT-T-LX	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz, 24 to 110VDC isolated power, Linux Debian 7, -40~70°C operating temperature compliant with EN50155 TX, Conformal coating	€ 8,667.00
Embedded Computers	TC-6110-CT-T-W7E	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz, 24 to 110VDC isolated power, Win7 Embedded (32-bit), -40~70°C operating temperature compliant with EN50155 TX, Conformal coating	€ 9,297.00
Embedded Computers	TC-6110-CT-W7E	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz CPU, 24 to 110VDC isolated power, Win7 Embedded (32-bit), - 25~55°C operating temperature compliant with EN50155 T1, Conformal coating	€ 7,749.00
Embedded Computers	TC-6110-LX	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz CPU, 24 to 110VDC isolated power, Linux Debian 7, - 25~55°C operating temperature compliant with EN50155 T1	€ 5,778.00
Embedded Computers	TC-6110-T-LX	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz, 24 to 110VDC isolated power, Linux Debian 7, -40~70°C operating temperature compliant with EN50155 TX	€ 6,934.50
Embedded Computers	TC-6110-T-W7E	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz, 24 to 110VDC isolated power, Win7 Embedded (32-bit), -40~70°C operating temperature compliant with EN50155 TX	€ 7,438.50
Embedded Computers	TC-6110-W7E	Modular 3U/42HP Train Computer, 4-Slots, Intel Atom D525 1.8GHz CPU, 24 to 110VDC isolated power, Win7 Embedded (32-bit), - 25~55°C operating temperature compliant with EN50155 T1	€ 6,723.00
Embedded Computers	TC-CP02-DB-T	2 isolated CAN ports with DB9 connectors, -40 to 70°C operating temperature range, compliant with EN 50155 TX	€ 396.00
Embedded Computers	TC-DK10-T	4-socket mini PCIe card carrier module. PCIe v1.0/USB2.0 signal on 1st socket, and USB2.0 signal on 2nd, 3rd and 4th socket.	€ 250.20
Embedded Computers	TC-DK20-T	4-socket mini PCIe card carrier module. PCIe v1.0/USB2.0 signal on 4	€ 320.40
Embedded Computers	TC-SP04-DB44-T	4 software-selectable RS-232/422/485 ports with DB44 connector, -40 to 70°C operating temperature range, compliant with EN 50155 TX	€ 396.00
Embedded Computers	TC-SW04-M12-4P-T	4 auto-sensing 10/100 Mbps megabit Ethernet switch ports, -40 to 70°C operating temperature range, compliant with EN 50155 TX	€ 499.50
Embedded Computers	TC-SW04-M12-8P	4 auto-sensing 10/100/1000 Mbps gigabit Ethernet switch ports, -40 to 70°C operating temperature range, compliant with EN 50155 TX	€ 634.50
Embedded Computers	UC-7101-LX	Mini Size Ready-to-Run Embedded Computer with 1 Serial Ports, 1 LAN, SD, uClinux OS, US and Euro Plug	€ 207.00
Embedded Computers	UC-7101-T-LX	Mini Size Ready-to-Run Embedded Computer with 1 Serial Ports, 1 LAN, SD, uClinux OS, Wide Temperature, US and Euro Plug	€ 271.80

Embedded Computers	UC-7110-LX	Mini Size Ready-to-Run Embedded Computer with 2 Serial Ports, Dual LAN, uClinux OS, US and Euro Plug	€ 259.20
Embedded Computers	UC-7110-T-LX	Mini Size Ready-to-Run Embedded Computer with 2 Serial Ports, Dual LAN, uClinux OS, Wide Temperature, US and Euro Plug	€ 334.80
Embedded Computers	UC-7112-LX	Mini Size Ready-to-Run Embedded Computer with 2 Serial Ports, Dual LAN, SD, uClinux OS, US and Euro Plug	€ 277.20
Embedded Computers	UC-7112-LX Plus	Mini Size Ready-to-Run Embedded Computer with 2 Serial Ports, Dual LAN, SD, Linux 2.6, US and Euro Plug	€ 322.20
Embedded Computers	UC-7122-CE	Mini Size Ready-to-Run Embedded Computer with Dual LANs, 2 Serial Ports, SD, USB, WinCE 5.0	€ 351.00
Embedded Computers	UC-7122-T-CE	RISC-based Ready-to-Run Embedded Computer with Dual LANs, 2 Serial Ports, SD, USB, WinCE 5.0, Wide Temperature	€ 489.60
Embedded Computers	UC-7124-CE	Mini Size Ready-to-Run Embedded Computer with Dual LANs, 4 Serial Ports, SD, USB, WinCE 5.0, US and Euro Plug	€ 455.40
Embedded Computers	UC-7124-T-CE	RISC-based Ready-to-Run Embedded Computer with Dual LANs, 4 Serial Ports, SD, USB, WinCE 5.0, Wide Temperature	€ 595.80
Embedded Computers	UC-8112-LX	RISC-based communication-centric computer platform with 1 GHz CPU, Mini PCIe Socket for Cellular, 2 Ethernet, 2 Serial Port, SD Socket, USB Port, TPM, Micro SD Socket and Debian ARM 7	€ 450.00
Embedded Computers	UC-8112-LX-STK	UC-8112-LX starter kit	€ 603.52
Embedded Computers	UC-8112-T-LX	Wide temperature RISC-based communication-centric computing platform with 1 GHz CPU, Mini PCIe socket for cellular, 2 Ethernet ports, 2 serial ports, 2 GB MicroSD, USB port, and Debian ARM 7	€ 563.83
Embedded Computers	UC-8131-LX	RISC-based communication-centric computer platform with 300 MHz CPU, 2 Ethernet, 1 Serial Port, SD Socket, USB Port and Debian ARM 7	€ 348.75
Embedded Computers	UC-8131-T-LX	Wide temperature RISC-based communication-centric computing platform with 300 MHz CPU, 2 Ethernet ports, 1 serial port, 1 GB SD, USB port, and Debian ARM 7	€ 434.12
Embedded Computers	UC-8132-LX	RISC-based communication-centric computer platform with 300 MHz CPU, Mini PCIe Socket for Cellular, 2 Ethernet, 2 Serial Port, SD Socket, USB Port and Debian ARM 7	€ 384.75
Embedded Computers	UC-8132-T-LX	Wide temperature RISC-based communication-centric computing platform with 300 MHz CPU, Mini PCIe socket for cellular, 2 Ethernet ports, 2 serial ports, 1 GB SD, USB port, and Debian ARM 7	€ 481.77
Embedded Computers	UC-8162-LX	RISC-based communication-centric computer platform with 600 MHz CPU, Mini PCIe Socket for Cellular, 2 Ethernet, 2 Serial Port, SD Socket, USB Port and Debian ARM 7	€ 396.00
Embedded Computers	UC-8162-T-LX	Wide temperature RISC-based communication-centric computing platform with 600 MHz CPU, Mini PCIe socket for cellular, 2 Ethernet ports, 2 serial ports, 1 GB SD, USB port, and Debian ARM 7	€ 495.00

Embedded Computers	UC-8410-CE	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 4 DIO, CompactFlash, USB, WinCE 6.0	€ 892.80
Embedded Computers	UC-8410-LX	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, DIO, CompactFlash, USB, Linux 2.6	€ 810.00
Embedded Computers	UC-8410-T-CE	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 4 DIO, CompactFlash, USB, WinCE 6.0, Wide Temperature	€ 1,121.40
Embedded Computers	UC-8410-T-LX	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, DIO, CompactFlash, USB, Linux 2.6, Wide Temperature	€ 1,024.20
Embedded Computers	UC-8416-CE	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 8 Switch Ports, 4 DIO, CompactFlash, USB, WinCE 6.0	€ 979.20
Embedded Computers	UC-8416-LX	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 8 Switch Ports, 4 DIO, CompactFlash, USB, Linux 2.6	€ 954.00
Embedded Computers	UC-8416-T-CE	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 8 Switch Ports, 4 DIO, CompactFlash, USB, WinCE 6.0, Wide Temperature	€ 1,233.00
Embedded Computers	UC-8416-T-LX	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 8 Switch Ports, 4 DIO, CompactFlash, USB, Linux 2.6, Wide	€ 1,207.80
Embedded Computers	UC-8418-CE	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 2 CAN Ports, 12 DIO, CompactFlash, USB, WinCE 6.0	€ 1,015.20
Embedded Computers	UC-8418-LX	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 2 CAN Ports, 12 DIO, CompactFlash, USB, Linux 2.6	€ 990.00
Embedded Computers	UC-8418-T-CE	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 2 CAN Ports, 12 DIO, CompactFlash, USB, WinCE 6.0, Wide Temperature	€ 1,269.00
Embedded Computers	UC-8418-T-LX	RISC-based Ready-to-Run Embedded Computer with IXP435, 8 Serial Ports, 3 LAN, 2 CAN Ports, 12 DIO, CompactFlash, USB, Linux 2.6, Wide Temperature	€ 1,243.80
Embedded Computers	UC-8430-CE	Ready-to-Run RISC-based industrial embedded computer with 2 VGA, 8 serial ports, 4 DIs, 4 DOs, 3 LANs, 6 USB, CompactFlash, WinCE, standard operating temperature (-10 to 60°C)	€ 1,080.00
Embedded Computers	UC-8430-LX	Ready-to-Run RISC-based industrial embedded computer with 2 VGA, 8 serial ports, 4 DIs, 4 DOs, 3 LANs, 6 USB, CompactFlash, Linux OS, standard operating temperature (-10 to 60°C)	€ 1,060.20
Embedded Computers	UC-8430-T-CE	Ready-to-Run RISC-based industrial embedded computer with 2 VGA, 8 serial ports, 4 DIs, 4 DOs, 3 LANs, 6 USB, CompactFlash, WinCE, standard operating temperature (-40 to 75°C)	€ 1,377.00
Embedded Computers	UC-8430-T-LX	Ready-to-Run RISC-based industrial embedded computer with 2 VGA, 8 serial ports, 4 DIs, 4 DOs, 3 LANs, 6 USB, CompactFlash, Linux OS, standard operating temperature (-40 to 75°C)	€ 1,346.40
Embedded Computers	UC-8481 HSPA Cellular Acc. Package	PH8, Cellular Module for UC-8481	€ 538.20

Embedded Computers	UC-8481 WiFi Accessory Package	Includes 802.11a/b/g/n WiFi Module , two QMA connectors with wire and heat dissipation solution.	€ 169.20
Embedded Computers	UC-8481-LX	RISC-Based Industrial Wireless Mobile Computer with built-in WiFi,3G,GPS and miniPCle socket *2 ,Linux OS,-25 to 55 °C	€ 2,023.20
Embedded Computers	UC-8481-T-LX	RISC-Based Industrial Wireless Mobile Computer with built-in WiFi,3G,GPS and miniPCle socket *2 ,Linux OS,-25 to 70 °C	€ 2,509.20
Embedded Computers	USB Dongle Kit	USB Dongle Accessory Package	€ 33.61
Embedded Computers	V2101-T-CE	x86 Ready-to-Run Embedded Computer with Intel Menlow XL, VGA, LVDS, Audio, 2 LANs, 2 Serial Ports, 3DI, 3DO, 4 USB 2.0 Ports, CF, SD, WinCE 6.0, -40~85°C operation temperature	€ 975.60
Embedded Computers	V2101-T-LX	x86 Ready-to-Run Embedded Computer with Intel Menlow XL, VGA, LVDS, Audio, 2 LANs, 2 Serial Ports, 3DI, 3DO, 4 USB 2.0 Ports, CF, SD, Linux 2.6, -40~85°C operation temperature	€ 975.60
Embedded Computers	V2101-T-XPE	x86 Ready-to-Run Embedded Computer with Intel Menlow XL, VGA, LVDS, Audio, 2 LANs, 2 Serial Ports, 3DI, 3DO, 4 USB 2.0 Ports, CF, SD, WinCE XPe SP2, -40~85°C operation temperature	€ 1,186.20
Embedded Computers	V2201 3G mini card	Sierra Wireless MC9090 (HSPA+CDMA)	€ 268.94
Embedded Computers	V2201 DIN-Rail Mounting Kit	V2201 DIN-Rail Mounting Kit	€ 33.88
Embedded Computers	V2201 LTE-EU mini card	Sierra Wireless MC7304 (LTE for Europe)	€ 285.88
Embedded Computers	V2201 LTE-US mini card	Sierra Wireless MC7354 (LTE for North America)	€ 353.65
Embedded Computers	V2201 Wi-Fi mini Card	Sparklan 252NI Wi-Fi Package	€ 228.71
Embedded Computers	V2201-E1-T	(CTO Model) Intel Atom E3815, HDMI, 2 LANs, 2 serial ports, 4 DIs, 4 DOs, 1 USB 3.0 port, 2 USB 2.0 ports, 1 SD socket, 1 uSIM socket, 2 mini-PCle sockets, -40 to 85°C	€ 1,429.42
Embedded Computers	V2201-E1-T-LX	(Pre-Configured Model) Intel Atom E3815, HDMI, 2 LANs, 2 serial ports, 4 DIs, 4 DOs, 1 USB 3.0 port, 2 USB 2.0 ports, 1 SD socket, 1 uSIM socket, 2 mini-PCle sockets, -40 to 85°C, Linux Debian 7 pre-installed	€ 1,514.12
Embedded Computers	V2201-E1-T-W7E	(Pre-Configured Model) Intel Atom E3815, HDMI, 2 LANs, 2 serial ports, 4 DIs, 4 DOs, 1 USB 3.0 port, 2 USB 2.0 ports, 1 SD socket, 1 uSIM socket, 2 mini-PCle sockets, -40 to 85°C, Windows Embedded Standard 7 pre-installed	€ 1,659.71
Embedded Computers	V2201-E1-W-T	(CTO Model) Intel Atom E3815, HDMI,2 LANs,2 serial ports,4 DIs,4 DOs, 1 USB 3.0, 2 USB 2.0 , 1 SD socket, 1 uSIM socket,2 mini-PCle sockets,5 wireless SMA connectors,-40 to 85°C(with Moxa recommended wireless modules(3G/LTE + Wi-Fi) installed,-40 to 70°C)	€ 1,511.48
Embedded Computers	V2201-E2-T	(CTO Model) Intel Atom E3826, HDMI, 2 LANs, 2 serial ports, 4 DIs, 4 DOs, 1 USB 3.0 port, 2 USB 2.0 ports, 1 SD socket, 1 uSIM socket, 2 mini-PCle sockets, -40 to 85°C	€ 1,492.94

Embedded Computers	V2201-E2-W-T	(CTO Model) Intel Atom E3826, HDMI,2 LANs,2 serial ports,4 DIs,4 DOs, 1 USB 3.0, 2 USB 2.0 , 1 SD socket, 1 uSIM socket,2 mini-PCle sockets,5 wireless SMA connectors,-40 to 85°C(with Moxa recommended wireless modules(3G/LTE + Wi-Fi) installed,-40 to 70°C)	€ 1,577.65
Embedded Computers	V2201-E4-T	(CTO Model) Intel Atom E3845, HDMI, 2 LANs, 2 serial ports, 4 DIs, 4 DOs, 1 USB 3.0 port, 2 USB 2.0 ports, 1 SD socket, 1 uSIM socket, 2 mini-PCle sockets, -40 to 70°C	€ 1,556.48
Embedded Computers	V2201-E4-W-T	(CTO Model) Intel Atom E3845, HDMI, 2 LANs, 2 serial ports, 4 DIs, 4 DOs, 1 USB 3.0, 2 USB 2.0, 1 SD socket, 1 uSIM socket, 2 mini-PCle sockets, 5 wireless SMA connectors, -40 to 70°C with Moxa recommended wireless modules (3G/LTE + Wi-Fi) installed	€ 1,641.17
Embedded Computers	V2400 Isolated Wall Mount Kit	Wall mounting kit with isolation protection. Including two wall mount brackets and four screws	€ 35.37
Embedded Computers	V2401-CE	x86 Ready-to-Run Embedded Computer with VGA, DVI, LVDS, 2 Gigabit LANs, 12 COMs, 6 USB, 4 DI, 4 DO, Compact Flash, WinCE 6.0	€ 1,186.20
Embedded Computers	V2401-LX	x86 Ready-to-Run Embedded Computer with VGA, DVI, LVDS, 2 Gigabit LANs, 12 COMs, 6 USB, 4 DI, 4 DO, Compact Flash, Linux 2.6	€ 1,186.20
Embedded Computers	V2401-XPE	x86 Ready-to-Run Embedded Computer with VGA, DVI, LVDS, 2 Gigabit LANs, 12 COMs, 6 USB, 4 DI, 4 DO, Compact Flash, Windows Embedded	€ 1,398.60
Embedded Computers	V2402-CE	x86 Ready-to-Run Embedded Computer with VGA, DVI, 2 Gigabit LANs, 4 COMs, 6 USB, 4 DI, 4 DO, Compact Flash, WinCE 6.0	€ 1,144.80
Embedded Computers	V2402-LX	x86 Ready-to-Run Embedded Computer with VGA, DVI, 2 Gigabit LANs, 4 COMs, 6 USB, 4 DI, 4 DO, Compact Flash, Linux 2.6	€ 1,144.80
Embedded Computers	V2402-T-LX	x86 ready-to-run embedded computer with Intel Atom N270,VGA,DVI,Audio, 2 LANs , 4 serial port, 4DIs, 4 DOs, 6 USB 2.0 ports,CF, Linux 2.6, -40~70C	€ 1,474.20
Embedded Computers	V2402-T-XPE	x86 ready-to-run embedded computer with Intel Atom N270,VGA,DVI,Audio, 2 LANs , 4 serial port, 4DIs, 4 DOs, 6 USB 2.0 ports,CF, Windows Embedded Stadnard 2009, -40~70C	€ 1,695.60
Embedded Computers	V2402-XPE	x86 Ready-to-Run Embedded Computer with VGA, DVI, 2 Gigabit LANs, 4 COMs, 6 USB, 4 DI, 4 DO, Compact Flash, Windows Embedded Standard	€ 1,355.40
Embedded Computers	V2403 3G mini card	Sierra Wireless MC9090 3G mini card x 1, heat sink x 1, black screw x 4, silver screw x 1	€ 285.88
Embedded Computers	V2403 LTE-EU mini card	Sierra Wireless MC7304 LTE mini card x 1, heat sink x 1, black screw x 4, silver screw x 1	€ 309.17
Embedded Computers	V2403 LTE-US mini card	Sierra Wireless MC7354 LTE mini card x 1, heat sink x 1, black screw x 4, silver screw x 1	€ 372.71
Embedded Computers	V2403 Wi-Fi mini card	SprakLAN WPEA-251NI Wi-Fi mini card x 1, black screw x 4	€ 228.71

Embedded Computers	V2403-C2-T	(CTO Models) x86 ready-to-run embedded computer with Intel Celeron 1047UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, -40 to 70°C operating temperature	€ 1,765.58
Embedded Computers	V2403-C2-T-LX	(Pre-Configured Model) x86 ready-to-run embedded computer with Intel Celeron 1047UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, Linux Debian 7, -40 to 70°C operating temperature	€ 2,167.94
Embedded Computers	V2403-C2-T-W7E	(Pre-Configured Model) x86 ready-to-run embedded computer with Intel Celeron 1047UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, Windows Embedded Standard 7, -40 to 70°C operating temperature	€ 2,440.58
Embedded Computers	V2403-C2-W-T	(CTO Models) x86 ready-to-run embedded computer with Intel Celeron 1047UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, 1 uSIM socket, 1 Wi-Fi mini-PCIe socket, 1 3G/LTE mini-PCIe socket, 1 mSATA mini-PCIe socket, -40 to 70°C	€ 2,144.12
Embedded Computers	V2403-C3-T	(CTO Models) x86 ready-to-run embedded computer with Intel Core i3 3217UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, -40 to 70°C operating temperature	€ 2,689.42
Embedded Computers	V2403-C3-W-T	(CTO Models) x86 ready-to-run embedded computer with Intel Core i3 3217UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, 1 uSIM socket, 1 Wi-Fi mini-PCIe socket, 1 3G/LTE mini-PCIe socket, 1 mSATA mini-PCIe socket, -40 to 70°C	€ 3,110.29
Embedded Computers	V2403-C7-T	(CTO Models) x86 ready-to-run embedded computer with Intel Core i7 3517UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, -40 to 70°C operating temperature	€ 3,279.71
Embedded Computers	V2403-C7-W-T	(CTO Models) x86 ready-to-run embedded computer with Intel Core i7 3517UE, 1 HDMI, 1 DVI-I, 2 LANs, 4 serial ports, 4 DIs, 4 DOs, 4 USB 2.0 ports, 1 uSIM socket, 1 Wi-Fi mini-PCIe socket, 1 3G/LTE mini-PCIe socket, 1 mSATA mini-PCIe socket, -40 to 70°C	€ 3,740.29
Embedded Computers	V2406-24I-CT-LX	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, Linux, EN50155 T1, Conformal Coating	€ 3,993.75
Embedded Computers	V2406-24I-CT-T-LX	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, Linux, EN50155 TX, Conformal Coating	€ 4,623.75
Embedded Computers	V2406-24I-CT-T-XPE	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, WinXPE, EN50155 TX, Conformal Coating	€ 4,686.75
Embedded Computers	V2406-24I-CT-XPE	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, WinXPE, EN50155 T1, Conformal Coating	€ 4,266.00
Embedded Computers	V2406-24I-LX	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, Linux, EN50155 T1	€ 3,152.25
Embedded Computers	V2406-24I-T-LX	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, Linux, EN50155 TX	€ 3,782.25
Embedded Computers	V2406-24I-T-XPE	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, WinXPE, EN50155 TX	€ 4,056.75

Embedded Computers	V2406-24I-XPE	x86 Ready-to-Run Embedded Computer, 24VDC Isolated Power Supply, WinXPE, EN50155 T1	€ 3,424.50
Embedded Computers	V2406A-C2	(Barebone) x86 embedded computer with Intel Celeron 1047UE, 2 DVI, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 12 to 48VDC Power, -25 to 55°C Operating Temperature (EN 50155 Class T1)	€ 2,349.00
Embedded Computers	V2406A-C2-CT-T	(Barebone) x86 embedded computer with Intel Celeron 1047UE, 2 DVI, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 12 to 48VDC Power, -40 to 70°C Operating Temperature (EN 50155 Class TX), Conformal Coating	€ 3,467.25
Embedded Computers	V2406A-C2-T	(Barebone) x86 embedded computer with Intel Celeron 1047UE, 2 DVI, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 12 to 48VDC Power, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 2,889.00
Embedded Computers	V2406A-C2-T-W7E	x86 embedded computer with Intel Celeron 1047UE, 2 DVI, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 12 to 48VDC Power, Windows Embedded Standard 7, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 3,575.25
Embedded Computers	V2406A-C2-W7E	x86 embedded computer with Intel Celeron 1047UE, 2 DVI, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 12 to 48VDC Power, Windows Embedded Standard 7, -25 to 55°C Operating Temperature (EN 50155 Class TX)	€ 2,913.75
Embedded Computers	V2406A-C7	(CTO model)x86 embedded computer with Intel Core i7-3517UE, 2 DVI-Is, 2 LANs, 4 serial ports, 6 DIs, 2 DOs, 3 USB 2.0 ports, 1 OS CFast socket, 1 backup CFast socket, 4 GB of DDR3 RAM installed, 12 to 48 VDC power, -25 to 55°C operating temperature (EN 50155 Class T1)	€ 4,203.52
Embedded Computers	V2406A-C7-CT-T	(CTO model)x86 embedded computer with Intel Core i7-3517UE, 2 DVI-Is, 2 LANs, 4 serial ports, 6 DIs, 2 DOs, 3 USB 2.0 ports, 1 OS CFast socket, 1 backup CFast socket, 4 GB of DDR3 RAM installed, 12 to 48 VDC power, conformal coating, -40 to 70°C (EN 50155 Class TX)	€ 6,334.42
Embedded Computers	V2406A-C7-T	(Barebone) x86 embedded computer with Intel Core i7-3517UE, 2 DVI, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 12 to 48VDC Power, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 5,278.50
Embedded Computers	V2406A-C7-T-W7E	x86 embedded computer with Intel Core i7-3517UE, 2 DVI, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 12 to 48VDC Power, Windows Embedded Standard 7, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 5,841.00
Embedded Computers	V2406-LX	x86 Ready-to-Run Embedded Computer with VGA, DVI-I, 2 LANs, 4 COMs, 3 USB, 6DI/2DO, CompactFlash, Linux, -25~55C	€ 2,648.25
Embedded Computers	V2406-T-LX	x86 Ready-to-Run Embedded Computer with VGA, DVI-I, 2 LANs, 4 COMs, 3 USB, 6DI/2DO, CompactFlash, Linux, -40~70C	€ 3,309.75
Embedded Computers	V2406-T-W7E	x86 ready-to-run embedded computer with Intel Atom N270, VGA, DVI-I, Audio, 2 LANs, 4 serial ports, 6 DIs, 2 DOs, 3 USB 2.0 ports, CF, Windows Embedded Standard 7, -40 to 70°C operating temperature (conformal coating is available on request)	€ 3,836.25

Embedded Computers	V2406-T-XPE	x86 Ready-to-Run Embedded Computer with VGA, DVI-I, 2 LANs, 4 COMs, 3 USB, 6DI/2DO, CompactFlash, WinXPe, -40~70C	€ 3,575.25
Embedded Computers	V2406-W7E	x86 ready-to-run embedded computer with Intel Atom N270, VGA, DVI-I, Audio, 2 LANs, 4 serial ports, 6 DIs, 2 DOs, 3 USB 2.0 ports,CF, Windows Embedded Standard 7, -25 to 60°C operating temperature (conformal coating is available on request)	€ 3,172.50
Embedded Computers	V2406-XPE	x86 Ready-to-Run Embedded Computer with VGA, DVI-I, 2 LANs, 4 COMs, 3 USB, 6DI/2DO, CompactFlash, WinXPe, -25~55C	€ 2,913.75
Embedded Computers	V2416A Hot-Swappable Storage Kit	EN 50155 compliant HDD/SSD bracket x 1, yellow soft washer x 4, silver screws x 4, key x 2	€ 55.48
Embedded Computers	V2416A-C2	(Barebone) x86 embedded computer with Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 2 Hot-Swappable Storage Trays, 12 to 48VDC Power, -25 to 55°C Operating Temperature (EN 50155 Class T1)	€ 2,546.21
Embedded Computers	V2416A-C2-CT-T	(CTO model)x86 computer with Intel Celeron 1047UE,2DVI-I,2LAN,4SerialPort,6DI,2DO,3USB2.0Port,1OSCFastSocket,1BackupCFastSocket,4GB DDR3,2EN50155Hot-swappableStorageTray,12-48VDC,ConformalCoating,-40-70°C(EN 50155ClassTX)	€ 3,787.94
Embedded Computers	V2416A-C2-T	(Barebone) x86 embedded computer with Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 2 Hot-Swappable Storage Trays, 12 to 48VDC Power, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 3,155.45
Embedded Computers	V2416A-C2-T-W7E	x86 embedded computer with Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 2 Hot-Swappable Storage Trays, 12 to 48VDC Power, Windows Embedded Standard 7, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 3,844.53
Embedded Computers	V2416A-C2-W7E	x86 embedded computer with Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 2 Hot-Swappable Storage Trays, 12 to 48VDC Power, Windows Embedded Standard 7, -25 to 55°C Operating Temperature (EN 50155 Class T1)	€ 3,109.23
Embedded Computers	V2416A-C7	(CTO model) with Intel Core i7-3517UE,2 DVI-Is,2 LANs,4 serial ports,6 DIs,2 DOs,3 USB 2.0 ports,1 OS CFast socket,1 backup CFast socket,4 GB of DDR3 RAM installed,2 hot-swappable storage trays,12 to 48 VDC,-25 to 55°C (EN 50155 Class T1)	€ 4,621.77
Embedded Computers	V2416A-C7-CT-T	(CTO model)x86 computer with Intel Core i7-3517UE,2DVI-I,2LAN,4SerialPort,6DI,2DO,3USB2.0Port,1OSCFastSocket,1BackupCFastSocket,4GBDDR3,2EN50155Hot-swappableStorageTray,12-48VDC,ConformalCoating,-40-70°C(EN 50155ClassTX)	€ 6,686.48

Embedded Computers	V2416A-C7-T	(Barebone) x86 embedded computer with Intel Core i7-3517UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 2 Hot-Swappable Storage Trays, 12 to 48VDC Power, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 5,571.43
Embedded Computers	V2416A-C7-T-W7E	x86 embedded computer with Intel Core i7-3517UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, CFast, 2 Hot-Swappable Storage Trays, 12 to 48VDC Power, Windows Embedded Standard 7, -40 to 70°C Operating Temperature (EN 50155 Class TX)	€ 6,134.45
Embedded Computers	V2416-LX	x86-based industrial computer with Intel Atom N270, Dual LANs (M12 connector), 4 serial port, 6 DI, 2 DO, VGA, DVI-I, 3 USB hosts, 2 SATA storage connectors, Linux, -25~55C	€ 2,659.50
Embedded Computers	V2416-T-LX	x86-based industrial computer with Intel Atom N270, Dual LANs (M12 connector), 4 serial port, 6 DI, 2 DO, VGA, DVI-I, 3 USB hosts, 2 SATA storage connectors, Linux, -40~70C	€ 3,348.00
Embedded Computers	V2416-T-W7E	x86-based industrial computer with Intel Atom N270, dual LANs (M12 connectors), 4 serial ports, 6 DIs, 2 DOs, VGA, DVI-I, 3 USB ports, 2 SATA storage connectors, Windows Embedded Standard 7, -40 to 70°C operating temperature (EN 50155 Class TX), conformal	€ 4,097.25
Embedded Computers	V2416-T-XPE	x86-based industrial computer with Intel Atom N270, Dual LANs (M12 connector), 4 serial port, 6 DI, 2 DO, VGA, DVI-I, 3 USB hosts, 2 SATA storage connectors, Xpe, -40~70C	€ 3,604.50
Embedded Computers	V2416-W7E	x86-based industrial computer with Intel Atom N270, dual LANs (M12 connectors), 4 serial ports, 6 DIs, 2 DOs, VGA, DVI-I, 3 USB ports, 2 SATA storage connectors, Windows Embedded Standard 7, -25 to 60°C operating temperature (EN 50155 Class T1), conformal	€ 3,361.50
Embedded Computers	V2416-XPE	x86-based industrial computer with Intel Atom N270, Dual LANs (M12 connector), 4 serial port, 6 DI, 2 DO, VGA, DVI-I, 3 USB hosts, 2 SATA storage connectors, Xpe, -25~55C	€ 2,916.00
Embedded Computers	V2422-LX	x86 Ready-to-Run Embedded Computer with VGA, DVI, 2 Gigabit LANs, 4 COMs, 6 USB, 4DI/4DO, Compact Flash, 2 Peripherals Expansion Slots, Linux, -10~60C	€ 1,526.40
Embedded Computers	V2422-XPE	x86 Ready-to-Run Embedded Computer with VGA, DVI, 2 Gigabit LANs, 4 COMs, 6 USB, 4DI/4DO, Compact Flash, 2 Peripherals Expansion Slots, WinXPe, -10~60C	€ 1,737.00
Embedded Computers	V2426A-C2	Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 1 CFast Socket, 2 Expansion Slots, T1	€ 2,825.73
Embedded Computers	V2426A-C2-CT-T	(CTO model)x86 computer with Intel Celeron 1047UE, 2DVI-I, 2LAN, 4SerialPort, 6DI, 2DO, 3USB2.0Port,1OSCFastSocket, 1BackupCFastSocket, 4GBDDR3RAM, 2PeripheralExpansionSlot, 12-48VDC, ConformalCoating, -40-70°C(EN 50155 Class TX)	€ 4,171.77

Embedded Computers	V2426A-C2-T	Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB2.0 Ports, 1 CFast Socket, 2 Expansion Slots, TX	€ 3,474.79
Embedded Computers	V2426A-C2-T-W7E	Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB2.0, 1 CFast Socket, 2 Expansion Slots, TX, W7E	€ 4,170.17
Embedded Computers	V2426A-C2-W7E	Intel Celeron 1047UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB2.0, 1 CFast Socket, 2 Expansion Slots, T1, W7E	€ 3,388.77
Embedded Computers	V2426A-C7	(CTO model)x86 computer with Intel Core i7-3517UE, 2 DVI-Is, 2 LANs, 4 serial ports, 6 DIs, 2 DOs, 3 USB 2.0 ports, 1 OS CFast socket, 1 backup CFast socket, 4 GB of DDR3 RAM installed, 2 peripheral expansion slots, 12-48 VDC, -25-55°C (EN 50155 Class T1)	€ 4,833.52
Embedded Computers	V2426A-C7-CT-T	(CTO model)x86 computer with Intel Core i7-3517UE, 2DVI-I, 2LAN, 4SerialPort, 6DI, 2DO, 3USB2.0Port,1OSCFastSocket, 1BackupCFastSocket, 4GBDDR3RAM, 2PeripheralExpansionSlot, 12-48VDC, ConformalCoating, -40-70°C(EN 50155 Class TX)	€ 6,874.42
Embedded Computers	V2426A-C7-T	Core i7-3517UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB2.0, 1 CFast Socket, 2 Expansion Slots, T1	€ 5,729.02
Embedded Computers	V2426A-C7-T-W7E	Core i7-3517UE, 2 DVIs, 2 LANs, 4 Serial Ports, 6 DIs, 2 DOs, 3 USB2.0, 1 CFast Socket, 2 Expansion Slots, TX, W7E	€ 6,292.06
Embedded Computers	V2426-LX	x86 Ready-to-Run Embedded Computer with VGA, DVI-I, 2 LANs, 4 COMs, 3 USB, 6DI/2DO, CompactFlash, 2 Peripherals Expansion Slots, Linux, -25~55C	€ 3,125.25
Embedded Computers	V2426-T-LX	x86 Embedded Computer with VGA,DVI,2Giga LANs,4COMs,3USB,6DI/2DO,CF,2ExpansionSlots, Linux	€ 3,906.00
Embedded Computers	V2426-T-W7E	x86 ready-to-run embedded computer with Intel Atom N270, VGA, DVI-I, Audio, 2 LANs, 4 serial ports, 6 DIs, 2 DOs, 3 USB 2.0 ports, CF, 2 peripheral expansion slots, Windows Embedded Standard 7, -40 to 70°C operating temperature (EN 50155 Class TX), confor	€ 4,432.50
Embedded Computers	V2426-T-XPE	x86 Ready-to-Run Embedded Computer with VGA, DVI-I, 2 LANs, 4 COMs, 3 USB, 6DI/2DO, CompactFlash, 2 Peripherals Expansion Slots, WinXPe, -40~70C	€ 4,169.25
Embedded Computers	V2426-W7E	x86 ready-to-run embedded computer with Intel Atom N270, VGA, DVI-I, Audio, 2 LANs, 4 serial ports, 6 DIs, 2 DOs, 3 USB 2.0 ports, CF, 2 peripheral expansion slots, Windows Embedded Standard 7, -25 to 60°C operating temperature (EN 50155 Class T1), confor	€ 3,649.50
Embedded Computers	V2426-XPE	x86 Ready-to-Run Embedded Computer with VGA, DVI-I, 2 LANs, 4 COMs, 3 USB, 6DI/2DO, CompactFlash, 2 Peripherals Expansion Slots, WinXPe, -25~55C	€ 3,388.50
Embedded Computers	V2616 HDD Kit	V2616 HDD Kit	€ 34.20
Embedded Computers	V2616A Hot-Swappable Storage Kit	V2616A hot-swappable EN50155 compliant HDD/SSD installation faceplate	€ 43.20
Embedded Computers	V2616A Internal Storage Kit	V2616A internal EN50155 compliant HDD/SSD installation package	€ 34.20

Embedded Computers	V2616A-C5	(Barebone) x86 Embedded computer with Intel Core i5-3610ME, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, -25 to 55°C operating temperature (EN 50155 Class T1)	€ 4,837.50
Embedded Computers	V2616A-C5-CT-LX	x86 Embedded computer with Intel Core i5-3610ME, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Linux, -25 to 55°C operating temperature (EN 50155 Class T1), Conformal coating	€ 6,295.50
Embedded Computers	V2616A-C5-CT-W7E	x86 Embedded computer with Intel Core i5-3610ME, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Win7 Embedded, -25 to 55°C operating temperature (EN 50155 Class T1), Conformal coating	€ 6,599.25
Embedded Computers	V2616A-C5-LX	x86 Embedded computer with Intel Core i5-3610ME, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Linux, -25 to 55°C operating temperature (EN 50155 Class T1)	€ 5,323.50
Embedded Computers	V2616A-C5-W7E	x86 Embedded computer with Intel Core i5-3610ME, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Win7 Embedded, -25 to 55°C operating temperature (EN 50155 Class T1)	€ 5,627.25
Embedded Computers	V2616A-C7-CT-T-LX	x86 Embedded computer with Intel Core i7-3517UE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Linux, -40 to 70°C operating temperature (EN 50155 Class TX), Conformal coating	€ 6,941.25
Embedded Computers	V2616A-C7-CT-T-W7E	x86 Embedded computer with Intel Core i7-3517UE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Win7 Embedded, -40 to 70°C operating temperature (EN 50155 Class TX), Conformal coating	€ 7,245.00
Embedded Computers	V2616A-C7-T	(Barebone) x86 Embedded computer with Intel Core i7-3517UE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, -40 to 70°C operating temperature (EN 50155 Class TX)	€ 5,388.75
Embedded Computers	V2616A-C7-T-LX	x86 Embedded computer with Intel Core i7-3517UE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Linux, -40 to 70°C operating temperature (EN 50155 Class TX)	€ 5,872.50
Embedded Computers	V2616A-C7-T-W7E	x86 Embedded computer with Intel Core i7-3517UE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Win7 Embedded, -40 to 70°C operating temperature (EN 50155 Class TX)	€ 6,178.50
Embedded Computers	V2616A-C8	(Barebone) x86 Embedded computer with Intel Core i7-3612QE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, -25 to 55°C operating temperature (EN 50155 Class T1)	€ 5,883.75
Embedded Computers	V2616A-C8-CT-LX	x86 Embedded computer with Intel Core i7-3612QE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Linux, -25 to 55°C operating temperature (EN 50155 Class T1), Conformal coating	€ 7,472.25

Embedded Computers	V2616A-C8-CT-W7E	x86 Embedded computer with Intel Core i7-3612QE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Win7 Embedded, -25 to 55°C operating temperature (EN 50155 Class T1), Conformal coating	€ 7,776.00
Embedded Computers	V2616A-C8-LX	x86 Embedded computer with Intel Core i7-3612QE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Linux, -25 to 55°C operating temperature (EN 50155 Class T1)	€ 6,369.75
Embedded Computers	V2616A-C8-W7E	x86 Embedded computer with Intel Core i7-3612QE, VGA, DVI, 2 LANs, 2 Serial Ports, 6 DIs, 2 DOs, 3 USB 2.0 Ports, 24 to 110VDC isolated power, Win7 Embedded, -25 to 55°C operating temperature (EN 50155 Class T1)	€ 6,673.50
Embedded Computers	V2616-LX	X86 Intel Core 2 Duo NVR with Two Removable and One Built-in Storage Trays ,Linux, Meet EN50155 T1	€ 5,294.25
Embedded Computers	V2616-XPE	X86 Intel Core 2 Duo NVR with Two Removable and One Built-in Storage Trays ,Windows Xpe , Meet EN50155 T1	€ 5,559.75
Embedded Computers	W315A-LX	RISC-based Wireless Embedded Computer with GSM/GPRS, 1 serial port, LAN, SD	€ 538.20
Embedded Computers	W321-LX	W321-LX v2.0 is a RISC-based Ready-to-Run Wireless Embedded Computer with 802.11 b/g/n WLAN, 2 Serial Ports, 1 LAN, SD, Linux 2.6.38	€ 372.60
Embedded Computers	W325A-LX	RISC-based Wireless Embedded Computer with GSM/GPRS, 2 serial port, LAN, SD	€ 612.00
Embedded Computers	W341-LX	RISC-based Ready-to-Run Wireless Embedded Computer with 802.11a/b/g WLAN, 4 Serial Ports, 1 LAN, Relay Output, USB, SD, Linux OS, US and Euro Plug	€ 491.40
Embedded Computers	W406-CE	RISC-based Wireless Embedded Computer with GSM/GPRS/EDGE, 4 DI, 4 DO, 2 Serial Ports, Ethernet, SD, WinCE 6.0	€ 682.20
Embedded Computers	W406-LX	RISC-based Wireless Embedded Computer with GSM/GPRS/EDGE, 4 DI, 4 DO, 2 Serial Ports, Ethernet, SD, Linux 2.6	€ 666.00
Embedded Computers	W406-T-CE	RISC-based Wireless Embedded Computer with GSM/GPRS/EDGE, 4 DI, 4 DO, 2 Serial Ports, Ethernet, SD, WinCE 6.0, Wide Temperature	€ 822.60
Embedded Computers	W406-T-LX	RISC-based Wireless Embedded Computer with GSM/GPRS/EDGE, 4 DI, 4 DO, 2 Serial Ports, Ethernet, SD, Linux 2.6, Wide Temperature	€ 802.80
Embedded Computers	WALLMOUNT-8100-01	UC-8100 wall mount kit with screws	€ 25.20
Embedded Computers	WiFi-BGN	Sparklan Wi-Fi Package	€ 67.34
Industrial Device Connectivity	A52-DB25F w/ Adapter	RS-232/422/485 Converter. US adapter. DB25F Cable	€ 37.08
Industrial Device Connectivity	A52-DB25F w/o Adapter	RS-232/422/485 Converter. DB25F Cable	€ 31.52
Industrial Device Connectivity	A52-DB9F w/ Adapter	RS-232/422/485 Converter. adapter. DB9F Cable	€ 37.08
Industrial Device Connectivity	A52-DB9F w/o Adapter	RS-232/422/485 Converter. DB9F Cable	€ 31.52
Industrial Device Connectivity	A53-DB25F w/ Adapter	RS-232/422/485 Converter. 2KV Isolation. US adapter. DB25F Cable	€ 68.60
Industrial Device Connectivity	A53-DB25F w/o Adapter	RS-232/422/485 Converter. 2KV Isolation. DB25F Cable	€ 61.18

dustrial Device Connectiv	A53-DB9F w/ Adapter	RS-232/422/485 Converter. 2KV Isolation. CN adapter. DB9F Cable	€	68.60
dustrial Device Connectiv	A53-DB9F w/o Adapter	RS-232/422/485 Converter. 2KV Isolation. DB9F Cable	€	61.18
dustrial Device Connectiv	ADP-DB9M-DB9M	MINI ADAPTER DB9/M-DB9/M DE-311	€	3.71
dustrial Device Connectiv	ADP-RJ458P-DB9F	RJ45 to DB9 Female adapter	€	5.56
dustrial Device Connectiv	ADP-RJ458P-DB9M	RJ45 to DB9 Male adapter	€	5.56
dustrial Device Connectiv	BKT-DB44L	DB44 Bracket Accessory Package	€	4.64
dustrial Device Connectiv	BKT-PWR	TRC-190 DIN-Rail Accessory Package V1.0	€	23.18
dustrial Device Connectiv	C104H w/o Cable	4 Port ISA Board, w/o Cable, RS-232	€	61.18
dustrial Device Connectiv	C104H/PCI-DB25M	4 Port PCI Board, w/ DB25M Cable, RS-232	€	98.26
dustrial Device Connectiv	C104H/PCI-DB9M	4 Port PCI Board, w/ DB9M Cable, RS-232	€	98.26
dustrial Device Connectiv	C104H-DB25M	4 Port ISA Board, w/ DB25M Cable, RS-232	€	66.74
dustrial Device Connectiv	C104H-DB9M	4 port ISA Board, w/ DB9M Cable, RS-232	€	66.74
dustrial Device Connectiv	C104HS/PCI-DB25M	4 Port PCI Board, w/ DB25M Cable, RS-232, w/ Surge	€	140.90
dustrial Device Connectiv	C104HS/PCI-DB9M	4 Port PCI Board, w/ DB9M Cable, RS-232, w/ Surge	€	140.90
dustrial Device Connectiv	C104HS-DB25M	4 Port ISA Board, w/ DB25M Cable, RS-232, w/ Surge	€	118.66
dustrial Device Connectiv	C104HS-DB9M	4 Port ISA Board, w/ DB9M Cable, RS-232, w/ Surge	€	118.66
dustrial Device Connectiv	C168H	8 Port ISA Board, RS-232	€	90.85
dustrial Device Connectiv	C168H/PCI	8 Port PCI Board, RS-232	€	127.93
dustrial Device Connectiv	C168HS	8 Port ISA Board, RS-232, w/ Surge	€	177.98
dustrial Device Connectiv	C218T/PCI	8 Port UPCI Board, RS-232	€	235.46
dustrial Device Connectiv	C32010T/PCI	8-32 Port UPCI Board	€	185.40
dustrial Device Connectiv	C32010T/PCIEL w/o Cable	8-32 Port UPCI Express Board	€	218.77
dustrial Device Connectiv	C32020T	Connection Cable 200CM, 10-pin	€	9.27
dustrial Device Connectiv	C32030T	C320T Series CPU Module	€	131.63
dustrial Device Connectiv	C32045T	8 Port UART module, RS-232, DB25F	€	126.07
dustrial Device Connectiv	C32047T	8 Port UART module, RS-232, DB25M	€	109.39
dustrial Device Connectiv	C32050T	C320T Series Power Adaptor, US Plug	€	59.33
dustrial Device Connectiv	C32061T	8 Port UART module, RS-422, DB25F	€	139.05
dustrial Device Connectiv	C32065T	8 Port UART module, RS-422, w/ Isolation, DB25F	€	393.05
dustrial Device Connectiv	C32071T	8 Port UART module, RS-232, w/ Surge, DB25F	€	207.65
dustrial Device Connectiv	C32080T	8 Port basic modules, RS-232, 10-pin RJ45	€	305.91
dustrial Device Connectiv	C32081T	16 Port basic modules, RS-232, 10-pin RJ45	€	415.30
dustrial Device Connectiv	C32082T	8 Port extension modules, RS-232, 10-pin RJ45	€	161.30
dustrial Device Connectiv	C32083T	16 Port extension modules, RS-232, 10-pin RJ45	€	285.52

dustrial Device Connectiv	CA-104	4 Port PC/104 Board, RS-232	€	88.99
dustrial Device Connectiv	CA-104-T	4 Port PC/104 Board, RS-232, Wide Temperature	€	120.51
dustrial Device Connectiv	CA-108	8 Port PC/104 Board, RS-232	€	148.32
dustrial Device Connectiv	CA-108-T	8 Port PC/104 Board, RS-232, Wide Temperature	€	198.38
dustrial Device Connectiv	CA-114	4 Port PC/104 Board, RS-232/422/485	€	148.32
dustrial Device Connectiv	CA-114-T	4 Port PC/104 Board, RS-232/422/485	€	198.38
dustrial Device Connectiv	CA-132	2 Port PC/104 Board, RS-422/485	€	98.26
dustrial Device Connectiv	CA-132I	2 Port PC/104 Board, RS-422/485, w/ Isolation	€	148.32
dustrial Device Connectiv	CA-132I-T	2 Port PC/104 Board, RS-422/485, w/ Isolation, Wide Temperature	€	198.38
dustrial Device Connectiv	CA-132-T	2 Port PC/104 Board, RS-422/485, Wide Temperature	€	129.78
dustrial Device Connectiv	CA-134I	4 Port PC/104 Board, RS-422/485, w/ Isolation	€	266.98
dustrial Device Connectiv	CA-134I-T	4 Port PC/104 Board, RS-422/485, w/ Isolation, Wide Temperature	€	355.97
dustrial Device Connectiv	CB-108	8 Port PC/104+ Board, RS-232	€	198.38
dustrial Device Connectiv	CB-108-T	8 Port PC/104+ Board, RS-232, Wide Temperature	€	255.85
dustrial Device Connectiv	CB-114	4 Port PC/104+ Board, RS-232/422/485	€	216.92
dustrial Device Connectiv	CB-114-T	4 Port PC/104+ Board, RS-232/422/485, Wide Temperature	€	276.25
dustrial Device Connectiv	CB-134I	4 Port PC/104+ Board, RS-422/485, w/ Isolation	€	355.97
dustrial Device Connectiv	CB-134I-T	4 Port PC/104+ Board, RS-422/485, w/ Isolation, Wide Temperature	€	452.38
dustrial Device Connectiv	CB-602I w/o Cable	2 Port CANbus PC/104+ Module, w/Isolation, 0 to 55°C Temperature	€	283.66
dustrial Device Connectiv	CB-602I-T w/o Cable	2 Port CANbus PC/104+ Module, w/Isolation, -40 to 85°C Temperature	€	328.16
dustrial Device Connectiv	CBL-F20M25x2-50	CBL-F20M25x2-50	€	7.42
dustrial Device Connectiv	CBL-F37M37-1M	Cable/CBL-F37M37-100 apply to C32082T/C32083T	€	14.83
dustrial Device Connectiv	CBL-F40M25x4-50	CBL-F40M25x4-50	€	18.54
dustrial Device Connectiv	CBL-F9M9-150	150 cm DB9 Female to DB9 Male Cable	€	11.12
dustrial Device Connectiv	CBL-F9M9-20	Cable	€	7.42
dustrial Device Connectiv	CBL-M25F25-2M-10C	CBL-M25F25-2M-10C	€	16.69
dustrial Device Connectiv	CBL-M25M9x2-50	Cable/CBL-M25M9x2-50	€	7.42
dustrial Device Connectiv	CBL-M37M25x4-30	Cable/CBL-M37M25x4-30	€	12.98
dustrial Device Connectiv	CBL-M37M9x4-30	Cable/CBL-M37M9x4-30	€	11.12
dustrial Device Connectiv	CBL-M44M25x4-50	Cable/CBL-M44M25x4-50	€	14.83
dustrial Device Connectiv	CBL-M44M9x4-50	Cable/CBL-M44M9x4-50	€	12.98
dustrial Device Connectiv	CBL-M44M9x4-50 (POS)	Cable/CBL-M44M9x4-50(POS)	€	12.98
dustrial Device Connectiv	CBL-M62F62-150	Cable/CBL-M62F62-150 (Apply for OPT8-M9)	€	27.81
dustrial Device Connectiv	CBL-M62M25x8-100	Cable/CBL-M62M25x8-100	€	29.66

dustrial Device Connectiv	CBL-M62M62-150	Cable/CBL-M62M62-150 (Apply for OPT8 A/B/F/K/S/Z)	€	25.96
dustrial Device Connectiv	CBL-M62M9x8-100	Cable/CBL-M62M9x8-100	€	25.96
dustrial Device Connectiv	CBL-M68F62-150	Cable (CBL-M68F62-150)	€	33.37
dustrial Device Connectiv	CBL-M68M25x8-100	Cable/CBL-M68M25x8-100 (SCSI VHDCI 68 male to 8-port DB25 male connection)	€	48.20
dustrial Device Connectiv	CBL-M68M62-150	Cable (CBL-M68M62-150)	€	44.50
dustrial Device Connectiv	CBL-M68M9x8-100	Cable/CBL-M68M9x8-100(SCSI VHDCI 68 male to 8-port DB9 male	€	46.35
dustrial Device Connectiv	CBL-M78M25x8-100	Cable/CBL-M78M25x8-100	€	51.91
dustrial Device Connectiv	CBL-M78M9x8-100	Cable/CBL-M78M9x8-100	€	50.06
dustrial Device Connectiv	CBL-PJ21NOPEN-BK-30	CBL-PJ21NOPEN-BK-30	€	5.56
dustrial Device Connectiv	CBL-PJTB-10	Cable (CBL-PJTB-10)	€	1.94
dustrial Device Connectiv	CBL-RJ458P-100	RJ45 Ethernet cross over cable	€	3.71
dustrial Device Connectiv	CBL-RJ45F25-150	8pin RJ45 to female DB25 connection cable, 150cm, for NPort 5210, 5610	€	3.71
dustrial Device Connectiv	CBL-RJ45M25-150	8pin RJ45 to male DB25 connection cable, 150cm, for NPort 5210, 5610	€	3.71
dustrial Device Connectiv	CBL-RJ45SF25-150	8pin RJ45 to female DB25 connection shielded cable, 150cm	€	7.42
dustrial Device Connectiv	CBL-RJ45SF9-150	8pin RJ45 to female DB9 connection shielded cable, 150cm	€	5.56
dustrial Device Connectiv	CBL-RJ45SM25-150	8pin RJ45 to male DB25 connection shielded cable, 150cm	€	5.56
dustrial Device Connectiv	CBL-RJ45SM9-150	8pin RJ45 to male DB9 connection shielded cable, 150cm	€	5.56
dustrial Device Connectiv	CBL-USBAP-50	Cable	€	1.85
dustrial Device Connectiv	CI-104J	4 Port ISA Board, RS-232, RJ45	€	77.87
dustrial Device Connectiv	CI-132	2 Port ISA Board, RS-422/485	€	55.62
dustrial Device Connectiv	CI-132I	2 Port ISA Board, RS-422/485, w/ Isolation	€	111.24
dustrial Device Connectiv	CI-132IS	2 Port ISA Board, RS-422/485, w/ Isolation, w/ Surge	€	148.32
dustrial Device Connectiv	CI-134-DB9M	4 Port ISA Board, w/ DB9M Cable, RS-422/485	€	107.53
dustrial Device Connectiv	CI-134I-DB9M	4 Port ISA Board, w/ DB9M Cable, RS-422/485, w/ Isolation	€	205.79
dustrial Device Connectiv	CI-134IS-DB9M	4 Port ISA Board, w/ DB9M Cable, RS-422/485, w/ Isolation, w/ Surge	€	285.52
dustrial Device Connectiv	CN20030	CN20030 Connection CBL RJ45/10P/F25 1.5M	€	5.56
dustrial Device Connectiv	CN20040	CN20040 Connection CBL RJ45/10P/M25 1.5M	€	5.56
dustrial Device Connectiv	CN20060	CN20060 Connection CBL RJ45/10P/M9 1.5M	€	5.56
dustrial Device Connectiv	CN20070	CN20070 Connection CBL RJ45/10P/F9 1.5M	€	3.71
dustrial Device Connectiv	CN2510-16	16 port Terminal Server, single 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, 100V or 240V	€	832.45
dustrial Device Connectiv	CN2510-16-48V	16 port Terminal Server, single 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, +-48 VDC	€	884.36
dustrial Device Connectiv	CN2510-8	8 port Terminal Server, single 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, 100V or 240V	€	745.31

dustrial Device Connectiv	CN2510-8-48V	8 port Terminal Server, single 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, +-48 VDC	€ 797.22
dustrial Device Connectiv	CN2610-16	16 port Terminal Server, dual 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, 100V or 240V	€ 1,168.02
dustrial Device Connectiv	CN2610-16-2AC	16 port Terminal Server, dual 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, Dual 100V to 240V	€ 1,255.16
dustrial Device Connectiv	CN2610-8	8 port Terminal Server, dual 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, 100V or 240V	€ 921.44
dustrial Device Connectiv	CN2610-8-2AC	8 port Terminal Server, dual 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, Dual 100V to 240V	€ 1,008.58
dustrial Device Connectiv	CN2650-16	16 port Terminal Server, dual 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, 100V to 240V	€ 1,221.79
dustrial Device Connectiv	CN2650-16-2AC	16 port Terminal Server, dual 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, Dual 100V to 240V	€ 1,307.07
dustrial Device Connectiv	CN2650-16-2AC-T	16 port Terminal Server, dual 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, Dual 100V to 240V, -40~75°C	€ 1,781.69
dustrial Device Connectiv	CN2650-8	8 port Terminal Server, dual 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, 100V to 240V	€ 943.69
dustrial Device Connectiv	CN2650-8-2AC	8 port Terminal Server, dual 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, Dual 100V to 240V	€ 1,028.97
dustrial Device Connectiv	CN2650-8-2AC-T	8 port Terminal Server, dual 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, Dual 100V to 240V, -40~75°C	€ 1,401.62
dustrial Device Connectiv	CN2650I-16	16 ports RS-232/422/485 Terminal server with DB9 connector, 100-200VAC input with adapter with 2 KV isolation	€ 1,683.43
dustrial Device Connectiv	CN2650I-16-2AC	16 ports RS-232/422/485 Terminal server with RJ45 connector, Dual 100-200VAC input with adapter with 2 KV isolation	€ 1,770.57
dustrial Device Connectiv	CN2650I-16-HV-T	16 Port Terminal Server, 3 in 1, Isolation, Dual 10/100M Ethernet, 88-300 VDC, -40 to 85°C	€ 2,031.98
dustrial Device Connectiv	CN2650I-8	8 ports RS-232/422/485 Terminal server with DB9 connector, 100-200VAC input with adapter with 2 KV isolation	€ 1,179.14
dustrial Device Connectiv	CN2650I-8-2AC	8 ports RS-232/422/485 Terminal server with DB9 connector, Dual 100-200VAC input with adapter with 2 KV isolation	€ 1,268.14
dustrial Device Connectiv	CN2650I-8-HV-T	8 Port Terminal Server, 3 in 1, Isolation, Dual 10/100M Ethernet, 88-300 VDC, -40 to 85°C	€ 1,470.22
dustrial Device Connectiv	CP-102E	2 Port PCIe Board, RS-232	€ 66.74
dustrial Device Connectiv	CP-102EL-DB9M	2 Port PCIe Board, w/ DB9M Cable, RS-232, Low Profile	€ 72.31
dustrial Device Connectiv	CP-102U	2 Port PCI Board, RS-232	€ 40.79

dustrial Device Connectiv	CP-102UF-S-ST-T	2 Port UPCI Fiber Board, Single-mode, ST Connector, up to 40 km, Wide Temperature	€	393.05
dustrial Device Connectiv	CP-102UL-DB9M	2 Port UPCI Board, w/ DB9M Cable, RS-232, Low Profile	€	46.35
dustrial Device Connectiv	CP-102UL-T	2 Port UPCI Board, Cable, RS-232, Low Profile, Wide Temperature	€	66.74
dustrial Device Connectiv	CP-102U-T	2 Port PCI Board, RS-232, Wide Temperature	€	57.47
dustrial Device Connectiv	CP-104EL-A w/o Cable	4 Port PCIe Board, w/o Cable, RS-232, Low Profile	€	122.36
dustrial Device Connectiv	CP-104EL-A-DB25M	4 Port PCIe Board, w/ DB25M Cable, RS-232, Low Profile	€	129.78
dustrial Device Connectiv	CP-104EL-A-DB9M	4 Port PCIe Board, w/ DB9M Cable, RS-232, Low Profile	€	129.78
dustrial Device Connectiv	CP-104JU	4 Port UPCI Board, RS-232, RJ45	€	88.99
dustrial Device Connectiv	CP-104JU-T	4 Port UPCI Board, RS-232, RJ45, Wide Temperature	€	98.26
dustrial Device Connectiv	CP-104UL w/o Cable	4 Port UPCI Board, w/o Cable, RS-232, Low Profile	€	72.31
dustrial Device Connectiv	CP-104UL-DB25M	4 Port UPCI Board, w/ DB25M Cable, RS-232, LowProfile	€	77.87
dustrial Device Connectiv	CP-104UL-DB9M	4 Port UPCI Board, w/ DB9M Cable, RS-232, LowProfile	€	77.87
dustrial Device Connectiv	CP-104UL-T	4 Port UPCI Board, RS-232, Low Profile, Wide Temperature	€	107.53
dustrial Device Connectiv	CP-112UL-DB9M	2 Port UPCI Board, w/DB9M Cable, RS-232/422/485, Low Profile	€	88.20
dustrial Device Connectiv	CP-112UL-I-DB9M	2 Port UPCI Board, w/DB9M Cable, RS-232/422/485, w/Isolation, Low Profile	€	154.80
dustrial Device Connectiv	CP-112UL-I-T	2 Port UPCI Board, RS-232/422/485, w/Isolation, Low Profile, Wide	€	198.00
dustrial Device Connectiv	CP-112UL-T	2 Port UPCI Board, RS-232/422/485, Low Profile, Wide Temperature	€	131.40
dustrial Device Connectiv	CP-114-DB25M	4 Port PCI Board, w/ DB25M Cable, RS-422/485	€	140.40
dustrial Device Connectiv	CP-114-DB9M	4 Port PCI Board, w/ DB9M Cable, RS-422/485	€	140.40
dustrial Device Connectiv	CP-114EL	4 Port PCIe Board, w/o Cable, RS-232/422/485, LowProfile	€	147.60
dustrial Device Connectiv	CP-114EL-DB25M	4 Port PCIe Board, w/ DB25M Cable, RS-232/422/485, LowProfile	€	154.80
dustrial Device Connectiv	CP-114EL-DB9M	4 Port PCIe Board, w/ DB9M Cable, RS-232/422/485, LowProfile	€	154.80
dustrial Device Connectiv	CP-114EL-I	4 Port PCIe Board, w/o Cable, RS-232/422/485, w/ Isolation, Low Profile	€	302.40
dustrial Device Connectiv	CP-114EL-I-DB25M	4 Port PCIe Board, w/ DB25M Cable, RS-232/422/485, w/ Isolation, Low Profile	€	309.60
dustrial Device Connectiv	CP-114EL-I-DB9M	4 Port PCIe Board, w/ DB9M Cable, RS-232/422/485, w/ Isolation, Low Profile	€	309.60
dustrial Device Connectiv	CP-114I w/o Cable	4 Port PCI Board, w/o Cable, 4P-422/485, w/ Isolation	€	271.80
dustrial Device Connectiv	CP-114I-DB25M	4 Port PCI Board, w/ DB25M Cable, RS-422/485, w/ Isolation	€	279.00
dustrial Device Connectiv	CP-114I-DB9M	4 Port PCI Board, w/ DB9M Cable, RS-422/485, w/ Isolation	€	279.00
dustrial Device Connectiv	CP-114IS-DB25M	4 Port PCI Board, w/ DB25M Cable, RS-422/485, w/ Isolation, w/ Surge	€	354.60
dustrial Device Connectiv	CP-114IS-DB9M	4 Port PCI Board, w/ DB9M Cable, RS-422/485, w/ Isolation, w/ Surge	€	354.60
dustrial Device Connectiv	CP-114S-DB25M	4 Port PCI Board, w/ DB25M Cable, RS-422/485, w/ Surge	€	160.20
dustrial Device Connectiv	CP-114S-DB9M	4 Port PCI Board, w/ DB9M Cable, RS-422/485, w/ Surge	€	160.20
dustrial Device Connectiv	CP-114UL w/o Cable	4 Port UPCI Board, w/o Cable, RS-232/422/485, LowProfile	€	144.00
dustrial Device Connectiv	CP-114UL-DB25M	4 Port UPCI Board, w/ DB25M Cable, RS-232/422/485, LowProfile	€	153.00

dustrial Device Connectiv	CP-114UL-DB9M	4 Port UPCI Board, w/ DB9M Cable, RS-232/422/485, LowProfile	€	153.00
dustrial Device Connectiv	CP-114UL-I	4 Port UPCI Board, w/o Cable, RS-232/422/485, w/Isolation, Low Profile	€	318.60
dustrial Device Connectiv	CP-114UL-I-DB25M	4 Port UPCI Board, w/DB25M Cable, RS-232/422/485, w/Isolation, Low Profile	€	324.00
dustrial Device Connectiv	CP-114UL-I-DB9M	4 Port UPCI Board, w/DB9M Cable, RS-232/422/485, w/Isolation, Low Profile	€	324.00
dustrial Device Connectiv	CP-114UL-I-T	4 Port UPCI Board, w/o Cable, RS-232/422/485, w/Isolation, Low Profile, Wide Temperature	€	399.60
dustrial Device Connectiv	CP-114UL-T	4 Port UPCI Board, RS-232/422/485, LowProfile, Wide Temperature	€	160.20
dustrial Device Connectiv	CP-116E-A w/o cable	16 Port PCIe Board, w/o Cable, RS-232/422/485, w/ Surge	€	568.80
dustrial Device Connectiv	CP-118E-A-I w/o cable	8 Port PCIe Board, w/o Cable, RS-232/422/485, w/ Surge , w/ Isolation	€	622.80
dustrial Device Connectiv	CP-118EL-A w/o Cable	8 Port PCIe Board, w/o Cable,RS-232/422/485, Low Profile	€	286.20
dustrial Device Connectiv	CP-118U	8 Port UPCI Board, RS-232/422/485	€	246.60
dustrial Device Connectiv	CP-118U-I	8 Port UPCI Board, RS-232/422/485, w/ Isolation	€	572.40
dustrial Device Connectiv	CP-118U-I-T	8 Port UPCI Board, RS-232/422/485, w/ Isolation, Wide Temperature	€	601.20
dustrial Device Connectiv	CP-118U-T	8 Port UPCI Board, RS-232/422/485, Wide Temperature	€	262.80
dustrial Device Connectiv	CP-132	2 Port PCI Board, RS-422/485	€	74.16
dustrial Device Connectiv	CP-132EL-DB9M	2 Port PCIe Board, w/ DB9M Cable, RS-422/485, Low Profile	€	88.99
dustrial Device Connectiv	CP-132EL-I-DB9M	2 Port PCIe Board, w/ DB9M Cable, RS-422/485, w/ Isolation, Low Profile	€	157.59
dustrial Device Connectiv	CP-132I	2 Port PCI Board, RS-422/485, w/ Isolation	€	131.63
dustrial Device Connectiv	CP-132IS	2 Port PCI Board, RS-422/485, w/ Isolation, w/ Surge	€	157.59
dustrial Device Connectiv	CP-132S	2 Port PCI Board, RS-422/485, w/ Surge	€	96.41
dustrial Device Connectiv	CP-132UL-DB9M	2 Port UPCI Board, w/ DB9M Cable, RS-422/485, Low Profile	€	70.45
dustrial Device Connectiv	CP-132UL-I-DB9M	2 Port UPCI Board, w/ DB9M Cable, RS-422/485, w/ Isolation, Low Profile	€	170.57
dustrial Device Connectiv	CP-132UL-I-T	2 Port UPCI Board, RS-422/485, w/ Isolation, Low Profile, Wide Temperature	€	155.74
dustrial Device Connectiv	CP-132UL-T	2 Port UPCI Board, RS-422/485, Low Profile, Wide Temperature	€	88.99
dustrial Device Connectiv	CP-134EL-A-I w/o cable	4 Port PCIe Board, w/ o Cable, low profile, RS-422/485, w/ Surge, w/ Isolation	€	294.79
dustrial Device Connectiv	CP-134EL-A-I-DB25M	4 Port PCIe Board, w/ DB25M Cable, low profile, RS-422/485, w/ Surge, w/ Isolation	€	304.06

dustrial Device Connectiv	CP-134EL-A-I-DB9M	4 Port PCIe Board, w/ DB9M Cable, low profile, RS-422/485, w/ Surge, w/ Isolation	€	304.06
dustrial Device Connectiv	CP-134U w/o Cable	4 Port UPCI Board, w/o Cable, RS-422/485	€	139.05
dustrial Device Connectiv	CP-134U-DB25M	4 Port UPCI Board, w/ DB25M Cable, RS-422/485	€	150.17
dustrial Device Connectiv	CP-134U-DB9M	4 Port UPCI Board, w/ DB9M Cable, RS-422/485	€	150.17
dustrial Device Connectiv	CP-134U-I w/o Cable	4 Port UPCI Board, w/o Cable, RS-422/485, w/ Isolation	€	324.45
dustrial Device Connectiv	CP-134U-I-DB25M	4 Port UPCI Board, w/ DB25M Cable, RS-422/485, w/ Isolation	€	333.72
dustrial Device Connectiv	CP-134U-I-DB9M	4 Port UPCI Board, w/ DB9M Cable, RS-422/485, w/ Isolation	€	333.72
dustrial Device Connectiv	CP-134U-I-T	4 Port UPCI Board, RS-422/485, w/ Isolation, Wide Temperature	€	328.16
dustrial Device Connectiv	CP-134U-T	4 Port UPCI Board, RS-422/485, Wide Temperature	€	146.47
dustrial Device Connectiv	CP-138E-A-I w/o cable	8 Port PCIe Board, w/o Cable, RS-422/485, w/ Surge , w/ Isolation	€	533.95
dustrial Device Connectiv	CP-138U	8 Port UPCI Board, RS-422/485	€	235.46
dustrial Device Connectiv	CP-138U-I	8 Port UPCI Board, RS-422/485, w/ Isolation	€	470.92
dustrial Device Connectiv	CP-138U-I-T	8 Port UPCI Board, RS-422/485, w/ Isolation, Wide Temperature	€	502.43
dustrial Device Connectiv	CP-138U-T	8 Port UPCI Board, RS-422/485, Wide Temperature	€	241.02
dustrial Device Connectiv	CP-168EL-A w/o Cable	8 port PCIe Board,w/o Cable, RS-232, Low Profile	€	157.59
dustrial Device Connectiv	CP-168U	8 Port UPCI Board, RS-232	€	114.95
dustrial Device Connectiv	CP-168U-T	8 Port UPCI Board, RS-232, Wide Temperature	€	146.47
dustrial Device Connectiv	CP-602E-I w/o Cable	2 Port CANbus PCI Express Board, w/Isolation, 0 to 55°C Temperature	€	283.66
dustrial Device Connectiv	CP-602E-I-T w/o Cable	2 Port CANbus PCI Express Board, w/Isolation, -40 to 85°C Temperature	€	328.16
dustrial Device Connectiv	CP-602U-I w/o Cable	2 Port CANbus Universal PCI Board, w/Isolation, 0 to 55°C Temperature	€	252.14
dustrial Device Connectiv	CP-602U-I-T w/o Cable	2 Port CANbus Universal PCI Board, w/Isolation, -40 to 85°C Temperature	€	292.93
dustrial Device Connectiv	CSM-200-1213	10/100Base-TX to 100Base-Fx Converter. ST Multi mode. Slide-in Module	€	189.11
dustrial Device Connectiv	CSM-200-1214	10/100Base-TX to 100Base-Fx Converter. SC Multi mode. Slide-in Module	€	189.11
dustrial Device Connectiv	CSM-200-1218	10/100Base-TX to 100Base-Fx Converter. SC Single mode. Slide-in Module	€	265.12
dustrial Device Connectiv	DE-211	1 port device server, 10M Ethernet, RS-232/422/485, DB25 female, 15KV ESD 110V or 230V	€	111.24
dustrial Device Connectiv	DE-311	1 port device server, 10/100M Ethernet, RS-232/422/485, DB9 female, 15KV ESD 110V or 230V	€	116.80
dustrial Device Connectiv	DK-25-01	1 pc of DIN Rail 25x48.3mm with 2 screws (FMS M3X6)	€	4.64

dustrial Device Connectiv	DK35A	DIN Rail Mounting Kit 35mm, for DE-311/211, NPort 5200/5400, NPort W2250/2150	€ 1.85
dustrial Device Connectiv	DK-UP1200	1 pc of DIN Rail 25x48.3mm with 2 screws (FMS M3X6)	€ 11.59
dustrial Device Connectiv	DK-UP1400	WK-35-01 and DK-35A package	€ 11.59
dustrial Device Connectiv	ICF-1150I-M-SC	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode, with 2kV 2-way Galvanic Isolation	€ 283.66
dustrial Device Connectiv	ICF-1150I-M-SC-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode, with 2kV 2-way Galvanic Isolation, IECEx Certification Approval	€ 328.16
dustrial Device Connectiv	ICF-1150I-M-SC-T	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C	€ 368.95
dustrial Device Connectiv	ICF-1150I-M-SC-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C, IECEx Certification Approval	€ 422.71
dustrial Device Connectiv	ICF-1150I-M-ST	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode, with 2kV 2-way Galvanic Isolation	€ 283.66
dustrial Device Connectiv	ICF-1150I-M-ST-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode, with 2kV 2-way Galvanic Isolation, IECEx Certification Approval	€ 328.16
dustrial Device Connectiv	ICF-1150I-M-ST-T	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C	€ 368.95
dustrial Device Connectiv	ICF-1150I-M-ST-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C, IECEx Certification Approval	€ 422.71
dustrial Device Connectiv	ICF-1150I-S-SC	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode, with 2kV 2-way Galvanic Isolation	€ 498.73
dustrial Device Connectiv	ICF-1150I-S-SC-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode, with 2kV 2-way Galvanic Isolation, IECEx Certification Approval	€ 572.89
dustrial Device Connectiv	ICF-1150I-S-SC-T	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C	€ 647.05
dustrial Device Connectiv	ICF-1150I-S-SC-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C, IECEx Certification Approval	€ 741.60
dustrial Device Connectiv	ICF-1150I-S-ST	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode, with 2kV 2-way Galvanic Isolation	€ 498.73
dustrial Device Connectiv	ICF-1150I-S-ST-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode, with 2kV 2-way Galvanic Isolation, IECEx Certification Approval	€ 572.89
dustrial Device Connectiv	ICF-1150I-S-ST-T	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C	€ 647.05
dustrial Device Connectiv	ICF-1150I-S-ST-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode, with 2kV 2-way Galvanic Isolation, -40 to 85 °C, IECEx Certification Approval	€ 741.60

dustrial Device Connectiv	ICF-1150-M-SC	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode	€	218.77
dustrial Device Connectiv	ICF-1150-M-SC-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode, IECEx Certification Approval	€	252.14
dustrial Device Connectiv	ICF-1150-M-SC-T	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode, -40 to 85	€	283.66
dustrial Device Connectiv	ICF-1150-M-SC-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Multi-mode, -40 to 85 °C, IECEx Certification Approval	€	328.16
dustrial Device Connectiv	ICF-1150-M-ST	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode	€	218.77
dustrial Device Connectiv	ICF-1150-M-ST-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode, IECEx Certification Approval	€	252.14
dustrial Device Connectiv	ICF-1150-M-ST-T	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode, -40 to 85	€	283.66
dustrial Device Connectiv	ICF-1150-M-ST-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Multi-mode, -40 to 85 °C, IECEx Certification Approval	€	328.16
dustrial Device Connectiv	ICF-1150-S-SC	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode	€	381.92
dustrial Device Connectiv	ICF-1150-S-SC-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode, IECEx Certification Approval	€	441.25
dustrial Device Connectiv	ICF-1150-S-SC-T	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode, -40 to 85 °C	€	498.73
dustrial Device Connectiv	ICF-1150-S-SC-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, SC Single mode, -40 to 85 °C, IECEx Certification Approval	€	572.89
dustrial Device Connectiv	ICF-1150-S-ST	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode	€	381.92
dustrial Device Connectiv	ICF-1150-S-ST-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode, IECEx Certification Approval	€	441.25
dustrial Device Connectiv	ICF-1150-S-ST-T	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode, -40 to 85 °C	€	498.73
dustrial Device Connectiv	ICF-1150-S-ST-T-IEX	Industrial RS-232/422/485 to Fiber Optic Converter, ST Single mode, -40 to 85 °C, IECEx Certification Approval	€	572.89
dustrial Device Connectiv	ICF-1170I-M-ST	Industrial CAN bus to Fiber Optic Converter, ST Multi-mode, 0 to 60°C Temperature	€	283.66
dustrial Device Connectiv	ICF-1170I-M-ST-T	Industrial CAN bus to Fiber Optic Converter, ST Multi-mode, -40 to 85 °C Temperature	€	328.16
dustrial Device Connectiv	ICF-1180I-M-ST	Industrial PROFIBUS to Fiber Optic Converter, ST Multi-mode	€	398.61
dustrial Device Connectiv	ICF-1180I-M-ST-T	Industrial PROFIBUS to Fiber Optic Converter, ST Multi-mode, -40 to 75 °C	€	454.23
dustrial Device Connectiv	ICF-1180I-S-ST	Industrial PROFIBUS to Fiber Optic Converter, ST Single-mode	€	687.83
dustrial Device Connectiv	ICF-1180I-S-ST-T	Industrial PROFIBUS to Fiber Optic Converter, ST Single-mode, -40 to 75 °C	€	745.31
dustrial Device Connectiv	ICF-1280I-M-ST	Industrial PROFIBUS to Fiber Optic Converter, Multi-mode, ST connector, 0 to 60°C	€	611.82
dustrial Device Connectiv	ICF-1280I-M-ST-T	Industrial PROFIBUS to Fiber Optic Converter, Multi-mode, ST connector, -40 to 75°C	€	695.25

dustrial Device Connectiv	ICF-1280I-S-ST	Industrial PROFIBUS to Fiber Optic Converter, Single-mode, ST connector, 0 to 60°C	€ 1,047.51
dustrial Device Connectiv	ICF-1280I-S-ST-T	Industrial PROFIBUS to Fiber Optic Converter, Single-mode, ST connector, -40 to 75°C	€ 1,136.50
dustrial Device Connectiv	IMC-101G	Industrial Giga Media Converter, 10/100/1000BaseT(X) to 1000BaseSX/LX/LHX/ZX, 0 to 60°C	€ 355.97
dustrial Device Connectiv	IMC-101G-IEX	Industrial Giga Media Converter, 10/100/1000BaseT(X) to 1000BaseSX/LX/LHX/ZX, 0 to 60°C, IECEx Certification Approval	€ 409.73
dustrial Device Connectiv	IMC-101G-T	Industrial Giga Media Converter, 10/100/1000BaseT(X) to 1000BaseSX/LX/LHX/ZX, -40 to 75°C	€ 415.30
dustrial Device Connectiv	IMC-101G-T-IEX	Industrial Giga Media Converter, 10/100/1000BaseT(X) to 1000BaseSX/LX/LHX/ZX, -40 to 75°C, IECEx Certification Approval	€ 476.48
dustrial Device Connectiv	IMC-101-M-SC	Industrial Media Converter, multi mode, SC, 0 to 60°C	€ 192.82
dustrial Device Connectiv	IMC-101-M-SC-IEX	Industrial Media Converter, multi mode, SC, 0 to 60°C, IECEx Certification Approval	€ 222.48
dustrial Device Connectiv	IMC-101-M-SC-T	Industrial Media Converter, multi mode, SC, -40 to 75°C	€ 270.68
dustrial Device Connectiv	IMC-101-M-SC-T-IEX	Industrial Media Converter, multi mode, SC, -40 to 75°C, IECEx Certification Approval	€ 309.62
dustrial Device Connectiv	IMC-101-M-ST	Industrial Media Converter, multi mode, ST, 0 to 60°C	€ 192.82
dustrial Device Connectiv	IMC-101-M-ST-IEX	Industrial Media Converter, multi mode, ST, 0 to 60°C, IECEx Certification Approval	€ 222.48
dustrial Device Connectiv	IMC-101-M-ST-T	Industrial Media Converter, multi mode, ST, -40 to 75°C	€ 270.68
dustrial Device Connectiv	IMC-101-M-ST-T-IEX	Industrial Media Converter, multi mode, ST, -40 to 75°C, IECEx Certification Approval	€ 309.62
dustrial Device Connectiv	IMC-101-S-SC	Industrial Media Converter, single mode, SC, 40 km, 0 to 60°C	€ 313.33
dustrial Device Connectiv	IMC-101-S-SC-80	Industrial Media Converter, single mode, SC, 80 km, 0 to 60°C	€ 1,171.73
dustrial Device Connectiv	IMC-101-S-SC-80-T	Industrial Media Converter, single mode, SC, 80 km, -40 to 75°C	€ 1,223.64
dustrial Device Connectiv	IMC-101-S-SC-IEX	Industrial Media Converter, single mode, SC, 40 km, 0 to 60°C, IECEx Certification Approval	€ 359.68
dustrial Device Connectiv	IMC-101-S-SC-T	Industrial Media Converter, single mode, SC, 40 km, -40 to 75°C	€ 368.95
dustrial Device Connectiv	IMC-101-S-SC-T-IEX	Industrial Media Converter, single mode, SC, 40 km, -40 to 75°C, IECEx Certification Approval	€ 422.71
dustrial Device Connectiv	IMC-21A-M-SC	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi mode, SC connector, -10 to 60 °C	€ 140.40

dustrial Device Connectiv	IMC-21A-M-SC-T	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi mode, SC connector, -40 to 75 °C	€ 181.80
dustrial Device Connectiv	IMC-21A-M-ST	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi mode, ST connector, -10 to 60 °C	€ 140.40
dustrial Device Connectiv	IMC-21A-M-ST-T	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi mode, ST connector, -40 to 75 °C	€ 181.80
dustrial Device Connectiv	IMC-21A-S-SC	Industrial 10/100BaseT(X) to 100BaseFX media converter, single mode, SC connector, -10 to 60 °C	€ 235.80
dustrial Device Connectiv	IMC-21A-S-SC-T	Industrial 10/100BaseT(X) to 100BaseFX media converter, single mode, SC connector, -40 to 75 °C	€ 306.00
dustrial Device Connectiv	IMC-21GA	Industrial Gigabit Media Converter, SFP Slot, -10 to 60°C	€ 171.52
dustrial Device Connectiv	IMC-21GA-LX-SC	Industrial Gigabit Media Converter, Single-Mode 10km, SC, -10 to 60°C	€ 332.48
dustrial Device Connectiv	IMC-21GA-LX-SC-T	Industrial Gigabit Media Converter, Single-Mode 10km, SC, -40 to 75°C	€ 415.06
dustrial Device Connectiv	IMC-21GA-SX-SC	Industrial Gigabit Media Converter, Multi-Mode 0.5km, SC, -10 to 60°C	€ 241.42
dustrial Device Connectiv	IMC-21GA-SX-SC-T	Industrial Gigabit Media Converter, Multi-Mode 0.5km, SC, -40 to 75°C	€ 298.58
dustrial Device Connectiv	IMC-21GA-T	Industrial Gigabit Media Converter, SFP Slot, -40 to 75°C	€ 213.88
dustrial Device Connectiv	IMC-21-M-SC	Entry-level Industrial Media Converter, multi mode, SC, -10 to 60°C	€ 140.40
dustrial Device Connectiv	IMC-21-M-ST	Entry-level Industrial Media Converter, multi mode, ST, -10 to 60°C	€ 140.40
dustrial Device Connectiv	IMC-21-S-SC	Entry-level Industrial Media Converter, single mode, SC, -10 to 60°C	€ 221.40
dustrial Device Connectiv	IMC-P101-M-SC	Industrial PoE Media Converter, multi mode, SC connector	€ 381.60
dustrial Device Connectiv	IMC-P101-M-SC-T	Industrial PoE Media Converter, multi mode, SC connector, -40 to 75°C	€ 475.20
dustrial Device Connectiv	IMC-P101-M-ST	Industrial PoE Media Converter, multi mode, ST connector	€ 415.80
dustrial Device Connectiv	IMC-P101-M-ST-T	Industrial PoE Media Converter, multi mode, ST connector, -40 to 75°C	€ 561.60
dustrial Device Connectiv	IMC-P101-S-SC	Industrial PoE Media Converter, single mode, SC connector	€ 531.00
dustrial Device Connectiv	IMC-P101-S-SC-T	Industrial PoE Media Converter, single mode, SC connector, -40 to 75°C	€ 664.20
dustrial Device Connectiv	IMC-P101-S-ST	Industrial PoE Media Converter, single mode, ST connector	€ 577.80
dustrial Device Connectiv	IMC-P101-S-ST-T	Industrial PoE Media Converter, single mode, ST connector, -40 to 75°C	€ 783.00
dustrial Device Connectiv	ISD-1110-T	7 data line entry surge protector, RS-232, 4 kV surge protection, -40 to 85°C operating temperature	€ 66.74
dustrial Device Connectiv	ISD-1130-T	4 data line entry surge protector, RS-422/485, 4 kV surge protection, -40 to 85°C operating temperature	€ 59.33
dustrial Device Connectiv	ISD-1210-T	4 data line advanced surge protector, RS-232, 20 kV surge protection, -40 to 85°C operating temperature	€ 165.01
dustrial Device Connectiv	ISD-1230-T	4 data line advanced surge protector, RS-422/485, 20 kV surge protection, -40 to 85°C operating temperature	€ 165.01

dustrial Device Connectiv	LB9M-RS-232	DB9 Male Loopback Tester	€	5.56
dustrial Device Connectiv	LB-RJ4510P-RS232	RJ-45 Loopback Tester 12.80*42.65mm BE	€	5.56
dustrial Device Connectiv	LB-RJ458P-RS232	RJ-45 Loopback Tester RS-232 Connector	€	1.85
dustrial Device Connectiv	LB-RJ458P-RS422	RJ-45 Loopback Tester RS-422 Connector	€	1.85
dustrial Device Connectiv	ME51-M-SC	10/100BaseTcto 100BaseFx media converter, multi mode, SC type fiber, w/ 110VAC (220VAC)PWR adapter	€	129.60
dustrial Device Connectiv	ME51-M-ST	10/100BaseTcto 100BaseFx media converter, multi mode, ST type fiber, w/110VAC(220VAC) PWR adapter	€	129.60
dustrial Device Connectiv	ME51-S-SC	10/100BaseTcto 100BaseFx media converter, single mode, SC type fiber, w/110VAC(220VAC) PWR adapter	€	244.80
dustrial Device Connectiv	ME61A-S-SC	10/100BaseT(X) to 100BaseFX, single mode SC, Single-Strand Fiber Converter, TX 1310 nm, RX 1550 nm	€	318.60
dustrial Device Connectiv	ME61B-S-SC	10/100BaseT(X) to 100BaseFX, single mode SC, Single-Strand Fiber Converter, TX 1550 nm, RX 1310 nm	€	318.60
dustrial Device Connectiv	MiiNePort E1	Embedded device server, drop-in module, TTL, 10/100M Ethernet with RJ45, 0 to 55°C	€	46.35
dustrial Device Connectiv	MiiNePort E1-H	Embedded device server for TTL devices, drop-in module, up to 921.6Kbps, with RJ45, 0 to 55°C	€	57.47
dustrial Device Connectiv	MiiNePort E1-H-ST	Starter kit for the MiiNePort E1-H series, module included	€	142.76
dustrial Device Connectiv	MiiNePort E1-H-T	Embedded device server for TTL devices, drop-in module, up to 921.6Kbps, with RJ45, -40 to 85°C	€	83.43
dustrial Device Connectiv	MiiNePort E1-SDK	Software Development Kit for MiiNePort E1 Series, with module	€	235.46
dustrial Device Connectiv	MiiNePort E1-ST	Starter kit for MiiNePort E1 Series, with module	€	139.05
dustrial Device Connectiv	MiiNePort E1-ST (w/o Module)	Starter kit for MiiNePort E1 Series, without module	€	90.85
dustrial Device Connectiv	MiiNePort E1-T	Embedded device server, drop-in module, TTL, 10/100M Ethernet with RJ45, -40 to 85°C	€	66.74
dustrial Device Connectiv	MiiNePort E2	Embedded device server for TTL devices, drop-in module, up to 230.4Kbps, without RJ45, 0 to 55°C	€	40.79

dustrial Device Connectiv	MiiNePort E2-H	Embedded device server for TTL devices, drop-in module, up to 921.6Kbps, without RJ45, 0 to 55°C	€ 42.64
dustrial Device Connectiv	MiiNePort E2-H-ST	Starter kit for the MiiNePort E2-H series, module included	€ 144.61
dustrial Device Connectiv	MiiNePort E2-H-T	Embedded device server for TTL devices, drop-in module, up to 921.6Kbps, without RJ45, -40 to 85°C	€ 57.47
dustrial Device Connectiv	MiiNePort E2-SDK	Software Development Kit for MiiNePort E2 Series, with module	€ 235.46
dustrial Device Connectiv	MiiNePort E2-ST	Starter kit for the MiiNePort E2 series, module included	€ 140.90
dustrial Device Connectiv	MiiNePort E2-T	Embedded device server for TTL devices, drop-in module, up to 230.4Kbps, without RJ45, -40 to 85°C	€ 55.62
dustrial Device Connectiv	MiiNePort E3	Embedded device server for TTL devices, up to 230.4Kbps, with RJ45, 0 to	€ 42.64
dustrial Device Connectiv	MiiNePort E3-H	Embedded device server for TTL devices, up to 921.6Kbps, with RJ45, 0 to	€ 46.35
dustrial Device Connectiv	MiiNePort E3-H-ST	Starter kit for the MiiNePort E3-H series, module included	€ 124.22
dustrial Device Connectiv	MiiNePort E3-H-T	Embedded device server for TTL devices, up to 921.6Kbps, with RJ45, -40 to 85°C	€ 61.18
dustrial Device Connectiv	MiiNePort E3-ST	Starter kit for MiiNePort E3 Series, with module	€ 120.51
dustrial Device Connectiv	MiiNePort E3-T	Embedded device server for TTL devices, up to 230.4Kbps, with RJ45, -40 to 85°C	€ 59.33
dustrial Device Connectiv	MiiNePort W1	Wireless LAN Enabler, 802.11 b/g WLAN, 0 to 55°C	€ 98.26
dustrial Device Connectiv	MiiNePort W1-ST	Starter Kit for MiiNePort W1 (with W1 Module), w/ adapter	€ 218.77
dustrial Device Connectiv	MiiNePort W1-T	Wireless LAN Enabler, 802.11 b/g WLAN, -40 to 85°C	€ 114.95
dustrial Device Connectiv	Mini DB9F-to-TB	DB9 Female to Terminal Block	€ 7.42
dustrial Device Connectiv	NE-4100-ST	Developing Kit for NE-4100 Series, NE-4100T (without NE Module)	€ 77.40
dustrial Device Connectiv	NE-4100T	10/100M Ethernet Network Enabler for serial(TTL) device, DIL package	€ 45.00
dustrial Device Connectiv	NE-4100T-P	10/100M Ethernet Network Enabler for serial(TTL) device, DIL package, with programmable firmware	€ 46.80
dustrial Device Connectiv	NE-4100T-T	10/100M Ethernet Network Enabler for serial(TTL) device, DIL package	€ 59.40
dustrial Device Connectiv	NE-4110A	10/100M Ethernet Network Enabler for RS-422/485 device, RJ-45	€ 48.60
dustrial Device Connectiv	NE-4110A-P	10/100M Ethernet Network Enabler for RS-422/485 device, RJ-45, with programmable firmware	€ 59.40
dustrial Device Connectiv	NE-4110A-T	10/100M Ethernet Network Enabler for RS-422/485 device, RJ-45	€ 70.20

dustrial Device Connectivity	NE-4110S	10/100M Ethernet Network Enabler for RS-232 device, RJ-45	€	48.60
dustrial Device Connectivity	NE-4110S-P	10/100M Ethernet Network Enabler for RS-232 device, RJ-45, with programmable firmware	€	54.00
dustrial Device Connectivity	NE-4110S-T	10/100M Ethernet Network Enabler for RS-232 device, RJ-45	€	64.80
dustrial Device Connectivity	NE-4110-ST	Developing Kit for NE-4110 Series, NE-4110S, NE-4110A (without NE	€	82.80
dustrial Device Connectivity	NE-4120A	10/100M Ethernet Network Enabler for RS-422/485 device, pin header	€	57.60
dustrial Device Connectivity	NE-4120A-P	10/100M Ethernet Network Enabler for RS-422/485 device, pin header, with programmable firmware	€	57.60
dustrial Device Connectivity	NE-4120A-T	10/100M Ethernet Network Enabler for RS-422/485 device, pin header	€	88.20
dustrial Device Connectivity	NE-4120S	10/100M Ethernet Network Enabler for RS-232 device, pin header	€	52.20
dustrial Device Connectivity	NE-4120S-P	10/100M Ethernet Network Enabler for RS-232 device, pin header, with programmable firmware	€	52.20
dustrial Device Connectivity	NE-4120S-T	10/100M Ethernet Network Enabler for RS-232 device, pin header	€	81.00
dustrial Device Connectivity	NE-4120-ST	Developing Kit for NE-4120 Series, NE-4120S, NE-4120A (without NE Module)	€	86.40
dustrial Device Connectivity	NM-FX01-M-SC	One 100BaseFx multi mode Ethernet with SC connector module	€	85.28
dustrial Device Connectivity	NM-FX01-M-SC-T	One 100BaseFx multi mode Ethernet with SC connector module, -40~75°C	€	116.80
dustrial Device Connectivity	NM-FX01-S-SC	One 100BaseFx single mode Ethernet with SC connector module	€	105.68
dustrial Device Connectivity	NM-FX01-S-SC-T	One 100BaseFx single mode Ethernet with SC connector module, -40~75°C	€	142.76
dustrial Device Connectivity	NM-FX02-M-SC	Two 100BaseFx multi mode Ethernet with SC connector module	€	179.84
dustrial Device Connectivity	NM-FX02-M-SC-T	Two 100BaseFx multi mode Ethernet with SC connector module, -40~75°C	€	244.73
dustrial Device Connectivity	NM-FX02-S-SC	Two100BaseFx single mode Ethernet with SC connector module	€	215.06
dustrial Device Connectivity	NM-FX02-S-SC-T	Two100BaseFx single mode Ethernet with SC connector module, -40~75°C	€	292.93
dustrial Device Connectivity	NM-Modem	NM-Modem Module	€	216.92
dustrial Device Connectivity	NM-Modem-T	NM-Modem Module, -40~75°C	€	294.79
dustrial Device Connectivity	NM-TX01	Ethernet module with 1 10/100BaseTX port with RJ45 connector	€	27.81
dustrial Device Connectivity	NM-TX01-T	Ethernet module with 1 10/100BaseTX port with RJ45 connector, -40~75°C	€	37.08

dustrial Device Connectiv	NM-TX02	Ethernet module with 2 10/100BaseTX port with RJ45 connector	€	55.62
dustrial Device Connectiv	NM-TX02-T	Ethernet module with 2 10/100BaseTX port with RJ45 connector, -40~75°C	€	76.01
dustrial Device Connectiv	NP21101	30 cm DB25M to DB9F RS-232 cable, for DE-211	€	7.42
dustrial Device Connectiv	NP21102	30 cm DB25M to DB9M RS-232 cable, for DE-211	€	7.42
dustrial Device Connectiv	NP21103	DB25M terminal block kit for RS-422/485, for DE-211	€	5.56
dustrial Device Connectiv	NPort 5110	1 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 12-48VDC	€	97.20
dustrial Device Connectiv	NPort 5110 w/o adapter	1 Port Device Server, 10/100M Ethernet, RS-232, DB9 female, 12-48VDC, w/o adapter	€	91.80
dustrial Device Connectiv	NPort 5110A	1 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, 0~60°C	€	100.80
dustrial Device Connectiv	NPort 5110A-T	1 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, -40~75°C	€	156.60
dustrial Device Connectiv	NPort 5110-T	1 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 12-48VDC, -40~75°C	€	142.20
dustrial Device Connectiv	NPort 5130	1 port device server, 10/100M Ethernet, RS-422/485, DB9 male, 15KV ESD 110V or 230V	€	106.20
dustrial Device Connectiv	NPort 5130A	1 port device server, 10/100M Ethernet, RS-422/485, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, 0~60°C	€	117.00
dustrial Device Connectiv	NPort 5130A-T	1 port device server, 10/100M Ethernet, RS-422/485, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, -40~75°C	€	156.60
dustrial Device Connectiv	NPort 5150	1 port device server, 10/100M Ethernet, RS-232/422/485, DB9 female, 15KV ESD 110V or 230V	€	111.60
dustrial Device Connectiv	NPort 5150 w/o adapter	1 Port Device Server, 10/100M Ethernet, 3 in 1, DB9 female, 12-48VDC, w/o adapter	€	108.00
dustrial Device Connectiv	NPort 5150A	1 port device server, 10/100M Ethernet, RS-232/422/485, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, 0~60°C	€	122.40
dustrial Device Connectiv	NPort 5150AI-M12	1-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -25 to 55°C	€	669.60
dustrial Device Connectiv	NPort 5150AI-M12-CT	1-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -25 to 55°C, Conformal Coating	€	871.20
dustrial Device Connectiv	NPort 5150AI-M12-CT-T	1-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -40 to 70°C, Conformal Coating	€	800.01
dustrial Device Connectiv	NPort 5150AI-M12-T	1-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -40 to 70°C	€	837.59
dustrial Device Connectiv	NPort 5150A-T	1 port device server, 10/100M Ethernet, RS-232/422/485, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, -40~75°C	€	160.20

dustrial Device Connectivity	NPort 5210	2 port device server, 10/100M Ethernet, RS-232, RJ45 8pin, 15KV ESD, 110V or 230V	€	149.40
dustrial Device Connectivity	NPort 5210 w/ adapter	2 port device server, 10/100M Ethernet, RS-232, RJ45 8pin, 15KV ESD, 110V or 230V	€	158.40
dustrial Device Connectivity	NPort 5210A	2 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, 0~60°C	€	163.80
dustrial Device Connectivity	NPort 5210A-T	2 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, -40~75°C	€	205.20
dustrial Device Connectivity	NPort 5210-P	2 port Programable Communication gateway, 10/100M Ethernet, RS-232 RJ-45 x 2, 15KV ESD, 12-30V	€	162.00
dustrial Device Connectivity	NPort 5210-P-ST	Starter Kit for Nport 5210-P, 100-240VAC, US/Euro plug	€	232.20
dustrial Device Connectivity	NPort 5210-T	2 port device server, 10/100M Ethernet, RS-232, RJ45 8pin, 15KV ESD, 110V or 230V, -40~75°C	€	212.40
dustrial Device Connectivity	NPort 5230	1 port RS-422/485 device server, 1 port RS-232, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC	€	149.40
dustrial Device Connectivity	NPort 5230 w/ adapter	1 port RS-422/485 device server, 1 port RS-232, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC	€	158.40
dustrial Device Connectivity	NPort 5230A	2 port device server, 10/100M Ethernet, RS-422/485, Terminal block, 15KV ESD, 0.5KV serial surge, 12~48VDC, 0~60°C	€	163.80
dustrial Device Connectivity	NPort 5230A-T	2 port device server, 10/100M Ethernet, RS-422/485, Terminal block, 15KV ESD, 0.5KV serial surge, 12~48VDC, -40~75°C	€	205.20
dustrial Device Connectivity	NPort 5230-P	2 port Programable Communication gateway, 10/100M Ethernet, RS-232 x 1, RS-485 x 1, TB , 15KV ESD, 12-30V	€	151.20
dustrial Device Connectivity	NPort 5230-P-ST	Starter Kit for Nport 5230-P, 100-240VAC, US/Euro plug	€	219.60
dustrial Device Connectivity	NPort 5230-T	1 port RS-422/485 device server, 1 port RS-232, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC, -40~75°C	€	208.80
dustrial Device Connectivity	NPort 5232	2 port RS-422/485 device server, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC	€	149.40
dustrial Device Connectivity	NPort 5232 w/ adapter	2 port RS-422/485 device server, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC	€	160.20
dustrial Device Connectivity	NPort 5232I	2 port RS-422/485 device server, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC with 2KV isolation	€	205.20
dustrial Device Connectivity	NPort 5232I w/ adapter	2 port RS-422/485 device server, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC with 2KV isolation, No brand	€	210.60
dustrial Device Connectivity	NPort 5232I-T	2 port RS-422/485 device server, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC with 2KV isolation, -40~75°C	€	261.00
dustrial Device Connectivity	NPort 5232-T	2 port RS-422/485 device server, 10/100M Ethernet, terminal block, 15KV ESD, 12-30VDC , -40~75°C	€	217.80
dustrial Device Connectivity	NPort 5250A	2 port device server, 10/100M Ethernet, RS-232/422/485, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, 0~60°C	€	181.80

dustrial Device Connectiv	NPort 5250AI-M12	2-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -25 to 55°C	€	792.00
dustrial Device Connectiv	NPort 5250AI-M12-CT	2-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -25 to 55°C, Conformal Coating	€	1,029.60
dustrial Device Connectiv	NPort 5250AI-M12-CT-T	2-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -40 to 70°C, Conformal Coating	€	944.64
dustrial Device Connectiv	NPort 5250AI-M12-T	2-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -40 to 70°C	€	986.40
dustrial Device Connectiv	NPort 5250A-T	2 port device server, 10/100M Ethernet, RS-232/422/485, DB9 male, 15KV ESD, 0.5KV serial surge, 12~48VDC, -40~75°C	€	228.60
dustrial Device Connectiv	NPort 5410	4 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 12-48 VDC	€	380.07
dustrial Device Connectiv	NPort 5410 w/ adapter	4 port device server, 10/100M Ethernet, RS-232, DB9 male, 15KV ESD, 12-48 VDC	€	387.49
dustrial Device Connectiv	NPort 5430	4 port device server, 10/100M Ethernet, RS-422/485, terminal block, 15KV ESD, 12-48 VDC	€	437.54
dustrial Device Connectiv	NPort 5430 w/ adapter	4 port device server, 10/100M Ethernet, RS-422/485, terminal block, 15KV ESD, 12-48 VDC	€	441.25
dustrial Device Connectiv	NPort 5430I	4 port device server, 10/100M Ethernet, RS-422/485, terminal block, 15KV ESD, 12-48 VDC with 2KV isolation	€	578.45
dustrial Device Connectiv	NPort 5430I w/ adapter	4 port device server, 10/100M Ethernet, RS-422/485, terminal block, 15KV ESD, 12-48 VDC with 2KV isolation	€	584.01
dustrial Device Connectiv	NPort 5450	4 port device server, 10/100M Ethernet, RS-232/422/485, terminal block, 15KV ESD, 12-48 VDC	€	456.08
dustrial Device Connectiv	NPort 5450 w/ adapter	4 port device server, 10/100M Ethernet, RS-232/422/485, terminal block, 15KV ESD, 12-48 VDC	€	465.35
dustrial Device Connectiv	NPort 5450AI-M12	4-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -25 to 55°C	€	1,065.44
dustrial Device Connectiv	NPort 5450AI-M12-CT	4-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -25 to 55°C, Conformal Coating	€	1,386.79
dustrial Device Connectiv	NPort 5450AI-M12-CT-T	4-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -40 to 70°C, Conformal Coating	€	1,279.26
dustrial Device Connectiv	NPort 5450AI-M12-T	4-port 3 in 1 Device Server w/ M12 Connector (Ethernet, power input), -40 to 70°C	€	1,329.93
dustrial Device Connectiv	NPort 5450I	4 port device server, 10/100M Ethernet, RS-232/422/485, terminal block, 15KV ESD, 12-48 VDC with 2KV isolation	€	648.90
dustrial Device Connectiv	NPort 5450I w/ adapter	4 port device server, 10/100M Ethernet, RS-232/422/485, terminal block, 15KV ESD, 12-48 VDC with 2KV isolation	€	658.17
dustrial Device Connectiv	NPort 5450I-T	4-port RS-232/422/485 device server with DB9 connectors, 12-48VDC power input, 2KV isolation protection, -40-75°C	€	684.13

dustrial Device Connectiv	NPort 5450-T	4-port RS-232/422/485 device server with DB9 connectors, 12-48VDC power input, -40-75°C	€	524.68
dustrial Device Connectiv	NPort 5610-16	16 port device server, 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, 100V or 240V	€	771.26
dustrial Device Connectiv	NPort 5610-16-48V	16 port device server, 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, +-48 VDC	€	838.01
dustrial Device Connectiv	NPort 5610-8	8 port device server, 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, 100V or 240V	€	598.84
dustrial Device Connectiv	NPort 5610-8-48V	8 port device server, 10/100M Ethernet, RS-232, RJ-45 8pin, 15KV ESD, +-48 VDC	€	645.19
dustrial Device Connectiv	NPort 5610-8-DT	8-port desktop device server, 2 10/100M Ethernet, RS-232 DB9, 12-48VDC	€	596.99
dustrial Device Connectiv	NPort 5610-8-DT-J	8-port desktop device server, 2 10/100M Ethernet, RS-232 RJ-45, 12-48VDC	€	596.99
dustrial Device Connectiv	NPort 5610-8-DTL	8-port desktop lite device server, 10/100M Ethernet, RS-232 DB9, 12-48VDC, 0-60°C	€	558.05
dustrial Device Connectiv	NPort 5610-8-DTL w/o adaptor	8-port desktop lite device server, 10/100M Ethernet, RS-232 DB9, 12-48VDC, 0-60°C	€	542.95
dustrial Device Connectiv	NPort 5610-8-DTL-T	8-port desktop lite device server, 10/100M Ethernet, RS-232 DB9, 12-48VDC, -40-75°C	€	698.96
dustrial Device Connectiv	NPort 5630-16	16 port device server, 10/100M Ethernet, RS-422/485, RJ-45 8pin, 15KV ESD, 100V or 240V	€	804.64
dustrial Device Connectiv	NPort 5630-8	8-port rackmount device server, 10/100M Ethernet, RS-422/485 RJ-45, 100-240VAC	€	634.07
dustrial Device Connectiv	NPort 5650-16	16 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, 100V or 240V	€	884.36
dustrial Device Connectiv	NPort 5650-16-HV-T	16 Port Device Server, 10/100M Ethernet, 3 in 1, RJ-45 8pin, 88-300 VDC, -40 to 85°C	€	1,394.21
dustrial Device Connectiv	NPort 5650-16-M-SC	16 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 100M Multi mode Fiber, SC connector, 15KV ESD, 100V or 240V	€	1,117.96
dustrial Device Connectiv	NPort 5650-16-S-SC	16 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 100M Single mode Fiber, SC connector, 15KV ESD, 100V or 240V	€	1,162.46
dustrial Device Connectiv	NPort 5650-16-T	16 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, 100V or 240V, -40~75°C	€	1,203.25
dustrial Device Connectiv	NPort 5650-8	8 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, 100V or 240V	€	760.14

dustrial Device Connectivity	NPort 5650-8-DT	8-port desktop device server, 2 10/100M Ethernet, RS-232/422/485 DB9, 12-48VDC	€ 663.73
dustrial Device Connectivity	NPort 5650-8-DT-J	8-port desktop device server, 2 10/100M Ethernet, RS-232/422/485 RJ-45, 12-48VDC	€ 663.73
dustrial Device Connectivity	NPort 5650-8-DTL	8-port desktop lite device server, 2 10/100M Ethernet, RS-232/422/485 DB9, 12-48VDC, 0-60°C	€ 621.09
dustrial Device Connectivity	NPort 5650-8-DTL-T	8-port desktop lite device server, 10/100M Ethernet, RS-232/422/485 DB9, 12-48VDC, -40-75°C	€ 774.97
dustrial Device Connectivity	NPort 5650-8-HV-T	8 Port Device Server, 10/10M Ethernet, 3 in 1, RJ-45 8pin, 88-300 VDC, -40 to 85°C	€ 1,138.36
dustrial Device Connectivity	NPort 5650-8-M-SC	8 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 100M Multi mode Fiber, SC connector, 15KV ESD, 100V or 240V	€ 899.19
dustrial Device Connectivity	NPort 5650-8-S-SC	8 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 100M Single mode Fiber, SC connector, 15KV ESD, 100V or 240V	€ 941.83
dustrial Device Connectivity	NPort 5650-8-T	8 port device server, 10/100M Ethernet, RS-232/422/485, RJ-45 8pin, 15KV ESD, 100V or 240V, -40~75°C	€ 951.10
dustrial Device Connectivity	NPort 5650I-8-DT	8-port desktop device server, 2 10/100M Ethernet, RS-232/422/485 DB9 Isolation, 12-48VDC	€ 1,017.85
dustrial Device Connectivity	NPort 5650I-8-DTL	8-port desktop lite device server, 2 10/100M Ethernet, RS-232/422/485 DB9 Isolation, 12-48VDC, 0-60°C	€ 969.64
dustrial Device Connectivity	NPort 5650I-8-DTL-T	8-port desktop lite device server, 10/100M Ethernet, RS-232/422/485 DB9 Isolation, 12-48VDC, -40-75°C	€ 1,210.66
dustrial Device Connectivity	NPort 6150	1 port RS-232/422/485 secure device server, 12-48V, w/ adapter	€ 205.79
dustrial Device Connectivity	NPort 6150-T	1 Port Terminal Server, 3 in 1, 10/100M Ethernet, 12-48 VDC, -40 to 75°C	€ 250.29
dustrial Device Connectivity	NPort 6250	2 ports RS-232/422/485 secure device server, 12-48V, w/ adapter	€ 355.97
dustrial Device Connectivity	NPort 6250-M-SC	2 ports RS-232/422/485 secure device server, single mode Ethernet with SC connector, 12-48V, w/ adapter	€ 439.40
dustrial Device Connectivity	NPort 6250-M-SC-T	2 Port Terminal Server, 3 in 1, 100FX Multi Mode Fiber, SC Connector, 12-48VDC, -40 to 75°C	€ 450.52
dustrial Device Connectivity	NPort 6250-S-SC	2 ports RS-232/422/485 secure device server, single mode Ethernet with SC connector, 12-48V, w/ adapter	€ 495.02

dustrial Device Connectiv	NPort 6250-S-SC-T	2 Port Terminal Server, 3 in 1, 100FX Single Mode Fiber, SC Connector, 12-48VDC, -40 to 75°C	€	508.00
dustrial Device Connectiv	NPort 6250-T	2 Port Terminal Server, 3 in 1, 10/100M Ethernet, 12-48 VDC, -40 to 75°C	€	396.76
dustrial Device Connectiv	NPort 6450	4 ports RS-232/422/485 secure device server, 12-48V, w/ adapter	€	459.79
dustrial Device Connectiv	NPort 6450-T	4 Port Terminal Device Server, US Plug, 3 in 1, 10/100M Ethernet, 12-48 VDC, w/o adapter	€	556.20
dustrial Device Connectiv	NPort 6610-16	16 ports RS-232 secure device server, 100V~240VAC	€	1,086.44
dustrial Device Connectiv	NPort 6610-16-48V	16 ports RS-232 secure device server, 48VDC	€	1,103.13
dustrial Device Connectiv	NPort 6610-32	32 ports RS-232 secure device server, 100V~240VAC	€	1,355.27
dustrial Device Connectiv	NPort 6610-32-48V	32 ports RS-232 secure device server, 48VDC	€	1,499.89
dustrial Device Connectiv	NPort 6610-8	8 ports RS-232 secure device server, 100V~240VAC	€	836.15
dustrial Device Connectiv	NPort 6610-8-48V	8 ports RS-232 secure device server, 48VDC	€	873.23
dustrial Device Connectiv	NPort 6650-16	16 ports RS-232/422/485 secure device server, 100V~240VAC	€	990.04
dustrial Device Connectiv	NPort 6650-16-48V	16 ports RS-232/422/485 secure device server, 48VDC	€	990.04
dustrial Device Connectiv	NPort 6650-16-HV-T	16 Port Ethernet Scire Terminal Server, 10/100M Ethernet, 3 in 1, RJ-45 8pin, 88-300 VDC, -40 to 85°C	€	1,373.96
dustrial Device Connectiv	NPort 6650-16-T	16 ports RS-232/422/485 secure device server, 100V~240VAC, -40~75°C	€	1,583.32
dustrial Device Connectiv	NPort 6650-32	32 ports RS-232/422/485 secure device server, 100V~240VAC	€	1,410.89
dustrial Device Connectiv	NPort 6650-32-48V	32 ports RS-232/422/485 secure device server, 48VDC	€	1,488.76
dustrial Device Connectiv	NPort 6650-32-HV-T	32 Port Ethernet Scire Terminal Server, 10/100M Ethernet, 3 in 1, RJ-45 8pin, 88-300 VDC, -40 to 85°C	€	1,633.28
dustrial Device Connectiv	NPort 6650-8	8 ports RS-232/422/485 secure device server, 100V~240VAC	€	973.35
dustrial Device Connectiv	NPort 6650-8-48V	8 ports RS-232/422/485 secure device server, 48VDC	€	893.63
dustrial Device Connectiv	NPort 6650-8-HV-T	8 Port Ethernet Scire Terminal Server, 10/100M Ethernet, 3 in 1, RJ-45 8pin, 88-300 VDC, -40 to 85°C	€	1,208.41
dustrial Device Connectiv	NPort 6650-8-T	8 ports RS-232/422/485 secure device server, 100V~240VAC, -40~75°C	€	1,214.37
dustrial Device Connectiv	NPort IA-5150	1-port RS-232/422/485 serial device server, 10/100MBaseT(X) (RJ45)	€	213.21
dustrial Device Connectiv	NPort IA5150A	1-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial	€	235.46

dustrial Device Connectiv	NPort IA5150AI	1-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge	€	304.06
dustrial Device Connectiv	NPort IA5150A-IEX	1-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, IECEx Certification Approval	€	270.68
dustrial Device Connectiv	NPort IA5150AI-IEX	1-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, IECEx Certification Approval	€	339.28
dustrial Device Connectiv	NPort IA5150AI-T	1-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, -40~75°C	€	381.92
dustrial Device Connectiv	NPort IA5150AI-T-IEX	1-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, -40~75°C, IECEx Certification Approval	€	428.27
dustrial Device Connectiv	NPort IA5150A-T	1-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, -40~75°C	€	294.79
dustrial Device Connectiv	NPort IA5150A-T-IEX	1-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, -40~75°C, IECEx Certification Approval	€	339.28
dustrial Device Connectiv	NPort IA-5150I	1-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X) (RJ45)	€	274.39
dustrial Device Connectiv	NPort IA-5150-IEX	1-port RS-232/422/485 to 2-ports 10/100BaseT(X), 0 to 55°C, IECEx	€	241.02
dustrial Device Connectiv	NPort IA-5150I-IEX	1-port RS-232/422/485 to 2-ports 10/100BaseT(X), 2KV isolation, 0 to 55°C, IECEx	€	305.91
dustrial Device Connectiv	NPort IA-5150I-M-SC	1-port RS-232/422/485 serial device server with 2 KV isolation, 100M Multi mode Fiber, SC connector	€	396.76
dustrial Device Connectiv	NPort IA-5150I-M-SC-IEX	1-port RS-232/422/485 to 1 100BaseF(X) multi-mode port, SC, 2KV isolation, 0 to 55°C, IECEx	€	443.11
dustrial Device Connectiv	NPort IA-5150I-M-SC-T	1-port RS-232/422/485 serial device server with 2 KV isolation, 100M Multi mode Fiber, SC connector, -40~75°C	€	515.41
dustrial Device Connectiv	NPort IA-5150I-M-SC-T-IEX	1-port RS-232/422/485 to 1 100BaseF(X) multi-mode port, SC, 2KV isolation, -40 to 75°C, IECEx	€	574.74
dustrial Device Connectiv	NPort IA-5150I-S-SC	1-port RS-232/422/485 serial device server with 2 KV isolation, 100M Single mode Fiber, SC connector	€	439.40
dustrial Device Connectiv	NPort IA-5150I-S-SC-IEX	1-port RS-232/422/485 to 1 100BaseF(X) single-mode port, SC, 2KV isolation, 0 to 55°C, IECEx	€	489.46
dustrial Device Connectiv	NPort IA-5150I-S-SC-T	1-port RS-232/422/485 serial device server with 2 KV isolation, 100M Single mode Fiber, SC connector, -40~75°C	€	571.03
dustrial Device Connectiv	NPort IA-5150I-S-SC-T-IEX	1-port RS-232/422/485 to 1 100BaseF(X) single-mode port, SC, -40 to 75°C, IECEx	€	637.78
dustrial Device Connectiv	NPort IA-5150I-T	1-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X) (RJ45), -40~75°C	€	355.97
dustrial Device Connectiv	NPort IA-5150I-T-IEX	1-port RS-232/422/485 to 2-ports 10/100BaseT(X), 2KV isolation, -40 to 75°C, IECEx	€	396.76

dustrial Device Connectiv	NPort IA-5150-M-SC	1-port RS-232/422/485 serial device server, 100M Multi mode Fiber, SC connector	€	294.79
dustrial Device Connectiv	NPort IA-5150-M-SC-IEX	1-port RS-232/422/485 to 1 100BaseF(X) multi-mode port, SC, 0 to 55°C,	€	330.01
dustrial Device Connectiv	NPort IA-5150-M-SC-T	1-port RS-232/422/485 serial device server, 100M Multi mode Fiber, SC connector, -40~75°C	€	417.15
dustrial Device Connectiv	NPort IA-5150-M-SC-T-IEX	1-port RS-232/422/485 to 1 100BaseF(X) multi-mode port, SC, -40 to 75°C, IECEx	€	467.21
dustrial Device Connectiv	NPort IA-5150-S-SC	1-port RS-232/422/485 serial device server, 100M Single mode Fiber, SC connector	€	333.72
dustrial Device Connectiv	NPort IA-5150-S-SC-IEX	1-port RS-232/422/485 to 1 100BaseF(X) single-mode port, SC, 0 to 55°C, IECEx	€	372.65
dustrial Device Connectiv	NPort IA-5150-S-SC-T	1-port RS-232/422/485 serial device server, 100M Single mode Fiber, SC connector, -40~75°C	€	472.77
dustrial Device Connectiv	NPort IA-5150-S-SC-T-IEX	1-port RS-232/422/485 to 1 100BaseF(X) single-mode port, SC, -40 to 75°C, IECEx	€	528.39
dustrial Device Connectiv	NPort IA-5150-T	1-port RS-232/422/485 serial device server, 10/100MBaseT(X) (RJ45), -	€	285.52
dustrial Device Connectiv	NPort IA-5150-T-IEX	1-port RS-232/422/485 to 2-ports 10/100BaseT(X), -40 to 75°C, IECEx	€	317.03
dustrial Device Connectiv	NPort IA-5250	2-port RS-232/422/485 serial device server, 10/100MBaseT(X) (RJ45)	€	235.46
dustrial Device Connectiv	NPort IA5250A	2-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial	€	261.41
dustrial Device Connectiv	NPort IA5250AI	2-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge	€	368.95
dustrial Device Connectiv	NPort IA5250A-IEX	2-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, IECEx Certification Approval	€	300.35
dustrial Device Connectiv	NPort IA5250AI-IEX	2-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, IECEx Certification Approval	€	376.36
dustrial Device Connectiv	NPort IA5250AI-T	2-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, -40~75°C	€	461.65
dustrial Device Connectiv	NPort IA5250AI-T-IEX	2-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, -40~75°C, IECEx Certification Approval	€	515.41
dustrial Device Connectiv	NPort IA5250A-T	2-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, -40~75°C	€	324.45
dustrial Device Connectiv	NPort IA5250A-T-IEX	2-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, -40~75°C, IECEx Certification Approval	€	372.65
dustrial Device Connectiv	NPort IA5250I	2-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X) (RJ45)	€	318.89
dustrial Device Connectiv	NPort IA-5250-IEX	2-port RS-232/422/485 to 2-ports 10/100BaseT(X), 0 to 55°C, IECEx	€	285.52
dustrial Device Connectiv	NPort IA5250I-T	2-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X) (RJ45), -40~75°C	€	404.17
dustrial Device Connectiv	NPort IA-5250-T	2-port RS-232/422/485 serial device server, 10/100MBaseT(X) (RJ45), -	€	313.33

dustrial Device Connectivity	NPort IA-5250-T-IEX	2-port RS-232/422/485 to 2-ports 10/100BaseT(X), -40 to 75°C, IECEx	€	348.55
dustrial Device Connectivity	NPort IA5450A	4-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial	€	431.98
dustrial Device Connectivity	NPort IA5450AI	4-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge	€	613.67
dustrial Device Connectivity	NPort IA5450A-IEX	4-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, IECEx Certification Approval	€	496.87
dustrial Device Connectivity	NPort IA5450AI-IEX	4-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, IECEx Certification Approval	€	626.65
dustrial Device Connectivity	NPort IA5450AI-T	4-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, -40~75°C	€	765.70
dustrial Device Connectivity	NPort IA5450AI-T-IEX	4-port RS-232/422/485 serial device server with 2 KV isolation, 10/100MBaseT(X), 1KV serial surge, -40~75°C, IECEx Certification Approval	€	852.84
dustrial Device Connectivity	NPort IA5450A-T	4-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, -40~75°C	€	539.51
dustrial Device Connectivity	NPort IA5450A-T-IEX	4-port RS-232/422/485 serial device server, 10/100MBaseT(X), 1KV serial surge, -40~75°C, IECEx Certification Approval	€	619.24
dustrial Device Connectivity	NPort P5150A	1-port RS-232/422/485 device server, 10/100M Ethernet, DB9 male, PoE, 0-60°C, 1KV serial surge	€	196.52
dustrial Device Connectivity	NPort P5150A-T	1-port RS-232/422/485 device server, 10/100M Ethernet, DB9 male, PoE, -40~75°C, 1KV serial surge	€	246.58
dustrial Device Connectivity	NPort S8455I-MM-SC	4 port device server, RS-232/422/485, 3 port 10/100 Ethernet, 2 port 100M Multi mode Fiber, SC connector, 15KV ESD, 12-48 VDC	€	1,123.52
dustrial Device Connectivity	NPort S8455I-MM-SC-T	4 port device server, RS-232/422/485, 3 port 10/100 Ethernet, 2 port 100M Multi mode Fiber, SC connector, 15KV ESD, 12-48 VDC, -40~75°C	€	1,232.91
dustrial Device Connectivity	NPort S8455I-SS-SC	4 port device server, RS-232/422/485, 3 port 10/100 Ethernet, 2 port 100M Single mode Fiber, SC connector, 15KV ESD, 12-48 VDC	€	1,366.40
dustrial Device Connectivity	NPort S8455I-SS-SC-T	4 port device server, RS-232/422/485, 3 port 10/100 Ethernet, 2 port 100M Single mode Fiber, SC connector, 15KV ESD, 12-48 VDC, -40~75°C	€	1,574.05
dustrial Device Connectivity	NPort S8458-4S-SC-T	4 RS-232/422/485 ports, 4 10/100M Ethernet ports, 4 100M single-mode fiber ports with SC connector, 12-48VDC, -40 to 85°C operating temperature	€	1,412.75
dustrial Device Connectivity	NPort W2150A	1 Port Wireless Device Server, 3-in-1, 802.11 a/b/g WLAN, 12-48 VDC, 0 to 55°C, w/adapter	€	257.71
dustrial Device Connectivity	NPort W2150A-T	1 Port Wireless Device Server, 3-in-1, 802.11 a/b/g WLAN, 12-48 VDC, -40 to 75°C	€	394.90

dustrial Device Connectiv	NPort W2250A	2 Port Wireless Device Server, 3-in-1, 802.11 a/b/g WLAN, 12-48 VDC, 0 to 55°C, w/adapter	€	311.47
dustrial Device Connectiv	NPort W2250A-T	2 Port Wireless Device Server, 3-in-1, 802.11 a/b/g WLAN, 12-48 VDC, -40 to 75°C	€	441.25
dustrial Device Connectiv	NPort Z2150	1-port serial to ZigBee converter, 0 to 60°C operating temperature	€	161.30
dustrial Device Connectiv	NPort Z2150-T	1-port serial to ZigBee converter, -40 to 75°C operating temperature	€	202.09
dustrial Device Connectiv	NPort Z3150	1-port ZigBee to Ethernet gateway, 0 to 60°C operating temperature	€	322.60
dustrial Device Connectiv	NPort Z3150-T	1-port ZigBee to Ethernet gateway, -40 to 75°C operating temperature	€	402.32
dustrial Device Connectiv	OPT 8A	8 Port Connection Box, DB25F, 150CM Cable	€	76.01
dustrial Device Connectiv	OPT 8A+	8 Port Connection Box, DB25F, 150CM Cable	€	79.72
dustrial Device Connectiv	OPT 8B	8 Port Connection Box, DB25M, 150CM Cable	€	76.01
dustrial Device Connectiv	OPT 8B+	8 Port Connection Box, DB25M, 150CM Cable	€	79.72
dustrial Device Connectiv	OPT 8S	8 Port Connection Box, DB25F, w/ Surge	€	163.15
dustrial Device Connectiv	OPT 8S+	8 Port Connection Box, DB25F, w/ Surge	€	163.15
dustrial Device Connectiv	OPT8-M9	8 Port Connection Box, DB9M, Matel Case	€	83.43
dustrial Device Connectiv	OPT8-M9+	8 Port Connection Box, DB9M, Matel Case	€	98.26
dustrial Device Connectiv	OPT8-RJ45	8 Port Connection Box, RJ45, Matel Case	€	74.16
dustrial Device Connectiv	OPT8-RJ45+	8 Port Connection Box, RJ45, Matel Case	€	116.80
dustrial Device Connectiv	Plate-1	TRC-190 Bracket Accessory Package	€	64.89
dustrial Device Connectiv	POS-104UL w/o Cable	4 Port UPCI Board, w/o Cable, RS-232, LowProfile	€	90.85
dustrial Device Connectiv	POS-104UL-DB9M	4 Port UPCI Board, w/ DB9M Cable, RS-232, LowProfile	€	98.26
dustrial Device Connectiv	POS-104UL-T	4 Port UPCI Board, RS-232, LowProfile, Wide Temperature	€	114.95
dustrial Device Connectiv	PTC-101-M12-S-SC-LV-CT-T	Industrial Media Converter, M12 connector, single mode, SC connector, 20-72 VDC, -40 to 85°C, Conformal Coating	€	742.84
dustrial Device Connectiv	PTC-101-M12-S-SC-LV-T	Industrial Media Converter, M12 connector, single mode, SC connector, 20-72 VDC, -40 to 85°C	€	689.40
dustrial Device Connectiv	PTC-101-M12-S-ST-LV-T	Industrial Media Converter, M12 connector, single mode, ST connector, 20-72 VDC, -40 to 85°C	€	689.40

dustrial Device Connectiv	PTC-101-M-LC-HV	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi-mode with LC connector, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 439.20
dustrial Device Connectiv	PTC-101-M-LC-LV	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi-mode with LC connector, dual redundant power inputs (20-70 VDC), -40 to 85°C operating temperature	€ 439.20
dustrial Device Connectiv	PTC-101-M-SC-HV	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi-mode with SC connector, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 439.20
dustrial Device Connectiv	PTC-101-M-SC-LV	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi-mode with SC connector, dual redundant power inputs (20-70 VDC), -40 to 85°C operating temperature	€ 439.20
dustrial Device Connectiv	PTC-101-M-ST-HV	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi-mode with ST connector, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 439.20
dustrial Device Connectiv	PTC-101-M-ST-LV	Industrial 10/100BaseT(X) to 100BaseFX media converter, multi-mode with ST connector, dual redundant power inputs (20-70 VDC), -40 to 85°C operating temperature	€ 439.20
dustrial Device Connectiv	PTC-101-S-LC-HV	Industrial 10/100BaseT(X) to 100BaseFX media converter, single-mode with LC connector, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 606.60
dustrial Device Connectiv	PTC-101-S-LC-LV	Industrial 10/100BaseT(X) to 100BaseFX media converter, single-mode with LC connector, dual redundant power inputs (20-70 VDC), -40 to 85°C operating temperature	€ 606.60
dustrial Device Connectiv	PTC-101-S-SC-HV	Industrial 10/100BaseT(X) to 100BaseFX media converter, single-mode with SC connector, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 606.60
dustrial Device Connectiv	PTC-101-S-SC-LV	Industrial 10/100BaseT(X) to 100BaseFX media converter, single-mode with SC connector, dual redundant power inputs (20-70 VDC), -40 to 85°C operating temperature	€ 606.60
dustrial Device Connectiv	PTC-101-S-ST-HV	Industrial 10/100BaseT(X) to 100BaseFX media converter, single-mode with ST connector, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 606.60
dustrial Device Connectiv	PTC-101-S-ST-LV	Industrial 10/100BaseT(X) to 100BaseFX media converter, single-mode with ST connector, dual redundant power inputs (20-70 VDC), -40 to 85°C operating temperature	€ 606.60
dustrial Device Connectiv	PWC-C13AU-3B-183	POWER CORD 10A 250V 1.8M SAA BK	€ 5.56
dustrial Device Connectiv	PWC-C13CN-3B-183	POWER CORD 10A 250V 1.8M CCC BK	€ 7.42
dustrial Device Connectiv	PWC-C13EU-3B-183	POWER CORD 10A 250V 1.8M GE BK	€ 5.56
dustrial Device Connectiv	PWC-C13JP-3B-183	POWER CORD 7A 125V 1.8M PSE BK	€ 7.42

dustrial Device Connectiv	PWC-C13UK-3B-183	POWER CORD 5A 250V 1.8M UK BK	€	9.27
dustrial Device Connectiv	PWC-C13US-3B-183	POWER CORD 110V 1.8M BK	€	5.56
dustrial Device Connectiv	PWC-C7AU-2B-183	Power Cord Australia Plug CONN' 2 pin	€	3.71
dustrial Device Connectiv	PWC-C7EU-2B-183	Power Cord Euro Plug	€	3.71
dustrial Device Connectiv	PWC-C7UK-2B-183	Power Cord British Plug	€	9.27
dustrial Device Connectiv	PWC-C7US-2B-183	Power Cord USA Straight Plug	€	3.71
dustrial Device Connectiv	PWR-05080-UK-L1	ADP/LI AD-5800RDK 230VAC Input, 5V/0.8A Output, UK Plug, for OPT 8F(UK)/OPT 8Z(UK)	€	18.54
dustrial Device Connectiv	PWR-05080-US-L1	ADAPTER AD-5800RDU 120VAC 5VDC 0.8A UL	€	18.54
dustrial Device Connectiv	PWR-05100-EU-S1	100-240 VAC input, 1A@5 VDC output, TUV, CE, EU Plug	€	11.12
dustrial Device Connectiv	PWR-05200-EU-S1	100-240 VAC input, 2A@5 VDC output, TUV, CE, EU Plug	€	24.10
dustrial Device Connectiv	PWR-05200-UK-S1	100-240 VAC input, 2A@5 VDC output, TUV, CE, UK Plug	€	22.25
dustrial Device Connectiv	PWR-05250-US-S1	ADP GPSA0500250 UL/PSE 100-240Vac 5V2.5A	€	24.10
dustrial Device Connectiv	PWR-05300-WPEU-S1	5V 3A, 5.5/2.5/9.5, w/EU Plug	€	32.45
dustrial Device Connectiv	PWR-09035-EU-L1	Power Adapter	€	12.98
dustrial Device Connectiv	PWR-09035-UK-L1	230VAC input, 0.35A@9 VDC output, UK Plug	€	12.98
dustrial Device Connectiv	PWR-09035-US-L1	Power Adapter	€	12.98
dustrial Device Connectiv	PWR-12040-AU-S1	PWR-12040-AU-S1 5.5/2.1/9.0/90D	€	16.69
dustrial Device Connectiv	PWR-12040-EU-L2	ADP JOD-4101-024 3.5mm 230Vac 12V0.4A	€	9.27
dustrial Device Connectiv	PWR-12040-UK-L2	ADP JOD-41B-021 3.5mm 230Vac 12V 0.4A UK	€	11.12
dustrial Device Connectiv	PWR-12040-US-L2	ADP JOD-41U-47 3.5mm 120Vac 12V 0.4A UL	€	11.12
dustrial Device Connectiv	PWR-12050-WPAU-S2	12V 0.5A, 5.5/2.1/9.0, w/AU Plug	€	22.25
dustrial Device Connectiv	PWR-12050-WPCN-S1	PWR-12050-WPCN-S1 Adaptor w/CN Plug	€	23.18
dustrial Device Connectiv	PWR-12050-WPCN-S2	Non-locking barrel plug, 12VDC 0.5A, 100-240VAC with CN Plug	€	23.18
dustrial Device Connectiv	PWR-12050-WPEU-S1	12V 0.5A, 5.5/2.1/7.5, w/Nut, w/EU Plug	€	22.25
dustrial Device Connectiv	PWR-12050-WPEU-S2	12V 0.5A, 5.5/2.1/9.0, w/EU Plug	€	22.25
dustrial Device Connectiv	PWR-12050-WP-S2	12V 0.5A, 5.5/2.1/9.0, w/o AC Plug	€	18.54
dustrial Device Connectiv	PWR-12050-WPUK-S1	12V 0.5A, 5.5/2.1/7.5, w/Nut, w/UK Plug	€	22.25
dustrial Device Connectiv	PWR-12050-WPUK-S2	12V 0.5A, 5.5/2.1/9.0, w/UK Plug	€	22.25
dustrial Device Connectiv	PWR-12050-WPUSJP-S1	12V 0.5A, 5.5/2.1/7.5, w/Nut, w/USJP Plug	€	23.18
dustrial Device Connectiv	PWR-12050-WPUSJP-S2	12V 0.5A, 5.5/2.1/9.0, w/USJP Plug	€	22.25
dustrial Device Connectiv	PWR-12120-USJP-S1	Adapter 100-240 VAC, 12 VDC, 1.2A, UL/PSE, for NPort Server Lite, NPort Express(GPSA-1200120)	€	11.12

dustrial Device Connectiv	PWR-12120-USJP-S2	ADP GPSA1200120 UL/PSE 100-240Vac12V1.2A	€	20.39
dustrial Device Connectiv	PWR-12120-USJP-S3	ADP GPSA120012A7 100-240Vac 12V1.2Aw/Cor	€	14.83
dustrial Device Connectiv	PWR-12120-US-S1	ADP 3.5mm UL/PSE 100-240Vac 12V1.2A	€	24.10
dustrial Device Connectiv	PWR-12125-DT-S2	12V 1.25A, 5.5/2.1/7.5, w/Nut,Desktop	€	24.10
dustrial Device Connectiv	PWR-12125-USJP-S1	12V, 1.25A, 5.5/2.1/9.5/90D, US/JP Plug	€	24.10
dustrial Device Connectiv	PWR-12150-AU-SA-T	12V 1.5A, 5.5/2.1/7.5, w/Nut WT, -40 to 75°C, AU Plug	€	27.81
dustrial Device Connectiv	PWR-12150-CN-S1	ADP/SW 12V/1.5A China 5.5/2.1/9/90D CR	€	14.83
dustrial Device Connectiv	PWR-12150-CN-S2	ADP/SW 12V1.5A China 5.5/2.1/7.5/180w/Nu	€	16.69
dustrial Device Connectiv	PWR-12150-CN-SA-T	12V 1.5A, 5.5/2.1/7.5, w/Nut WT, -40 to 75°C, CN Plug	€	27.81
dustrial Device Connectiv	PWR-12150-EU-S2	ADP AD-1201200DV 230Vac 12V 1.2A TUV	€	18.54
dustrial Device Connectiv	PWR-12150-EU-SA-T	12V 1.5A, 5.5/2.1/7.5, w/Nut WT, -40 to 75°C, EU Plug	€	27.81
dustrial Device Connectiv	PWR-12150-UK-S2	ADP/SW 12V/1.5A UK 5.5/2.1/9.0/90D	€	24.10
dustrial Device Connectiv	PWR-12150-UK-SA-T	12V 1.5A, 5.5/2.1/7.5, w/Nut WT, -40 to 75°C, UK Plug	€	27.81
dustrial Device Connectiv	PWR-12150-USJP-SA-T	12V 1.5A, 5.5/2.1/7.5, w/Nut WT, -40 to 75°C, USJP Plug	€	27.81
dustrial Device Connectiv	PWR-12200-DT-S1	ADP/SW/D 12V/2A 5.5/2.1/7.5/180D w/Nut	€	22.25
dustrial Device Connectiv	PWR-12200-DT-S2	ADP/SW/D 12V/2A 5.5/2.1/7.5/180D w/Nut	€	25.96
dustrial Device Connectiv	PWR-12250-WP-S1	100-240VAC Input, 12VDC/2.5A Output, US/EU/UK/SAA/JP/CN	€	29.66
dustrial Device Connectiv	PWR-12300-WPAU-S1	Locking barrel plug, 12VDC 3A, 100-240VAC with AU Plug	€	41.44
dustrial Device Connectiv	PWR-12300-WPCN-S1	Locking barrel plug, 12VDC 3A, 100-240VAC with CN Plug	€	41.44
dustrial Device Connectiv	PWR-12300-WPEU-S1	Locking barrel plug, 12VDC 3A, 100-240VAC with AU Plug Locking barrel plug, 12VDC 3A, 100-240VAC with EU Plug	€	41.44
dustrial Device Connectiv	PWR-12300-WP-S1	12V 3A, 5.5/2.1/9.5, w/Nut w/o AC Plug	€	37.08
dustrial Device Connectiv	PWR-12300-WPUK-S1	Locking barrel plug, 12VDC 3A, 100-240VAC with UK Plug	€	41.44
dustrial Device Connectiv	PWR-12300-WPUSJP-S1	Locking barrel plug, 12VDC 3A, 100-240VAC with USJP Plug	€	41.44
dustrial Device Connectiv	PWR-190-AC	Optional power supply module for TRC-190 series, 110V to 220V AC input	€	168.71
dustrial Device Connectiv	PWR-190-DC-48	Optional power supply module for TRC-190 series, 48V DC input	€	302.20

dustrial Device Connectiv	PWR-Plug-AU-01	Power Plug, Plug type:AU	€	1.85
dustrial Device Connectiv	PWR-Plug-EU-01	Power Plug, Plug type:EU	€	2.79
dustrial Device Connectiv	PWR-Plug-UK-01	Power Plug, Plug type:UK	€	2.79
dustrial Device Connectiv	PWR-Plug-USJP-01	Power Plug, Plug type:USJP	€	1.85
dustrial Device Connectiv	PWS-24W24V-OF-01	PWRS/24W264Vac380Vdc24V1A OU1242401a 60C	€	25.96
dustrial Device Connectiv	PWS-42W051212-DT-01	PWS-42W051212-DT-01 C14 MiniDIN6P	€	94.55
dustrial Device Connectiv	SMG-1100	Smart machine to machine gateway with 2serial ports,4DI/DO,GSM/GPRS/EDGE wireless module,IPSec,Linux	€	923.29
dustrial Device Connectiv	SMG-6100	Smart machine to machine gateway with 2 serial ports,4 ethernet,PS2/VGA,IPsec,Linux	€	1,931.87
dustrial Device Connectiv	TB-F25	Wiring Terminal	€	37.08
dustrial Device Connectiv	TB-F9	Wiring Terminal	€	27.81
dustrial Device Connectiv	TB-M25	Wiring Terminal	€	37.08
dustrial Device Connectiv	TB-M9	Wiring Terminal	€	27.81
dustrial Device Connectiv	TCC-100	Industrial RS-232/422/485 Converter.	€	61.18
dustrial Device Connectiv	TCC-100I	Industrial RS-232/422/485 Converter. 2.5KV Isolation	€	98.26
dustrial Device Connectiv	TCC-100I-T	Industrial RS-232/422/485 Converter. 2.5KV Isolation -40 to 85°C	€	122.36
dustrial Device Connectiv	TCC-100-T	Industrial RS-232/422/485 Converter. -40 to 85°C	€	79.72
dustrial Device Connectiv	TCC-120	Industrial RS-422/485 Repeater	€	79.72
dustrial Device Connectiv	TCC-120I	Industrial RS-422/485 Isolator/Repeater	€	105.68
dustrial Device Connectiv	TCC-80	RS-232/422/485 Converter. Port Powered.	€	33.37
dustrial Device Connectiv	TCC-80-DB9	RS-232/422/485 Converter. Port Powered. RS-485 connector: DB9M	€	33.37
dustrial Device Connectiv	TCC-80I	RS-232/422/485 Converter. Port Powered. 2.5 KV Isolation.	€	70.45
dustrial Device Connectiv	TCC-80I-DB9	RS-232/422/485 Converter. Port Powered. 2.5 KV Isolation. RS-485 connector: DB9M	€	70.45
dustrial Device Connectiv	TCC-82	RS-232 Isolator. Port Powered, 4KV Isolation.	€	55.62
dustrial Device Connectiv	TCF-142-M-SC	RS-232/422/485 to Fiber Optic Converter. SC Multi-mode.	€	146.47
dustrial Device Connectiv	TCF-142-M-SC-RM	RS-232/422/485 to Fiber Optic Converter. SC Multi-mode. Slide-in Module	€	142.76
dustrial Device Connectiv	TCF-142-M-SC-T	RS-232/422/485 to Fiber Optic Converter. SC Multi-mode, -40 to 75°C	€	189.11
dustrial Device Connectiv	TCF-142-M-ST	RS-232/422/485 to Fiber Optic Converter. ST Multi-mode.	€	146.47
dustrial Device Connectiv	TCF-142-M-ST-RM	RS-232/422/485 to Fiber Optic Converter. ST Multi-mode. Slide-in Module	€	142.76
dustrial Device Connectiv	TCF-142-M-ST-T	RS-232/422/485 to Fiber Optic Converter. ST Multi-mode, -40 to 75°C	€	189.11
dustrial Device Connectiv	TCF-142-S-SC	RS-232/422/485 to Fiber Optic Converter. SC Single-mode.	€	354.11
dustrial Device Connectiv	TCF-142-S-SC-RM	RS-232/422/485 to Fiber Optic Converter. SC Single mode. Slide-in Module	€	300.35
dustrial Device Connectiv	TCF-142-S-SC-T	RS-232/422/485 to Fiber Optic Converter. SC Single-mode, -40 to 75°C	€	465.35

dustrial Device Connectiv	TCF-142-S-ST	RS-232/422/485 to Fiber Optic Converter. ST Single-mode.	€	354.11
dustrial Device Connectiv	TCF-142-S-ST-RM	RS-232/422/485 to Fiber Optic Converter. ST Single mode. Slide-in Module	€	300.35
dustrial Device Connectiv	TCF-142-S-ST-T	RS-232/422/485 to Fiber Optic Converter. ST Single-mode, -40 to 75°C	€	465.35
dustrial Device Connectiv	TCF-90-M-ST	RS-232 to Fiber Optic Converter. Port Powered, ST Multie-mode.	€	116.80
dustrial Device Connectiv	TCF-90-S-ST	RS-232 to Fiber Optic Converter. Port Powered, ST Single-mode.	€	198.38
dustrial Device Connectiv	TRC-190-AC	19 inches chassis, 110V to 220V AC input, 19 slots	€	502.43
dustrial Device Connectiv	TRC-190-DC-48	19 inches chassis, 48V DC input, 19 slots	€	637.78
dustrial Device Connectiv	UPort 1110	1 Port USB-to-Serial Adaptor, RS-232	€	30.60
dustrial Device Connectiv	UPort 1130	1 Port USB-to-Serial Adaptor, RS-422/485	€	55.80
dustrial Device Connectiv	UPort 1130I	1 port USB-to-Serial Hub, RS-422/485, w/ Isolation	€	106.20
dustrial Device Connectiv	UPort 1150	1 port USB-to-Serial Hub, RS-232/422/485	€	82.80
dustrial Device Connectiv	UPort 1150I	1 port USB-to-Serial Hub, RS-232/422/485, w/ Isolation	€	140.40
dustrial Device Connectiv	UPort 1250	2 Port USB-to-Serial Hub, RS-232/422/485	€	122.36
dustrial Device Connectiv	UPort 1250I	2 Port USB-to-Serial Hub, EU Plug, RS-232/422/485, w/ Isolation	€	218.77
dustrial Device Connectiv	UPort 1410	4 Port USB-to-Serial Hub, RS-232	€	177.98
dustrial Device Connectiv	UPort 1450	4 Port USB-to-Serial Hub, RS-232/422/485	€	255.85
dustrial Device Connectiv	UPort 1450I	4 Port USB-to-Serial Hub, EU Plug, RS-232/422/485, w/ Isolation	€	433.84
dustrial Device Connectiv	UPort 1610-16	16 Port USB-to-Serial Hub, EU Plug, RS-232	€	511.70
dustrial Device Connectiv	UPort 1610-8	8 Port USB-to-Serial Hub, EU Plug, RS-232	€	274.39
dustrial Device Connectiv	UPort 1650-16	16 Port USB-to-Serial Hub, EU Plug, RS-232/422/485	€	710.08
dustrial Device Connectiv	UPort 1650-8	8 Port USB-to-Serial Hub, EU Plug, RS-232/422/485	€	415.30
dustrial Device Connectiv	UPort 204	4 Port entry-level USB Hub, w/ adapter	€	140.90
dustrial Device Connectiv	UPort 207	7 Port entry-level USB Hub, w/ adapter	€	170.57
dustrial Device Connectiv	UPort 2210	2 port USB-to-Serial Converter, RS-232	€	120.51
dustrial Device Connectiv	UPort 2410	4 port USB-to-Serial Converter, RS-232	€	157.59
dustrial Device Connectiv	UPort 404	4 Port industrial-grade USB Hub, w/ adapter	€	202.09
dustrial Device Connectiv	UPort 404-T w/o Adapter	4 Port industrial-grade USB Hub, w/o adapter, Wide Temperature	€	252.14
dustrial Device Connectiv	UPort 407	7 Port industrial-grade USB Hub, w/ adapter	€	241.02
dustrial Device Connectiv	UPort 407-T w/o Adapter	7 Port industrial-grade USB Hub, w/o adapter, Wide Temperature	€	305.91
dustrial Device Connectiv	VPM-7704	4-port RS-232/422/485 device server module with 2KV isolation protection, -40 to 75°C operating temperature	€	673.00
dustrial Device Connectiv	WK-35-01	WK-35-01 Wall Mount Kit Accessory	€	9.27
dustrial Device Connectiv	WK-35-02	WK-35-02 Wall Mount Kit Accessory V1.0	€	9.27

Industrial Device Connectivity	WK-35-04	2 pcs of plates (35x44x2.5mm) with 6 screws (FTSx6 M3x4mm)	€ 9.27
Industrial Device Connectivity	WK-36-02	Wall mounting kit for NPort IA5150A/5254A	€ 20.39
Industrial Device Connectivity	WK-44-01	2 pcs of L-shape plates (44x57.5x1.6 mm) with 8 screws (FMS 90° 3*8mm)	€ 9.27
Industrial Device Connectivity	WK-45-01	2 pcs of L-shape plates (45x57x2.5 mm) with 8 screws (FMS 90° 3*8mm)	€ 12.37
Industrial Ethernet	ABC-01	Automatic Backup Configurator	€ 55.80
Industrial Ethernet	ABC-02-USB	USB based Auto Backup Configurator, Configuration backup/restoration, firmware upgrade and log file storage tool for managed Ethernet switches and Routers, 0 to 60°C operating temperature	€ 90.00
Industrial Ethernet	ABC-02-USB-T	USB based Auto Backup Configurator, Configuration backup/restoration, firmware upgrade and log file storage tool for managed Ethernet switches and Routers, -40 to 75°C operating temperature	€ 102.60
Industrial Ethernet	ADP-SCm-STf-M	SC to ST optical connector for Multi mode	€ 45.00
Industrial Ethernet	ADP-SCm-STf-S	SC to ST optical connector for Single mode	€ 45.00
Industrial Ethernet	AVK-17	Anti-Vibration Wiring Kit for EDS-600 series modular DIN-Rail Ethernet Switches	€ 9.00
Industrial Ethernet	CM-600-2MSC/2TX	Fast Ethernet interface module with 2 10/100BaseT(X) ports, RJ45 connectors, and 2 100BaseFX multi-mode ports, SC connectors, -40 to 75°C operating temperature	€ 383.40
Industrial Ethernet	CM-600-2MST/2TX	Fast Ethernet interface module with 2 10/100BaseT(X) ports, RJ45 connectors, and 2 100BaseFX multi-mode ports, ST connectors, -40 to 75°C operating temperature	€ 381.60
Industrial Ethernet	CM-600-2SSC/2TX	Fast Ethernet interface module with 2 10/100BaseT(X) ports, RJ45 connectors, and 2 100BaseFX single-mode ports, SC connectors, -40 to 75°C operating temperature	€ 874.80
Industrial Ethernet	CM-600-3MSC/1TX	Fast Ethernet interface module with 1 10/100BaseT(X) port, RJ45 connector, and 3 100BaseFX multi-mode ports, SC connectors, -40 to 75°C operating temperature	€ 478.80
Industrial Ethernet	CM-600-3MST/1TX	Fast Ethernet interface module with 1 10/100BaseT(X) port, RJ45 connector, and 3 100BaseFX multi-mode ports, ST connectors, -40 to 75°C operating temperature	€ 478.80
Industrial Ethernet	CM-600-3SSC/1TX	Fast Ethernet interface module with 1 10/100BaseT(X) port, RJ45 connector, and 3 100BaseFX single-mode ports, SC connectors, -40 to 75°C operating temperature	€ 1,090.80

Industrial Ethernet	CM-600-4MSC	Fast Ethernet interface module with 4 100BaseFX multi-mode ports, SC connectors, -40 to 75°C operating temperature	€ 583.20
Industrial Ethernet	CM-600-4MST	Fast Ethernet interface module with 4 100BaseFX multi-mode ports, ST connectors, -40 to 75°C operating temperature	€ 583.20
Industrial Ethernet	CM-600-4SSC	Fast Ethernet interface module with 4 100BaseFX single-mode ports, SC connectors, -40 to 75°C operating temperature	€ 1,395.00
Industrial Ethernet	CM-600-4TX	Fast Ethernet interface module with 4 10/100BaseT(X) ports, RJ45 connectors, -40 to 75°C operating temperature	€ 180.00
Industrial Ethernet	CM-600-4TX-BP	Fast Ethernet interface module with 4 10/100BaseT(X) ports, RJ45 connectors, support bypass, -40 to 75°C operating temperature	€ 270.00
Industrial Ethernet	CM-600-4TX-PTP	Fast Ethernet interface module with 4 10/100BaseT(X) ports supporting IEEE 1588 V2	€ 523.80
Industrial Ethernet	DR-120-24	120W/5A, 24 VDC, with 88 to 132 VAC/176 to 264 VAC input by switch	€ 90.00
Industrial Ethernet	DR-120-48	120W/2.5A, 48 VDC, with 88 to 132 VAC/176 to 264 VAC input by switch	€ 90.00
Industrial Ethernet	DR-4524	45W/2A, 24 VDC, with universal 85 to 264 VAC input	€ 50.40
Industrial Ethernet	DR-75-24	75W/3.2A, 24 VDC, with universal 85 to 264 VAC input	€ 79.20
Industrial Ethernet	DR-75-48	75W/1.6A, 48 VDC, with universal 85 to 264 VAC input	€ 79.20
Industrial Ethernet	DRP-240-48	240W/5A DIN-Rail 48 VDC power supply with universal 85 to 264 VAC input, -10~70°C operating temperature	€ 216.00
Industrial Ethernet	EDR-810-2GSFP	Industrial Secure Router Switch with 8 10/100BaseT(X) ports, 2 1000BaseSFP slots, 1 WAN, Firewall/NAT, -10 to 60°C	€ 991.21
Industrial Ethernet	EDR-810-2GSFP-T	Industrial Secure Router Switch with 8 10/100BaseT(X) ports, 2 1000BaseSFP slots, 1 WAN, Firewall/NAT, -40 to 75°C	€ 1,108.80
Industrial Ethernet	EDR-810-VPN-2GSFP	Industrial Secure Router Switch with 8 10/100BaseT(X) ports, 2 1000BaseSFP slots, 1 WAN, Firewall/NAT, -10 to 60°C	€ 1,108.80
Industrial Ethernet	EDR-810-VPN-2GSFP-T	Industrial Secure Router Switch with 8 10/100BaseT(X) ports, 2 1000BaseSFP slots, 1 WAN, Firewall/NAT, -40 to 75°C	€ 1,224.00
Industrial Ethernet	EDR-G902	Industrial Gigabit Secure Router, 1WAN, Firewall/NAT, 10VPN Tunnel, 0 to 60°C operating temperature	€ 1,416.01
Industrial Ethernet	EDR-G902-T	Industrial Gigabit Secure Router, 1WAN, Firewall/NAT, 10VPN Tunnel, -40 to 75°C operating temperature	€ 1,574.41
Industrial Ethernet	EDR-G903	Industrial Gigabit Secure Router, 2WAN/DMZ, Firewall/NAT, 25VPN Tunnel, 0 to 60°C operating temperature	€ 1,869.61
Industrial Ethernet	EDR-G903-T	Industrial Gigabit Secure Router, 2WAN/DMZ, Firewall/NAT, 25VPN Tunnel, -40 to 75°C operating temperature	€ 2,025.59
Industrial Ethernet	EDS-205	Entry-level Unmanaged Ethernet Switch with 5 10/100BaseT(X) ports, -10 to 60°C	€ 68.40
Industrial Ethernet	EDS-205A	Entry-level Unmanaged Ethernet Switch with 5 10/100BaseT(X) ports, -10 to 60°C	€ 81.00

Industrial Ethernet	EDS-205A-IEX	Unmanaged Ethernet switch with 5 10/100BaseT(X) ports, -10 to 60°C operating temperature, IECEx certified	€ 94.50
Industrial Ethernet	EDS-205A-M-SC	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with SC connector, -10 to 60°C	€ 174.60
Industrial Ethernet	EDS-205A-M-SC-IEX	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with SC connector, -10 to 60°C operating temperature, IECEx	€ 174.60
Industrial Ethernet	EDS-205A-M-SC-T	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with SC connector, -40- 75°C	€ 241.20
Industrial Ethernet	EDS-205A-M-SC-T-IEX	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with SC connector, -40 to 75°C operating temperature, IECEx	€ 241.20
Industrial Ethernet	EDS-205A-M-ST	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with ST connector, -10 to 60°C	€ 174.60
Industrial Ethernet	EDS-205A-M-ST-IEX	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with ST connector, -10 to 60°C operating temperature, IECEx	€ 174.60
Industrial Ethernet	EDS-205A-M-ST-T	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with ST connector, -40- 75°C	€ 241.20
Industrial Ethernet	EDS-205A-M-ST-T-IEX	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with ST connector, -40 to 75°C operating temperature, IECEx	€ 241.20
Industrial Ethernet	EDS-205A-S-SC	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX single-mode port with SC connector, -10 to 60°C	€ 288.00
Industrial Ethernet	EDS-205A-S-SC-IEX	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX single-mode port with SC connector, -10 to 60°C operating temperature, IECEx	€ 288.00
Industrial Ethernet	EDS-205A-S-SC-T	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX single-mode port with SC connector, -40- 75°C	€ 354.60
Industrial Ethernet	EDS-205A-S-SC-T-IEX	Unmanaged switch with 4 10/100BaseT(X) ports, and 1 100BaseFX single-mode port with SC connector, -40 to 75°C operating temperature, IECEx	€ 354.60
Industrial Ethernet	EDS-205A-T	Unmanaged Ethernet switch with 5 10/100BaseT(X) ports (wide operating temperature: -40 to 75°C)	€ 160.20
Industrial Ethernet	EDS-205A-T-IEX	Unmanaged Ethernet switch with 5 10/100BaseT(X) ports, -40 to 75°C operating temperature, IECEx certified	€ 160.20
Industrial Ethernet	EDS-208	Entry-level Unmanaged Ethernet Switch with 8 10/100BaseT(X) ports, -10 to 60°C	€ 99.00
Industrial Ethernet	EDS-208A	Entry-level Unmanaged Ethernet Switch with 8 10/100BaseT(X) ports, -10 to 60°C	€ 117.00
Industrial Ethernet	EDS-208A-MM-SC	Unmanaged Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors (standard operating temperature: -10 to 60°C)	€ 291.60
Industrial Ethernet	EDS-208A-MM-SC-T	Unmanaged Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors (wide operating temperature: -40 to 75°C)	€ 334.80

Industrial Ethernet	EDS-208A-MM-ST	Unmanaged Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors (standard operating temperature: -10 to 60°C)	€ 291.60
Industrial Ethernet	EDS-208A-MM-ST-T	Unmanaged Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors (wide operating temperature: -40 to 75°C)	€ 334.80
Industrial Ethernet	EDS-208A-M-SC	Entry-level Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, and 1 100Base FX multi-mode port with SC connector, -10 to 60°C	€ 216.00
Industrial Ethernet	EDS-208A-M-SC-T	Unmanaged Ethernet switch with 7 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with SC connector (wide operating temperature: -40 to 75°C)	€ 262.80
Industrial Ethernet	EDS-208A-M-ST	Entry-level Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, and 1 100Base FX multi-mode port with ST connector, -10 to 60°C	€ 216.00
Industrial Ethernet	EDS-208A-M-ST-T	Unmanaged Ethernet switch with 7 10/100BaseT(X) ports, and 1 100BaseFX multi-mode port with ST connector (wide operating temperature: -40 to 75°C)	€ 262.80
Industrial Ethernet	EDS-208A-S-SC	Unmanaged Ethernet switch with 7 10/100BaseT(X) ports, and 1 100BaseFX single-mode port with SC connector (standard operating temperature: -10 to 60°C)	€ 329.40
Industrial Ethernet	EDS-208A-S-SC-T	Unmanaged Ethernet switch with 7 10/100BaseT(X) ports, and 1 100BaseFX single-mode port with SC connector (wide operating temperature: -40 to 75°C)	€ 396.00
Industrial Ethernet	EDS-208A-SS-SC	Unmanaged Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors (standard operating temperature: -10 to 60°C)	€ 471.60
Industrial Ethernet	EDS-208A-SS-SC-T	Unmanaged Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors (wide operating temperature: -	€ 538.20
Industrial Ethernet	EDS-208A-T	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports (wide operating temperature: -40 to 75°C)	€ 203.40
Industrial Ethernet	EDS-208-M-SC	Entry-level Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, SC connector, -10 to 60°C	€ 178.20
Industrial Ethernet	EDS-208-M-ST	Entry-level Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, ST connector, -10 to 60°C	€ 178.20
Industrial Ethernet	EDS-210A-1GSFP-1SFP	Unmanaged Gigabit Ethernet switch with 8 10/100BaseT(X) ports, and 1 100BaseSFP slots for adding SFP-1FE series Ethernet modules, and 1 1000BaseSFP slots for adding SFP-1G series Gigabit Ethernet modules, -10 to 60°C operating temperature	€ 261.00
Industrial Ethernet	EDS-210A-1GSFP-1SFP-T	Unmanaged Gigabit Ethernet switch with 8 10/100BaseT(X) ports, and 1 100BaseSFP slots for adding SFP-1FE series Ethernet modules, and 1 1000BaseSFP slots for adding SFP-1G series Gigabit Ethernet modules, -40 to 75°C operating temperature	€ 320.40
Industrial Ethernet	EDS-210A-1GTX-1GSFP-4SFP	Unmanaged Gigabit Ethernet switch with 4 10/100BaseT (X) ports, and 4 100BaseSFP slots for adding SFP-1FE series Ethernet modules, 1 10/100/1000BaseT(X) ports and 1 1000BaseSFP slots for adding SFP-1G series Gigabit Ethernet modules, -10 to 60°C operating temperature	€ 354.60

Industrial Ethernet	EDS-210A-1GTX-1GSFP-4SFP-T	Unmanaged Gigabit Ethernet switch with 4 10/100BaseT (X) ports, and 4 100BaseSFP slots for adding SFP-1FE series Ethernet modules, 1 10/100/1000BaseT(X) ports and 1 1000BaseSFP slots for adding SFP-1G series Gigabit Ethernet modules, -40 to 75°C operating temperature	€ 412.20
Industrial Ethernet	EDS-305	Industrial Unmanaged Ethernet Switch with 5 10/100BaseT(X) ports, 0 to 60°C	€ 154.80
Industrial Ethernet	EDS-305-M-SC	Industrial Unmanaged Ethernet Switch with 4 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, SC connector, 0 to 60°C	€ 237.60
Industrial Ethernet	EDS-305-M-SC-T	Industrial Unmanaged Ethernet Switch with 4 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, SC connector, -40 to 75°C	€ 295.20
Industrial Ethernet	EDS-305-M-ST	Industrial Unmanaged Ethernet Switch with 4 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, ST connector, 0 to 60°C	€ 237.60
Industrial Ethernet	EDS-305-M-ST-T	Industrial Unmanaged Ethernet Switch with 4 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, ST connector, -40 to 75°C	€ 295.20
Industrial Ethernet	EDS-305-S-SC	Industrial Unmanaged Ethernet Switch with 4 10/100BaseT(X) ports, 1 single mode 100BaseFX port, SC connector, 0 to 60°C	€ 345.60
Industrial Ethernet	EDS-305-S-SC-80	Industrial Unmanaged Ethernet Switch with 4 10/100BaseT(X) ports, 1 long-haul (80 km) single mode 100BaseFX port, SC connector, 0 to 60°C	€ 981.00
Industrial Ethernet	EDS-305-S-SC-T	Industrial Unmanaged Ethernet Switch with 4 10/100BaseT(X) ports, 1 single mode 100BaseFX port, SC connector, -40 to 75°C	€ 383.40
Industrial Ethernet	EDS-305-T	Industrial Unmanaged Ethernet Switch with 5 10/100BaseT(X) ports, -40 to	€ 190.80
Industrial Ethernet	EDS-308	Industrial Unmanaged Ethernet Switch with 8 10/100BaseT(X) ports, 0 to 60°C	€ 196.20
Industrial Ethernet	EDS-308-MM-SC	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 342.00
Industrial Ethernet	EDS-308-MM-SC-T	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 383.40
Industrial Ethernet	EDS-308-MM-ST	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 342.00
Industrial Ethernet	EDS-308-MM-ST-T	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 383.40
Industrial Ethernet	EDS-308-M-SC	Industrial Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, SC connector, 0 to 60°C	€ 282.60
Industrial Ethernet	EDS-308-M-SC-T	Industrial Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, SC connector, -40 to 75°C	€ 309.60
Industrial Ethernet	EDS-308-S-SC	Industrial Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, 1 single mode 100BaseFX port, SC connector, 0 to 60°C	€ 347.40
Industrial Ethernet	EDS-308-S-SC-80	Industrial Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, 1 long-haul (80 km) single mode 100BaseFX port, SC connector, 0 to 60°C	€ 860.40
Industrial Ethernet	EDS-308-S-SC-T	Industrial Unmanaged Ethernet Switch with 7 10/100BaseT(X) ports, 1 single mode 100BaseFX port, SC connector, -40 to 75°C	€ 405.00

Industrial Ethernet	EDS-308-SS-SC	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 487.80
Industrial Ethernet	EDS-308-SS-SC-80	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 2 long-haul (80 km) single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 1,470.60
Industrial Ethernet	EDS-308-SS-SC-T	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 550.80
Industrial Ethernet	EDS-308-T	Industrial Unmanaged Ethernet Switch with 8 10/100BaseT(X) ports, -40 to	€ 226.80
Industrial Ethernet	EDS-309-3M-SC	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 466.20
Industrial Ethernet	EDS-309-3M-SC-T	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 511.20
Industrial Ethernet	EDS-309-3M-ST	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 466.20
Industrial Ethernet	EDS-309-3M-ST-T	Industrial Unmanaged Ethernet Switch with 6 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 511.20
Industrial Ethernet	EDS-316	Industrial Unmanaged Ethernet Switch with 16 10/100BaseT(X) ports, 0 to	€ 410.40
Industrial Ethernet	EDS-316-MM-SC	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 586.80
Industrial Ethernet	EDS-316-MM-SC-T	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 658.80
Industrial Ethernet	EDS-316-MM-ST	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 586.80
Industrial Ethernet	EDS-316-MM-ST-T	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 658.80
Industrial Ethernet	EDS-316-M-SC	Industrial Unmanaged Ethernet Switch with 15 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, SC connector, 0 to 60°C	€ 525.60
Industrial Ethernet	EDS-316-M-SC-T	Industrial Unmanaged Ethernet Switch with 15 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, SC connector, -40 to 75°C	€ 597.60
Industrial Ethernet	EDS-316-MS-SC	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 1 multi mode and 1 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 720.00
Industrial Ethernet	EDS-316-M-ST	Industrial Unmanaged Ethernet Switch with 15 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, ST connector, 0 to 60°C	€ 525.60
Industrial Ethernet	EDS-316-M-ST-T	Industrial Unmanaged Ethernet Switch with 15 10/100BaseT(X) ports, 1 multi mode 100BaseFX port, ST connector, -40 to 75°C	€ 597.60
Industrial Ethernet	EDS-316-S-SC	Industrial Unmanaged Ethernet Switch with 15 10/100BaseT(X) ports, 1 single mode 100BaseFX port, SC connector, 0 to 60°C	€ 621.00
Industrial Ethernet	EDS-316-S-SC-T	Industrial Unmanaged Ethernet Switch with 15 10/100BaseT(X) ports, 1 single mode 100BaseFX port, SC connector, -40 to 75°C	€ 676.80
Industrial Ethernet	EDS-316-SS-SC	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 860.40

Industrial Ethernet	EDS-316-SS-SC-80	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 2 long-haul (80 km) single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 1,972.80
Industrial Ethernet	EDS-316-SS-SC-T	Industrial Unmanaged Ethernet Switch with 14 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, connector, -40 to 75°C	€ 918.00
Industrial Ethernet	EDS-316-T	Industrial Unmanaged Ethernet Switch with 16 10/100BaseT(X) ports, -40 to 75°C	€ 484.20
Industrial Ethernet	EDS-405A	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 0 to 60°C	€ 259.56
Industrial Ethernet	EDS-405A-EIP	Entry-level managed Ethernet switch with 5 10/100BaseT(X) ports, 0 to 60°C operating temperature, EtherNet/IP enabled	€ 259.56
Industrial Ethernet	EDS-405A-EIP-T	Entry-level managed Ethernet switch with 5 10/100BaseT(X) ports, -40 to 75°C operating temperature, EtherNet/IP enabled	€ 324.45
Industrial Ethernet	EDS-405A-MM-SC	Entry-level Managed Industrial Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 469.06
Industrial Ethernet	EDS-405A-MM-SC-T	Entry-level Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 548.78
Industrial Ethernet	EDS-405A-MM-ST	Entry-level Managed Industrial Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 469.06
Industrial Ethernet	EDS-405A-MM-ST-T	Entry-level Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 548.78
Industrial Ethernet	EDS-405A-PN	Entry-level managed Ethernet switch with 5 10/100BaseT(X) ports, 0 to 60°C operating temperature, PROFINET enabled	€ 259.56
Industrial Ethernet	EDS-405A-PN-T	Entry-level managed Ethernet switch with 5 10/100BaseT(X) ports, -40 to 75°C operating temperature, PROFINET enabled	€ 324.45
Industrial Ethernet	EDS-405A-PTP	Managed Ethernet switch with 5 10/100BaseT(X) ports, hardware-based IEEE 1588 PTPv2 protocol support, -10°C to 60°C operating temperature	€ 736.04
Industrial Ethernet	EDS-405A-PTP-T	Managed Ethernet switch with 5 10/100BaseT(X) ports, hardware-based IEEE 1588 PTPv2 protocol support, -40°C to 75°C operating temperature	€ 823.18
Industrial Ethernet	EDS-405A-SS-SC	Entry-level Managed Industrial Ethernet Switch with 3 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 635.92
Industrial Ethernet	EDS-405A-SS-SC-T	Entry-level Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 700.81
Industrial Ethernet	EDS-405A-T	Entry-level Industrial Managed Ethernet Switch with 5 10/100BaseT(X) ports, -40 to 75°C	€ 324.45
Industrial Ethernet	EDS-408A	Entry-level Managed Industrial Ethernet Switch with 8 10/100BaseT(X) ports, 0 to 60°C	€ 411.59
Industrial Ethernet	EDS-408A-1M2S-SC	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 1 multi mode and 2 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 947.39
Industrial Ethernet	EDS-408A-1M2S-SC-T	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 1 multi mode and 2 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 1,017.85

Industrial Ethernet	EDS-408A-2M1S-SC	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 2 multi mode and 1 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 867.67
Industrial Ethernet	EDS-408A-2M1S-SC-T	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 2 multi mode and 1 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 938.12
Industrial Ethernet	EDS-408A-3M-SC	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 787.95
Industrial Ethernet	EDS-408A-3M-SC-T	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 858.40
Industrial Ethernet	EDS-408A-3M-ST	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 787.95
Industrial Ethernet	EDS-408A-3M-ST-T	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 858.40
Industrial Ethernet	EDS-408A-3S-SC	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 1,028.97
Industrial Ethernet	EDS-408A-3S-SC-48	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 single mode 100BaseFX ports, SC connector, -48VDC, 0 to 60°C	€ 1,210.66
Industrial Ethernet	EDS-408A-3S-SC-48-T	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 single mode 100BaseFX ports, SC connector, -48VDC, -40 to 75°C	€ 1,290.38
Industrial Ethernet	EDS-408A-3S-SC-T	Entry-level Managed Industrial Ethernet Switch with 5 10/100BaseT(X) ports, 3 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 1,099.42
Industrial Ethernet	EDS-408A-EIP	Entry-level managed Ethernet switch with 8 10/100BaseT(X) ports, 0 to 60°C operating temperature, EtherNet/IP enabled	€ 411.59
Industrial Ethernet	EDS-408A-EIP-T	Entry-level managed Ethernet switch with 8 10/100BaseT(X) ports, -40 to 75°C operating temperature, EtherNet/IP enabled	€ 559.91
Industrial Ethernet	EDS-408A-IEX	Entry-level managed Ethernet switch with 8 10/100BaseT(X) ports, 0 to 60°C operating temperature, IECEx certified	€ 411.59
Industrial Ethernet	EDS-408A-MM-SC	Entry-level Managed Industrial Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 596.99
Industrial Ethernet	EDS-408A-MM-SC-IEX	Entry-level managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, 0 to 60°C operating temperature, IECEx certified	€ 596.99
Industrial Ethernet	EDS-408A-MM-SC-T	Entry-level Managed Industrial Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 758.29
Industrial Ethernet	EDS-408A-MM-SC-T-IEX	Entry-level managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, -40 to 75°C operating temperature, IECEx certified	€ 758.29
Industrial Ethernet	EDS-408A-MM-ST	Entry-level Managed Industrial Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 596.99
Industrial Ethernet	EDS-408A-MM-ST-IEX	Entry-level managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, 0 to 60°C operating temperature, IECEx certified	€ 596.99

Industrial Ethernet	EDS-408A-MM-ST-T	Entry-level Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 758.29
Industrial Ethernet	EDS-408A-MM-ST-T-IEX	Entry-level managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, -40 to 75°C operating temperature, IECEx certified	€ 758.29
Industrial Ethernet	EDS-408A-PN	Entry-level managed Ethernet switch with 8 10/100BaseT(X) ports, 0 to 60°C operating temperature, PROFINET enabled	€ 411.59
Industrial Ethernet	EDS-408A-PN-T	Entry-level managed Ethernet switch with 8 10/100BaseT(X) ports, -40 to 75°C operating temperature, PROFINET enabled	€ 559.91
Industrial Ethernet	EDS-408A-SS-SC	Entry-level Managed Industrial Ethernet Switch with 6 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 847.28
Industrial Ethernet	EDS-408A-SS-SC-IEX	Entry-level managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, 0 to 60°C operating temperature, IECEx certified	€ 847.28
Industrial Ethernet	EDS-408A-SS-SC-T	Entry-level Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 919.58
Industrial Ethernet	EDS-408A-SS-SC-T-IEX	Entry-level managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, -40 to 75°C operating temperature, IECEx certified	€ 919.58
Industrial Ethernet	EDS-408A-T	Entry-level Managed Industrial Ethernet Switch with 8 10/100BaseT(X) ports, -40 to 75°C	€ 559.91
Industrial Ethernet	EDS-408A-T-IEX	Entry-level managed Ethernet switch with 8 10/100BaseT(X) ports, -40 to 75°C operating temperature, IECEx certified	€ 559.91
Industrial Ethernet	EDS-505A	Industrial Managed Ethernet Switch with 5 10/100BaseT(X) ports, 0 to 60°C	€ 398.77
Industrial Ethernet	EDS-505A-MM-SC	Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 723.13
Industrial Ethernet	EDS-505A-MM-SC-T	Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 826.16
Industrial Ethernet	EDS-505A-MM-ST	Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 723.13
Industrial Ethernet	EDS-505A-MM-ST-T	Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 826.16
Industrial Ethernet	EDS-505A-SS-SC	Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 894.85
Industrial Ethernet	EDS-505A-SS-SC-T	Industrial Managed Ethernet Switch with 3 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 986.44
Industrial Ethernet	EDS-505A-T	Industrial Managed Ethernet Switch with 5 10/100BaseT(X) ports, -40 to 75°C	€ 551.41
Industrial Ethernet	EDS-508A	Industrial Managed Ethernet Switch with 8 10/100BaseT(X) ports, 0 to 60°C	€ 551.41
Industrial Ethernet	EDS-508A-MM-SC	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 833.80

Industrial Ethernet	EDS-508A-MM-SC-T	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 908.21
Industrial Ethernet	EDS-508A-MM-ST	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 833.80
Industrial Ethernet	EDS-508A-MM-ST-T	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 908.21
Industrial Ethernet	EDS-508A-SS-SC	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 1,041.77
Industrial Ethernet	EDS-508A-SS-SC-80	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 long-haul (80 km) single mode 100BaseFX ports, SC connector, 0 to 60°C	€ 2,402.17
Industrial Ethernet	EDS-508A-SS-SC-80-T	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 long-haul (80 km) single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 2,476.58
Industrial Ethernet	EDS-508A-SS-SC-T	Industrial Managed Ethernet Switch with 6 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, -40 to 75°C	€ 1,116.18
Industrial Ethernet	EDS-508A-T	Industrial Managed Ethernet Switch with 8 10/100BaseT(X) ports, -40 to 75°C	€ 622.01
Industrial Ethernet	EDS-510A-1GT2SFP	Industrial Gigabit Managed Ethernet Switch with 7 10/100BaseT(X) ports, 1 10/100/1000BaseT(X) and 2 SFP (mini-GBIC) ports, 0 to 60°C	€ 940.64
Industrial Ethernet	EDS-510A-1GT2SFP-T	Industrial Gigabit Managed Ethernet Switch with 7 10/100BaseT(X) ports, 1 10/100/1000BaseT(X) and 2 SFP (mini-GBIC) ports, -40 to 75°C	€ 1,022.69
Industrial Ethernet	EDS-510A-3GT	Industrial Gigabit Managed Ethernet Switch with 7 10/100BaseT(X) ports, 3 10/100/1000BaseT(X) ports, 0 to 60°C	€ 940.64
Industrial Ethernet	EDS-510A-3GT-T	Industrial Gigabit Managed Ethernet Switch with 7 10/100BaseT(X) ports, 3 10/100/1000BaseT(X) ports, -40 to 75°C	€ 1,022.69
Industrial Ethernet	EDS-510A-3SFP	Industrial Gigabit Managed Ethernet Switch with 7 10/100BaseT(X) ports, 3 SFP (mini-GBIC) ports, 0 to 60°C	€ 940.64
Industrial Ethernet	EDS-510A-3SFP-T	Industrial Gigabit Managed Ethernet Switch with 7 10/100BaseT(X) ports, 3 SFP (mini-GBIC) ports, -40 to 75°C	€ 1,022.69
Industrial Ethernet	EDS-510E-3GTXSFP	Managed Gigabit Ethernet switch with 7 10/100BaseT(X) ports, and 3 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, -10 to 60°C operating temperature	€ 854.78
Industrial Ethernet	EDS-510E-3GTXSFP-T	Managed Gigabit Ethernet switch with 7 10/100BaseT(X) ports, and 3 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, -40 to 75°C operating temperature	€ 929.20
Industrial Ethernet	EDS-516A	Industrial Managed Ethernet Switch with 16 10/100BaseT(X) ports, 0 to 60°C	€ 992.16
Industrial Ethernet	EDS-516A-MM-SC	Industrial Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, 0 to 60°C	€ 1,245.92
Industrial Ethernet	EDS-516A-MM-SC-T	Industrial Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, -40 to 75°C	€ 1,320.34
Industrial Ethernet	EDS-516A-MM-ST	Industrial Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, 0 to 60°C	€ 1,245.92

Industrial Ethernet	EDS-516A-MM-ST-T	Industrial Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, -40 to 75°C	€ 1,320.34
Industrial Ethernet	EDS-516A-T	Industrial Managed Ethernet Switch with 16 10/100BaseT(X) ports, -40 to 75°C	€ 1,064.66
Industrial Ethernet	EDS-518A	Industrial Gigabit Managed Ethernet Switch with 16 10/100BaseT(X) ports, 2 combo 10/100/1000BaseT(X) / SFP (mini-GBIC) ports, 0 to 60°C	€ 1,236.38
Industrial Ethernet	EDS-518A-MM-SC	Industrial Gigabit Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, SC connector, and 2 combo 10/100/1000BaseT(X) / SFP (mini-GBIC) ports, 0 to 60°C	€ 1,492.06
Industrial Ethernet	EDS-518A-MM-SC-T	Industrial Redundant Ethernet switch with 2 10/100/1000 BaseTx ,2 100 BaseFx multi mode and 14 10/100 BaseTx ports with VALN,IGMP Snooping and QoS, -40 degree to 75 degree of operating temperature	€ 1,579.82
Industrial Ethernet	EDS-518A-MM-ST	Industrial Gigabit Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 multi mode 100BaseFX ports, ST connector, and 2 combo 10/100/1000BaseT(X) / SFP (mini-GBIC) ports, 0 to 60°C	€ 1,492.06
Industrial Ethernet	EDS-518A-MM-ST-T	Industrial Redundant Ethernet switch with 2 10/100/1000 BaseTx ,2 100 BaseFx multi mode and 14 10/100 BaseTx ports with VALN,IGMP Snooping and QoS, ST connector, -40 degree to 75 degree of operating temperature	€ 1,579.82
Industrial Ethernet	EDS-518A-SS-SC	Industrial Gigabit Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 single mode 100BaseFX ports, SC connector, and 2 combo 10/100/1000BaseT(X) / SFP (mini-GBIC) ports, 0 to 60°C	€ 1,679.04
Industrial Ethernet	EDS-518A-SS-SC-80	Industrial Gigabit Managed Ethernet Switch with 14 10/100BaseT(X) ports, 2 long-haul (80 km) single mode 100BaseFX ports, SC connector, and 2 combo 10/100/1000BaseT(X) / SFP (mini-GBIC) ports, 0 to 60°C	€ 3,090.96
Industrial Ethernet	EDS-518A-SS-SC-T	Industrial Redundant Ethernet switch with 2 10/100/1000 BaseTx ,2 100 BaseFx single mode and 14 10/100 BaseTx ports with VALN,IGMP Snooping and QoS, -40 degree to 75 degree of operating temperature	€ 1,770.62
Industrial Ethernet	EDS-518A-T	Industrial Gigabit Managed Ethernet Switch with 16 10/100BaseT(X) ports, 2 combo 10/100/1000BaseT(X) / SFP (mini-GBIC) ports, -40 to 75°C	€ 1,322.24
Industrial Ethernet	EDS-518E-4GTXSFP	Managed Gigabit Ethernet switch with 14 10/100BaseT(X) ports, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -10 to 60°C operating temperature	€ 1,207.80
Industrial Ethernet	EDS-518E-4GTXSFP-T	Managed Gigabit Ethernet switch with 14 10/100BaseT(X) ports, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -40 to 75°C operating temperature	€ 1,295.15
Industrial Ethernet	EDS-518E-MM-SC-4GTXSFP	Managed Gigabit Ethernet switch with 12 10/100BaseT(X) ports, 2 100BaseFX multi-mode ports with SC connectors, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -10 to 60°C operating temperature	€ 1,457.28
Industrial Ethernet	EDS-518E-MM-SC-4GTXSFP-T	Managed Gigabit Ethernet switch with 12 10/100BaseT(X) ports, 2 100BaseFX multi-mode ports with SC connectors, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -40 to 75°C operating temperature	€ 1,544.56

Industrial Ethernet	EDS-518E-MM-ST-4GTXSFP	Managed Gigabit Ethernet switch with 12 10/100BaseT(X) ports, 2 100BaseFX multi-mode ports with ST connectors, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -10 to 60°C operating temperature	€ 1,457.28
Industrial Ethernet	EDS-518E-MM-ST-4GTXSFP-T	Managed Gigabit Ethernet switch with 12 10/100BaseT(X) ports, 2 100BaseFX multi-mode ports with ST connectors, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -40 to 75°C operating temperature	€ 1,544.56
Industrial Ethernet	EDS-518E-SS-SC-4GTXSFP	Managed Gigabit Ethernet switch with 12 10/100BaseT(X) ports, 2 100BaseFX single-mode ports with SC connectors, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -10 to 60°C operating temperature	€ 1,644.34
Industrial Ethernet	EDS-518E-SS-SC-4GTXSFP-T	Managed Gigabit Ethernet switch with 12 10/100BaseT(X) ports, 2 100BaseFX single-mode ports with SC connectors, and 4 combo 10/100/1000BaseT(X) or 100/1000BaseSFP ports, -40 to 75°C operating temperature	€ 1,729.84
Industrial Ethernet	EDS-608	Compact managed Ethernet switch system with 2 slots for 4-port fast Ethernet interface modules, for a total of up to 8 ports, 0 to 60°C operating temperature	€ 919.66
Industrial Ethernet	EDS-608-T	Compact managed Ethernet switch system with 2 slots for 4-port fast Ethernet interface modules, for a total of up to 8 ports, -40 to 75°C operating	€ 1,060.85
Industrial Ethernet	EDS-611	Compact managed Ethernet switch system with 2 slots for 4-port fast Ethernet interface modules, for a total of up to 8+3G ports, 0 to 60°C operating temperature	€ 1,446.26
Industrial Ethernet	EDS-611-T	Compact managed Ethernet switch system with 2 slots for 4-port fast Ethernet interface modules, for a total of up to 8+3G ports, -40 to 75°C operating temperature	€ 1,587.46
Industrial Ethernet	EDS-616	Compact managed Ethernet switch system with 4 slots for 4-port fast Ethernet interface modules, for a total of up to 16 ports, 0 to 60°C operating	€ 1,545.48
Industrial Ethernet	EDS-616-T	Compact managed Ethernet switch system with 4 slots for 4-port fast Ethernet interface modules, for a total of up to 16 ports, -40 to 75°C operating temperature	€ 1,688.58
Industrial Ethernet	EDS-619	Compact managed Ethernet switch system with 4 slots for 4-port fast Ethernet interface modules, for a total of up to 16+3G ports, 0 to 60°C operating temperature	€ 2,016.76
Industrial Ethernet	EDS-619-T	Compact managed Ethernet switch system with 4 slots for 4-port fast Ethernet interface modules, for a total of up to 16+3G ports, -40 to 75°C operating temperature	€ 2,157.95
Industrial Ethernet	EDS-72810G	Modular managed Ethernet switch system with 6 slots for 4-port fast Ethernet interface modules and 2 slots for 2-port Gigabit interface modules, up to 24+4G ports, 0 to 60°C	€ 1,551.20
Industrial Ethernet	EDS-82810G	Layer 3 modular managed Ethernet switch system with 6 slots for 4-port fast Ethernet interface modules and 2 slots for 2-port Gigabit interface modules, up to 24+4G ports, 0 to 60°C	€ 2,234.27

Industrial Ethernet	EDS-G205-1GTXSFP	Unmanaged full Gigabit Ethernet switch with 4 10/100/1000BaseT(X) ports and 1 combo 10/100/1000BaseT(X) or 100/1000BaseSFP port, -10 to 60°C operating temperature	€ 180.00
Industrial Ethernet	EDS-G205-1GTXSFP-T	Unmanaged full Gigabit Ethernet switch with 4 10/100/1000BaseT(X) ports and 1 combo 10/100/1000BaseT(X) or 100/1000BaseSFP port, -40 to 75°C operating temperature	€ 239.40
Industrial Ethernet	EDS-G205A-4PoE	Unmanaged gigabit PoE switch with 4 PoE 10/100/1000BaseT(X) ports, 1 1000BaseT port, 0 to 60°C	€ 473.40
Industrial Ethernet	EDS-G205A-4PoE-1GSFP	Unmanaged gigabit PoE switch with 4 PoE 10/100/1000BaseT(X) ports, 1 1000BaseX (SFP slot) port, 0 to 60°C	€ 504.00
Industrial Ethernet	EDS-G205A-4PoE-1GSFP-T	Unmanaged gigabit PoE switch with 4 PoE 10/100/1000BaseT(X) ports, 1 1000BaseX (SFP slot) port, -40 to 75°C	€ 554.40
Industrial Ethernet	EDS-G205A-4PoE-T	Unmanaged gigabit PoE switch with 4 PoE 10/100/1000BaseT(X) ports, 1 1000BaseT port, -40 to 75°C	€ 520.20
Industrial Ethernet	EDS-G308	Unmanaged full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, 0 to 60°C operating temperature	€ 262.80
Industrial Ethernet	EDS-G308-2SFP	Unmanaged full Gigabit Ethernet switch with 6 10/100/1000BaseT(X) ports, and 2 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE series Gigabit/fast Ethernet modules, 0 to 60°C operating temperature	€ 324.00
Industrial Ethernet	EDS-G308-2SFP-T	Unmanaged full Gigabit Ethernet switch with 6 10/100/1000BaseT(X) ports, and 2 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE series Gigabit/fast Ethernet modules, -40 to 75°C operating temperature	€ 379.80
Industrial Ethernet	EDS-G308-T	Unmanaged full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, -40 to 75°C operating temperature	€ 318.60
Industrial Ethernet	EDS-G508E	Managed full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, -10°C to 60°C operating temperature	€ 1,063.80
Industrial Ethernet	EDS-G508E-T	Managed full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, -40°C to 75°C operating temperature	€ 1,166.40
Industrial Ethernet	EDS-G509	Industrial full Gigabit managed switch with 4 10/100/1000BaseT(X) ports, and 5 10/100/1000Base(TX) or 1000BaseSFP solt combo ports, 0 to 60°C	€ 1,148.40
Industrial Ethernet	EDS-G509-T	Managed full Gigabit Ethernet switch with 4 10/100/1000BaseT(X) ports, and 5 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE series Gigabit/fast Ethernet modules, -40 to 75°C operating temperature	€ 1,252.80
Industrial Ethernet	EDS-G512E-4GSFP	Managed full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, and 4 100/1000Base SFP slots, -10°C to 60°C operating temperature	€ 1,094.40
Industrial Ethernet	EDS-G512E-4GSFP-T	Managed full Gigabit Ethernet switch with 8 10/100/1000BaseT(X) ports, and 4 100/1000Base SFP slots, -40°C to 75°C operating temperature	€ 1,193.40
Industrial Ethernet	EDS-G512E-8PoE-4GSFP	12-port full Gigabit managed Ethernet switch, 8 10/100/1000BaseT PoE/PoE+ ports, 4 100/1000BaseSFP slots, -10 to 60°C operating temperature	€ 1,600.20

Industrial Ethernet	EDS-G512E-8PoE-4GSFP-T	12-port full Gigabit managed Ethernet switch, 8 10/100/1000BaseT PoE/PoE+ ports, 4 100/1000BaseSFP slots, -40 to 75°C operating temperature	€ 1,731.60
Industrial Ethernet	EDS-G516E-4GSFP	Managed full Gigabit Ethernet switch with 12 10/100/1000BaseT(X) ports, and 4 100/1000Base SFP slots, -10°C to 60°C operating temperature	€ 1,573.20
Industrial Ethernet	EDS-G516E-4GSFP-T	Managed full Gigabit Ethernet switch with 12 10/100/1000BaseT(X) ports, and 4 100/1000Base SFP slots, -40°C to 75°C operating temperature	€ 1,681.20
Industrial Ethernet	EDS-P206A-4PoE	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, 2 10/100BaseT(X) ports, 0 to 60°C	€ 291.60
Industrial Ethernet	EDS-P206A-4PoE-MM-SC	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with SC connector, 0 to 60°C	€ 426.60
Industrial Ethernet	EDS-P206A-4PoE-MM-SC-T	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with SC connector, -40 to 75°C	€ 484.20
Industrial Ethernet	EDS-P206A-4PoE-MM-ST	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with ST connector, 0 to 60°C	€ 426.60
Industrial Ethernet	EDS-P206A-4PoE-MM-ST-T	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with ST connector, -40 to 75°C	€ 484.20
Industrial Ethernet	EDS-P206A-4PoE-M-SC	Unmanaged PoE Ethernet switch with 1 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 1 100BaseFX multi mode port with SC connector, 0 to 60°C	€ 358.20
Industrial Ethernet	EDS-P206A-4PoE-M-SC-T	Unmanaged PoE Ethernet switch with 1 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 1 100BaseFX multi mode port with SC connector, -40 to 75°C	€ 415.80
Industrial Ethernet	EDS-P206A-4PoE-M-ST	Unmanaged PoE Ethernet switch with 1 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 1 100BaseFX multi mode port with ST connector, 0 to 60°C	€ 358.20
Industrial Ethernet	EDS-P206A-4PoE-M-ST-T	Unmanaged PoE Ethernet switch with 1 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 1 100BaseFX multi mode port with ST connector, -40 to 75°C	€ 415.80
Industrial Ethernet	EDS-P206A-4PoE-S-SC	Unmanaged PoE Ethernet switch with 1 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 1 100BaseFX single mode port with SC connector, 0 to 60°C	€ 487.80
Industrial Ethernet	EDS-P206A-4PoE-S-SC-T	Unmanaged PoE Ethernet switch with 1 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 1 100BaseFX single mode port with SC connector, -40 to 75°C	€ 543.60
Industrial Ethernet	EDS-P206A-4PoE-SS-SC	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX single mode port with SC connector, 0 to 60°C	€ 619.20
Industrial Ethernet	EDS-P206A-4PoE-SS-SC-T	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX single mode port with SC connector, -40 to 75°C	€ 676.80
Industrial Ethernet	EDS-P206A-4PoE-T	Unmanaged PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, 2 10/100BaseT(X) ports, -40 to 75°C	€ 347.40

Industrial Ethernet	EDS-P308	Industrial IEEE802.3af Power-over-Ethernet Unmanaged Ethernet Switch with 8 10/100BaseT(X) ports, 0 to 60°C	€ 322.20
Industrial Ethernet	EDS-P308-MM-SC	Unmanaged Ethernet switch with 2 10/100BaseT(X) ports, 4 PoE ports, and 2 100BaseFX multi-mode ports with SC connectors, 0 to 60°C	€ 532.80
Industrial Ethernet	EDS-P308-MM-SC-T	Unmanaged Ethernet switch with 2 10/100BaseT(X) ports, 4 PoE ports, and 2 100BaseFX multi-mode ports with SC connectors, -40 to 75°C	€ 590.40
Industrial Ethernet	EDS-P308-M-SC	Unmanaged Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE ports, and 1 100BaseFX multi-mode port with SC connector, 0 to 60°C	€ 432.00
Industrial Ethernet	EDS-P308-M-SC-T	Unmanaged Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE ports, and 1 100BaseFX multi-mode port with SC connector, -40 to 75°C	€ 487.80
Industrial Ethernet	EDS-P308-S-SC	Unmanaged Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE ports, and 1 100BaseFX single-mode port with SC connector, 0 to 60°C	€ 583.20
Industrial Ethernet	EDS-P308-S-SC-T	Unmanaged Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE ports, and 1 100BaseFX single-mode port with SC connector, -40 to 75°C	€ 633.60
Industrial Ethernet	EDS-P308-SS-SC	Unmanaged Ethernet switch with 2 10/100BaseT(X) ports, 4 PoE ports, and 2 100BaseFX single-mode ports with SC connectors, 0 to 60°C	€ 792.00
Industrial Ethernet	EDS-P308-SS-SC-T	Unmanaged Ethernet switch with 2 10/100BaseT(X) ports, 4 PoE ports, and 2 100BaseFX single-mode ports with SC connectors, -40 to 75°C	€ 842.40
Industrial Ethernet	EDS-P308-T	Industrial IEEE802.3af Power-over-Ethernet Unmanaged Ethernet Switch with 8 10/100BaseT(X) ports, -40 to 75°C	€ 378.00
Industrial Ethernet	EDS-P506A-4PoE	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, 2 10/100BaseT(X) ports, 0 to 60°C	€ 869.40
Industrial Ethernet	EDS-P506A-4PoE-MM-SC	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with SC connector, 0 to 60°C	€ 1,191.60
Industrial Ethernet	EDS-P506A-4PoE-MM-SC-T	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with SC connector, -40 to 75°C	€ 1,312.20
Industrial Ethernet	EDS-P506A-4PoE-MM-ST	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with ST connector, 0 to 60°C	€ 1,191.60
Industrial Ethernet	EDS-P506A-4PoE-MM-ST-T	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX multi mode port with ST connector, -40 to 75°C	€ 1,312.20
Industrial Ethernet	EDS-P506A-4PoE-SS-SC	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX single mode port with SC connector, 0 to 60°C	€ 1,576.80
Industrial Ethernet	EDS-P506A-4PoE-SS-SC-T	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, and 2 100BaseFX single mode port with SC connector, -40 to 75°C	€ 1,697.40
Industrial Ethernet	EDS-P506A-4PoE-T	Managed PoE Ethernet switch with 4 PoE 10/100BaseT(X) ports, 2 10/100BaseT(X) ports, -40 to 75°C	€ 990.00
Industrial Ethernet	EDS-P510	Managed Gigabit Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 3 10/100/1000BaseT(X) or 100/1000BaseSFP slots combo ports, 0 to 60°C	€ 1,090.80
Industrial Ethernet	EDS-P510A-8PoE-2GTXSFP	Managed Ethernet PoE Switch with 8 PoE+ ports, 2 combo gigabit Ethernet ports, -10 to 60°C	€ 1,240.33

Industrial Ethernet	EDS-P510A-8PoE-2GTXSFP-T	Managed Ethernet PoE Switch with 8 PoE+ ports, 2 combo gigabit Ethernet ports, -40 to 75°C	€ 1,371.44
Industrial Ethernet	EDS-P510-T	Managed Gigabit Ethernet switch with 3 10/100BaseT(X) ports, 4 PoE 10/100BaseT(X) ports, and 3 10/100/1000BaseT(X) or 100/1000BaseSFP slots combo ports, -40 to 75°C	€ 1,198.80
Industrial Ethernet	EDS-SNMP OPC Server Pro	CD with EDS-SNMP OPC Server Software and Manual	€ 232.20
Industrial Ethernet	EOM-104	4-port embedded managed Ethernet switch module, -40 to 75°C operating temperature	€ 187.20
Industrial Ethernet	EOM-104 20PCS	Embedded managed Ethernet switch module with 4 10/100BaseT(X) ports, -40 to 75°C operating temperature, 20 pcs package	€ 3,711.60
Industrial Ethernet	EOM-104 Evaluation Kit	EOM-104 switch module with Evaluation Kit	€ 248.40
Industrial Ethernet	EOM-104-FO	4-port embedded managed switch module with 2 10/100BaseT(X), and 2 100BaseFX interfaces, -40 to 75°C operating temperature	€ 216.00
Industrial Ethernet	EOM-104-FO 20PCS	Embedded managed Ethernet switch module with 2 10/100BaseT(X) and 2 100BaseFX ports, -40 to 75°C operating temperature, 20 pcs package	€ 4,329.00
Industrial Ethernet	EOM-104-FO Evaluation Kit	Includes a EOM-104-FO switch module and a evaluation board with 2 10/100BaseT(X) ports and 2 100BaseFX multi-mode ports (SC connector) for testing and application development	€ 496.80
Industrial Ethernet	EOM-G103-PHR-PTP	IEC 62439-3 managed redundancy module with 3 SGMII pinouts reserved for 2 IEC 62439-3 ports and 1 standard Ethernet port, -40 to 85°C operating temperature	€ 714.28
Industrial Ethernet	EOM-G103-PHR-PTP-ST	IEC 62439-3 managed redundancy module with 3 SGMII pinouts reserved for 2 IEC 62439-3 ports and 1 standard Ethernet port and an evaluation board with 3 10/100/1000BaseT(X) and 100/1000BaseSFP slot combo ports for testing and application development, , -40 to 85°C operating temperature	€ 1,042.00
Industrial Ethernet	ICS-G7526A-20GSFP-4GTXSFP-2XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 9,645.61
Industrial Ethernet	ICS-G7526A-4GTXSFP-2XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 9,645.61
Industrial Ethernet	ICS-G7526A-8GSFP-4GTXSFP-2XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 9,645.61

Industrial Ethernet	ICS-G7528A-20GSFP-4GTXSFP-4XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 12,057.61
Industrial Ethernet	ICS-G7528A-4GTXSFP-4XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 12,057.61
Industrial Ethernet	ICS-G7528A-8GSFP-4GTXSFP-4XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 12,057.61
Industrial Ethernet	ICS-G7748A-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 12 slots for 4-port 10/100/1000BaseT(X) module or 4-port 100/1000BaseSFP slot module, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 10,607.99
Industrial Ethernet	ICS-G7750A-2XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 12 slots for 4-port 10/100/1000BaseT(X) module or 4-port 100/1000BaseSFP slot module and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 14,148.00
Industrial Ethernet	ICS-G7752A-4XG-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 12 slots for 4-port 10/100/1000BaseT(X) module or 4-port 100/1000BaseSFP slot module and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 17,685.59
Industrial Ethernet	ICS-G7826A-20GSFP-4GTXSFP-2XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 10,471.19
Industrial Ethernet	ICS-G7826A-4GTXSFP-2XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 10,471.19
Industrial Ethernet	ICS-G7826A-8GSFP-4GTXSFP-2XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 10,471.19
Industrial Ethernet	ICS-G7828A-20GSFP-4GTXSFP-4XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 12,883.19

Industrial Ethernet	ICS-G7828A-4GTXSFP-4XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 12,883.19
Industrial Ethernet	ICS-G7828A-8GSFP-4GTXSFP-4XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots, 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 12,883.19
Industrial Ethernet	ICS-G7848A-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 12 slots for 4-port 10/100/1000BaseT(X) module or 4-port 100/1000BaseSFP slot module, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 11,817.59
Industrial Ethernet	ICS-G7850A-2XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 12 slots for 4-port 10/100/1000BaseT(X) module or 4-port 100/1000BaseSFP slot module and 2 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 15,357.60
Industrial Ethernet	ICS-G7852A-4XG-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 12 slots for 4-port 10/100/1000BaseT(X) module or 4-port 100/1000BaseSFP slot module and 4 10GbE SFP+ slots, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 18,897.61
Industrial Ethernet	IES sales demo kit w/ products-EU	IES Sales Demo Kit including products, accessories, demo box, and suitcase; 110/220V power input	€ 4,285.71
Industrial Ethernet	IEX-402-SHDSL	Managed SHDSL Ethernet Extender with 1 10/100BaseT(X) port, and 1 DSL port, -10 to 60°C operating temperature	€ 631.80
Industrial Ethernet	IEX-402-SHDSL-T	Managed SHDSL Ethernet Extender with 1 10/100BaseT(X) port, and 1 DSL port, -40 to 75°C operating temperature	€ 689.40
Industrial Ethernet	IEX-402-VDSL2	Managed VDSL2 Ethernet Extender with 1 10/100BaseT(X) port, and 1 DSL port, -10 to 60°C operating temperature	€ 556.20
Industrial Ethernet	IEX-402-VDSL2-T	Managed VDSL2 Ethernet Extender with 1 10/100BaseT(X) port, and 1 DSL port, -40 to 75°C operating temperature	€ 581.40
Industrial Ethernet	IKS-6726A-2GTXSFP-24-24-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 2 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supplies (24 VDC), -40 to 75°C	€ 1,869.61
Industrial Ethernet	IKS-6726A-2GTXSFP-24-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 2 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (24 VDC), -40 to 75°C	€ 1,567.21
Industrial Ethernet	IKS-6726A-2GTXSFP-48-48-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 2 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supplies (48 VDC), -40 to 75°C	€ 1,869.61

Industrial Ethernet	IKS-6726A-2GTXSFP-48-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 2 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (48 VDC), -40 to 75°C	€ 1,567.21
Industrial Ethernet	IKS-6726A-2GTXSFP-HV-HV-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 2 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supplies (85-264 VAC), -40 to 75°C	€ 1,504.80
Industrial Ethernet	IKS-6726A-2GTXSFP-HV-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 2 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (85-264 VAC), -40 to 75°C	€ 1,207.21
Industrial Ethernet	IKS-6728A-4GTXSFP-24-24-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supplies (24 VDC), -40 to 75°C	€ 2,183.99
Industrial Ethernet	IKS-6728A-4GTXSFP-24-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (24 VDC), -40 to 75°C	€ 1,884.01
Industrial Ethernet	IKS-6728A-4GTXSFP-48-48-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supplies (48 VDC), -40 to 75°C	€ 2,183.99
Industrial Ethernet	IKS-6728A-4GTXSFP-48-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (48 VDC), -40 to 75°C	€ 1,884.01
Industrial Ethernet	IKS-6728A-4GTXSFP-HV-HV-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supplies (85-264 VAC), -40 to 75°C	€ 1,819.21
Industrial Ethernet	IKS-6728A-4GTXSFP-HV-T	Modular managed Ethernet switch with 8 10/100BaseT(X) ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (85-264 VAC), -40 to 75°C	€ 1,521.59
Industrial Ethernet	IKS-6728A-8PoE-4GTXSFP-48-48-T	Modular managed Ethernet switch with 8 10/100BaseT(X) PoE/PoE+ ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supply (48 VDC), -40 to 75°C	€ 3,019.19
Industrial Ethernet	IKS-6728A-8PoE-4GTXSFP-48-T	Modular managed Ethernet switch with 8 10/100BaseT(X) PoE/PoE+ ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (48 VDC), -40 to 75°C	€ 2,687.99

Industrial Ethernet	IKS-6728A-8PoE-4GTXSFP-HV-HV-T	Modular managed Ethernet switch with 8 10/100BaseT(X) PoE/PoE+ ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 2 isolated power supply (85-264 VAC), -40 to 75°C	€ 2,615.99
Industrial Ethernet	IKS-6728A-8PoE-4GTXSFP-HV-T	Modular managed Ethernet switch with 8 10/100BaseT(X) PoE/PoE+ ports, 4 10/100/1000BaseT(X) or 100/1000BaseSFP combo ports, and 2 slots for fast Ethernet modules, front cabling, 1 isolated power supply (85-264 VAC), -40 to 75°C	€ 2,284.79
Industrial Ethernet	IKS-G6524A-20GSFP-4GTXSFP-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 4,070.39
Industrial Ethernet	IKS-G6524A-20GSFP-4GTXSFP-HV-HV-T	Layer 2 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -40 to 75°C operating temperature	€ 4,440.01
Industrial Ethernet	IKS-G6524A-4GTXSFP-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 4,070.39
Industrial Ethernet	IKS-G6524A-4GTXSFP-HV-HV-T	Layer 2 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -40 to 75°C operating temperature	€ 4,440.01
Industrial Ethernet	IKS-G6524A-8GSFP-4GTXSFP-HV-HV	Layer 2 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 4,070.39
Industrial Ethernet	IKS-G6524A-8GSFP-4GTXSFP-HV-HV-T	Layer 2 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -40 to 75°C operating temperature	€ 4,440.01
Industrial Ethernet	IKS-G6824A-20GSFP-4GTXSFP-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 5,594.40
Industrial Ethernet	IKS-G6824A-20GSFP-4GTXSFP-HV-HV-T	Layer 3 Full Gigabit managed Ethernet switch with 20 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -40 to 75°C operating temperature	€ 5,935.19
Industrial Ethernet	IKS-G6824A-4GTXSFP-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 5,594.40
Industrial Ethernet	IKS-G6824A-4GTXSFP-HV-HV-T	Layer 3 Full Gigabit managed Ethernet switch with 20 10/100/1000BaseT(X) ports, and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -40 to 75°C operating temperature	€ 5,935.19

Industrial Ethernet	IKS-G6824A-8GSFP-4GTXSFP-HV-HV	Layer 3 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -10 to 60°C operating temperature	€ 5,594.40
Industrial Ethernet	IKS-G6824A-8GSFP-4GTXSFP-HV-HV-T	Layer 3 Full Gigabit managed Ethernet switch with 12 10/100/1000BaseT(X) ports, 8 100/1000BaseSFP slots and 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports, 2 isolated power supplies (85 to 264 VAC), -40 to 75°C operating temperature	€ 5,935.19
Industrial Ethernet	IM-1LSC/3TX	Interface Module with 1 long-haul (80 km) single mode 100BaseFX port, SC connector, and 3 10/100BaseT(X) ports, RJ45 connector	€ 1,521.00
Industrial Ethernet	IM-2GSFP	Interface Module with 2 SFP (mini-GBIC) ports for 1000BaseSX/LX/LHX/ZX modules, LC connector	€ 369.00
Industrial Ethernet	IM-2GTX	Interface Module with 2 10/100/1000BaseT(X), RJ45 connector	€ 369.00
Industrial Ethernet	IM-2MSC/2TX	Interface Module with 2 multi mode 100BaseFX ports, SC connector, and 2 10/100BaseT(X) ports, RJ45 connector	€ 376.20
Industrial Ethernet	IM-2MST/2TX	Interface Module with 2 multi mode 100BaseFX ports, ST connector, and 2 10/100BaseT(X) ports, RJ45 connector	€ 376.20
Industrial Ethernet	IM-2SSC/2TX	Interface Module with 2 single mode 100BaseFX ports, SC connector, and 2 10/100BaseT(X) ports, RJ45 connector	€ 691.20
Industrial Ethernet	IM-4MSC	Interface Module with 4 multi mode 100BaseFX ports, SC connector	€ 570.60
Industrial Ethernet	IM-4MST	Interface Module with 4 multi mode 100BaseFX ports, ST connector	€ 570.60
Industrial Ethernet	IM-4SSC	Interface Module with 4 single mode 100BaseFX ports, SC connector	€ 1,296.00
Industrial Ethernet	IM-4TX	Interface Module with 4 10/100BaseT(X) ports, RJ45 connector	€ 174.60
Industrial Ethernet	IM-6700A-2MSC4TX	Fast Ethernet module with 2 multi-mode 100BaseFX ports with SC connectors and 4 10/100BaseT(X) ports	€ 316.80
Industrial Ethernet	IM-6700A-2MST4TX	Fast Ethernet module with 2 multi-mode 100BaseFX ports with ST connectors and 4 10/100BaseT(X) ports	€ 316.80
Industrial Ethernet	IM-6700A-2SSC4TX	Fast Ethernet module with 2 single-mode 100BaseFX ports with SC connectors and 4 10/100BaseT(X) ports	€ 506.39
Industrial Ethernet	IM-6700A-4MSC2TX	Fast Ethernet module with 4 multi-mode 100BaseFX ports with SC connectors and 2 10/100BaseT(X) ports	€ 441.59
Industrial Ethernet	IM-6700A-4MST2TX	Fast Ethernet module with 4 multi-mode 100BaseFX ports with ST connectors and 2 10/100BaseT(X) ports	€ 441.59
Industrial Ethernet	IM-6700A-4SSC2TX	Fast Ethernet module with 4 single-mode 100BaseFX ports with SC connectors and 2 10/100BaseT(X) ports	€ 820.80
Industrial Ethernet	IM-6700A-6MSC	Fast Ethernet module with 6 multi-mode 100BaseFX ports with SC connectors	€ 568.80
Industrial Ethernet	IM-6700A-6MST	Fast Ethernet module with 6 multi-mode 100BaseFX ports with ST connectors	€ 568.80
Industrial Ethernet	IM-6700A-6SSC	Fast Ethernet module with 6 single-mode 100BaseFX ports with SC connectors	€ 1,135.21
Industrial Ethernet	IM-6700A-8PoE	IM module with 8 10/100BaseT(X) PoE/PoE+ ports	€ 561.60

Industrial Ethernet	IM-6700A-8SFP	Fast Ethernet module with 8 100BaseSFP slots	€ 379.21
Industrial Ethernet	IM-6700A-8TX	Fast Ethernet module with 8 10/100T(X) ports	€ 167.99
Industrial Ethernet	IM-G7000A-4GSFP	Gigabit Ethernet interface module with 4 100/1000BaseSFP slots, -10 to 60°C operating temperature	€ 727.20
Industrial Ethernet	IM-G7000A-4GTX	Gigabit Ethernet interface module with 4 10/100/1000BaseT(X) ports, RJ45 connectors, -10 to 60°C operating temperature	€ 727.20
Industrial Ethernet	IM-G7000A-4PoE	Gigabit PoE+ Ethernet interface module with 4 10/100/1000BaseT(X) PoE+ ports, RJ45 connectors, 0 to 60°C operating temperature	€ 1,130.40
Industrial Ethernet	INJ-24	Industrial IEEE802.3af/at PoE injector, maximum output of 30W at 24/48 VDC, 0 to 60°C	€ 158.40
Industrial Ethernet	INJ-24A	Gigabit High-power PoE+ injector, max. output of 36W/60W @24 or 48VDC by 2-pair/4-pair mode, 0 to 60°C operating temperature	€ 257.40
Industrial Ethernet	INJ-24A-T	Gigabit High-power PoE+ injector, max. output of 36W/60W @24 or 48VDC by 2-pair/4-pair mode, -40 to 75°C operating temperature	€ 320.40
Industrial Ethernet	INJ-24-T	Industrial IEEE802.3af/at PoE injector, maximum output of 30W at 24/48 VDC, -40 to 75°C	€ 214.20
Industrial Ethernet	MDR-40-24	40W/1.7A DIN-Rail 24V VDC power supply with universal 85 to 264 VAC input: -20~70°C	€ 57.60
Industrial Ethernet	MDR-60-24	60W/2.5A DIN-Rail 24V VDC power supply with universal 85 to 264 VAC input: -20~70°C	€ 79.20
Industrial Ethernet	MXview Upgrade-50	License expansion of MXview industrial network management software by 50 nodes (by IP address)	€ 174.60
Industrial Ethernet	MXview-100	Industrial network management software with a license for 100 nodes (by IP address)	€ 628.20
Industrial Ethernet	MXview-1000	Industrial network management software with a license for 1000 nodes (by IP address)	€ 3,758.40
Industrial Ethernet	MXview-2000	Industrial network management software with a license for 2000 nodes (by IP address)	€ 7,079.40
Industrial Ethernet	MXview-250	Industrial network management software with a license for 250 nodes (by IP address)	€ 1,148.40
Industrial Ethernet	MXview-50	Industrial network management software with a license for 50 nodes (by IP address)	€ 453.60
Industrial Ethernet	MXview-500	Industrial network management software with a license for 500 nodes (by IP address)	€ 2,019.60
Industrial Ethernet	OBU-102-SS-LC	2-channel optical fiber bypass unit with 4 single-mode ports, LC, -20 to 70°C operating temperature	€ 1,022.40
Industrial Ethernet	OBU-102-SS-SC	2-channel optical fiber bypass unit with 4 single-mode ports, SC, -20 to 70°C operating temperature	€ 1,022.40
Industrial Ethernet	OBU-102-SS-ST	2-channel optical fiber bypass unit with 4 single-mode ports, ST, -20 to 70°C operating temperature	€ 1,022.40

Industrial Ethernet	PM-7200-1BNC2MST-PTP	Fast Ethernet module with 2 100BaseFX multi-mode port with ST connector and 1 PPS signal output with BNC connector and IEEE 1588 v2 function	€ 930.60
Industrial Ethernet	PM-7200-1MSC	Fast Ethernet Module with 1 multi-mode 100BaseFX port with SC connector	€ 162.00
Industrial Ethernet	PM-7200-1MST	Fast Ethernet Module with 1 multi-mode 100BaseFX port with ST connector	€ 162.00
Industrial Ethernet	PM-7200-2GTXSFP	Gigabit Ethernet module with 2 10/100/1000BaseT(X) or 1000BaseSFP slot combo ports	€ 201.60
Industrial Ethernet	PM-7200-2MSC	Fast Ethernet Module with 2 multi-mode 100BaseFX ports with SC connectors	€ 322.20
Industrial Ethernet	PM-7200-2MSC4TX	Fast Ethernet Module with 2 multi-mode 100BaseFX ports with SC connectors and 4 10/100BaseT(X) ports with RJ45 connectors	€ 394.20
Industrial Ethernet	PM-7200-2MST	Fast Ethernet Module with 2 multi-mode 100BaseFX ports with ST connectors	€ 322.20
Industrial Ethernet	PM-7200-2MST4TX	Fast Ethernet Module with 2 multi-mode 100BaseFX ports with ST connectors and 4 10/100BaseT(X) ports with RJ45 connectors	€ 394.20
Industrial Ethernet	PM-7200-2SSC	Fast Ethernet Module with 2 single-mode 100BaseFX ports with SC connectors	€ 610.20
Industrial Ethernet	PM-7200-2SSC4TX	Fast Ethernet Module with 2 single-mode 100BaseFX ports with SC connectors and 4 10/100BaseT(X) ports with RJ45 connectors	€ 664.20
Industrial Ethernet	PM-7200-4GTXSFP	Gigabit Ethernet module with 2 10/100/1000BaseT(X) or 1000BaseSFP slot combo ports	€ 403.20
Industrial Ethernet	PM-7200-4M12	Fast Ethernet module with 4 10/100BaseT(X) ports with M12 connectors	€ 243.00
Industrial Ethernet	PM-7200-4MSC2TX	Fast Ethernet Module with 4 multi-mode 100BaseFX ports with SC connectors and 2 10/100BaseT(X) ports with RJ45 connectors	€ 604.80
Industrial Ethernet	PM-7200-4MSC-PTP	Fast Ethernet module with 4 10/100BaseFX multi-mode ports with SC connectors and IEEE 1588 v2 function	€ 930.60
Industrial Ethernet	PM-7200-4MST2TX	Fast Ethernet Module with 4 multi-mode 100BaseFX ports with ST connectors and 2 10/100BaseT(X) ports with RJ45 connectors	€ 604.80
Industrial Ethernet	PM-7200-4MST-FL	10BaseFL module with 4 multi-mode ports with ST connectors	€ 903.60
Industrial Ethernet	PM-7200-4MST-PTP	Fast Ethernet module with 4 10/100BaseFX multi-mode ports with ST connectors and IEEE 1588 v2 function	€ 930.60
Industrial Ethernet	PM-7200-4SSC2TX	Fast Ethernet Module with 4 single-mode 100BaseFX ports with SC connectors and 2 10/100BaseT(X) ports with RJ45 connectors	€ 1,146.60
Industrial Ethernet	PM-7200-4TX-PTP	Fast Ethernet module with 4 10/100BaseT(X) ports and IEEE 1588 v2 function	€ 523.80
Industrial Ethernet	PM-7200-6MSC	Fast Ethernet Module with 6 multi-mode 100BaseFX ports with SC connectors	€ 815.40
Industrial Ethernet	PM-7200-6MST	Fast Ethernet Module with 6 multi-mode 100BaseFX ports with ST connectors	€ 815.40
Industrial Ethernet	PM-7200-6SSC	Fast Ethernet Module with 6 single-mode 100BaseFX ports with SC connectors	€ 1,629.00
Industrial Ethernet	PM-7200-8MTRJ	Fast Ethernet Module with 8 100BaseFX multi-mode port with MTRJ connector	€ 1,728.00
Industrial Ethernet	PM-7200-8SFP	Fast Ethernet module with 8 100 BaseSFP slots	€ 322.20
Industrial Ethernet	PM-7200-8TX	Fast Ethernet module with 8 10/100T(X) ports	€ 243.00
Industrial Ethernet	PM-7500-2GTXSFP	Gigabit Ethernet module with 2 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports	€ 198.00

Industrial Ethernet	PM-7500-2MSC	Fast Ethernet module with 2 100BaseFX multi-mode ports with ST connectors	€ 289.80
Industrial Ethernet	PM-7500-2MST	Fast Ethernet module with 2 100BaseFX multi-mode ports with ST connectors	€ 289.80
Industrial Ethernet	PM-7500-2SSC	Fast Ethernet module with 2 100BaseFX single-mode ports with SC connectors	€ 433.80
Industrial Ethernet	PM-7500-4GTXSFP	Gigabit Ethernet module with 4 10/100/1000BaseT(X) or 100/1000BaseSFP slot combo ports	€ 394.20
Industrial Ethernet	PM-7500-4MSC	Fast Ethernet module with 4 100BaseFX multi-mode ports with SC connectors	€ 498.60
Industrial Ethernet	PM-7500-4MST	Fast Ethernet module with 4 100BaseFX multi-mode ports with ST connectors	€ 498.60
Industrial Ethernet	PM-7500-4SSC	Fast Ethernet module with 4 100BaseFX single-mode ports with SC connectors	€ 813.60
Industrial Ethernet	PRP/HSR Demo Kit Accessories	Moxa PRP/HSR Demo Kit Accessories including cable, artwork, installation guide and demo utility	€ 1,071.43
Industrial Ethernet	PT-508-MM-LC-24	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with LC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,017.00
Industrial Ethernet	PT-508-MM-LC-48	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with LC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,017.00
Industrial Ethernet	PT-508-MM-LC-HV	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with LC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 993.60
Industrial Ethernet	PT-508-MM-SC-24	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,017.00
Industrial Ethernet	PT-508-MM-SC-48	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,017.00
Industrial Ethernet	PT-508-MM-SC-HV	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 993.60
Industrial Ethernet	PT-508-MM-ST-24	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, 1 power supply (24 VDC), -40~85°C	€ 1,017.00
Industrial Ethernet	PT-508-MM-ST-48	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, 1 power supply (48 VDC), -40~85°C	€ 1,017.00
Industrial Ethernet	PT-508-MM-ST-HV	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 993.60
Industrial Ethernet	PT-508-SS-LC-24	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with LC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,089.00

Industrial Ethernet	PT-508-SS-LC-48	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with LC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,089.00
Industrial Ethernet	PT-508-SS-LC-HV	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with LC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,065.60
Industrial Ethernet	PT-508-SS-SC-24	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,215.00
Industrial Ethernet	PT-508-SS-SC-48	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,215.00
Industrial Ethernet	PT-508-SS-SC-HV	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,188.00
Industrial Ethernet	PT-510-3S-SC-24	IEC 61850-3 managed Ethernet switch with 7 10/100BaseT(X) ports, and 3 100BaseFX single-mode ports with SC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,346.40
Industrial Ethernet	PT-510-3S-SC-48	IEC 61850-3 managed Ethernet switch with 7 10/100BaseT(X) ports, and 3 100BaseFX single-mode ports with SC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,346.40
Industrial Ethernet	PT-510-3S-SC-HV	IEC 61850-3 managed Ethernet switch with 7 10/100BaseT(X) ports, and 3 100BaseFX single-mode ports with SC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,346.40
Industrial Ethernet	PT-510-4M-ST-24	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 4 100BaseFX multi-mode ports with ST connectors, 1 power supply (24 VDC), -40~85°C	€ 1,213.20
Industrial Ethernet	PT-510-4M-ST-48	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 4 100BaseFX multi-mode ports with ST connectors, 1 power supply (48 VDC), -40~85°C	€ 1,213.20
Industrial Ethernet	PT-510-4M-ST-HV	IEC 61850-3 managed Ethernet switch with 6 10/100BaseT(X) ports, and 4 100BaseFX multi-mode ports with ST connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,213.20
Industrial Ethernet	PT-510-MM-LC-24	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with LC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-MM-LC-48	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with LC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,062.00

Industrial Ethernet	PT-510-MM-LC-HV	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with LC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-MM-SC-24	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-MM-SC-48	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-MM-SC-HV	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with SC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-MM-ST-24	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, 1 power supply (24 VDC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-MM-ST-48	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, 1 power supply (48 VDC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-MM-ST-HV	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX multi-mode ports with ST connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,062.00
Industrial Ethernet	PT-510-SS-LC-24	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with LC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,135.80
Industrial Ethernet	PT-510-SS-LC-48	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with LC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,135.80
Industrial Ethernet	PT-510-SS-LC-HV	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with LC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,135.80
Industrial Ethernet	PT-510-SS-SC-24	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, 1 power supply (24 VDC), -40~85°C	€ 1,265.40
Industrial Ethernet	PT-510-SS-SC-48	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, 1 power supply (48 VDC), -40~85°C	€ 1,265.40
Industrial Ethernet	PT-510-SS-SC-HV	IEC 61850-3 managed Ethernet switch with 8 10/100BaseT(X) ports, and 2 100BaseFX single-mode ports with SC connectors, 1 power supply (88-300VDC or 85-264VAC), -40~85°C	€ 1,265.40

Industrial Ethernet	PT-7528-12MSC-12TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MSC), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,328.20
Industrial Ethernet	PT-7528-12MSC-12TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MSC), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,529.80
Industrial Ethernet	PT-7528-12MSC-12TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MSC), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,328.20
Industrial Ethernet	PT-7528-12MSC-12TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MSC), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,529.80
Industrial Ethernet	PT-7528-12MST-12TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MST), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,328.20
Industrial Ethernet	PT-7528-12MST-12TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MST), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,529.80
Industrial Ethernet	PT-7528-12MST-12TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MST), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,328.20
Industrial Ethernet	PT-7528-12MST-12TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 12 100BaseFX ports(MST), 12 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,529.80
Industrial Ethernet	PT-7528-16MSC-8TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MSC), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,715.20
Industrial Ethernet	PT-7528-16MSC-8TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MSC), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,916.80

Industrial Ethernet	PT-7528-16MSC-8TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MSC), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,715.20
Industrial Ethernet	PT-7528-16MSC-8TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MSC), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,916.80
Industrial Ethernet	PT-7528-16MST-8TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MST), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,715.20
Industrial Ethernet	PT-7528-16MST-8TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MST), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,916.80
Industrial Ethernet	PT-7528-16MST-8TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MST), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,715.20
Industrial Ethernet	PT-7528-16MST-8TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 16 100BaseFX ports(MST), 8 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,916.80
Industrial Ethernet	PT-7528-20MSC-4TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MSC), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 4,118.40
Industrial Ethernet	PT-7528-20MSC-4TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MSC), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 4,320.00
Industrial Ethernet	PT-7528-20MSC-4TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MSC), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 4,118.40
Industrial Ethernet	PT-7528-20MSC-4TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MSC), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 4,320.00

Industrial Ethernet	PT-7528-20MST-4TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MST), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 4,118.40
Industrial Ethernet	PT-7528-20MST-4TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MST), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 4,320.00
Industrial Ethernet	PT-7528-20MST-4TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MST), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 4,118.40
Industrial Ethernet	PT-7528-20MST-4TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 20 100BaseFX ports(MST), 4 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 4,320.00
Industrial Ethernet	PT-7528-24TX-HV	IEC 61850-3 managed rackmount Ethernet switch system with up to 28 ports (including 1 slot for a fast Ethernet or Gigabit module), 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 1,900.80
Industrial Ethernet	PT-7528-24TX-HV-HV	IEC 61850-3 managed rackmount Ethernet switch system with up to 28 ports (including 1 slot for a fast Ethernet or Gigabit module), 2 isolated power supplies (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 2,068.20
Industrial Ethernet	PT-7528-24TX-WV	IEC 61850-3 managed rackmount Ethernet switch system with up to 28 ports (including 1 slot for a fast Ethernet or Gigabit module), 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 1,900.80
Industrial Ethernet	PT-7528-24TX-WV-HV	IEC 61850-3 managed rackmount Ethernet switch system with up to 28 ports (including 1 slot for a fast Ethernet or Gigabit module), 2 isolated power supplies (18 ~ 72 VDC and 88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 2,068.20
Industrial Ethernet	PT-7528-24TX-WV-WV	IEC 61850-3 managed rackmount Ethernet switch system with up to 28 ports (including 1 slot for a fast Ethernet or Gigabit module), 2 isolated power supplies (18 ~ 72 VDC), -40 to 85°C operating temperature	€ 2,068.20
Industrial Ethernet	PT-7528-8MSC-16TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MSC), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 2,858.40
Industrial Ethernet	PT-7528-8MSC-16TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MSC), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,060.00

Industrial Ethernet	PT-7528-8MSC-16TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MSC), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 2,858.40
Industrial Ethernet	PT-7528-8MSC-16TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MSC), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,060.00
Industrial Ethernet	PT-7528-8MST-16TX-4GSFP-HV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MST), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 2,858.40
Industrial Ethernet	PT-7528-8MST-16TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MST), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,060.00
Industrial Ethernet	PT-7528-8MST-16TX-4GSFP-WV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MST), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 1 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 2,858.40
Industrial Ethernet	PT-7528-8MST-16TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(MST), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports; for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,060.00
Industrial Ethernet	PT-7528-8SSC-16TX-4GSFP-HV-HV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(SSC), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 3,699.00
Industrial Ethernet	PT-7528-8SSC-16TX-4GSFP-WV-WV	IEC 61850-3 managed rackmount Ethernet switch with 8 100BaseFX ports(SSC), 16 10/100BaseT(X) ports, and 4 1000BaseSFP ports, for a total of up to 28 ports, 2 isolated power supply (18 ~ 72VDC), -40 to 85°C operating temperature	€ 3,699.00
Industrial Ethernet	PT-7710-D-HV	IEC 61850-3 modular managed Ethernet switch system with 1 slot for fast Ethernet modules, and 1 slot for fast Ethernet or Gigabit Ethernet modules, up to 10 or 8+2G ports, down cabling, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C	€ 788.40
Industrial Ethernet	PT-7710-D-LV	IEC 61850-3 modular managed Ethernet switch system with 1 slot for fast Ethernet modules, and 1 slot for fast Ethernet or Gigabit Ethernet modules, up to 10 or 8+2G ports, down cabling, 1 power supply (24/48 VDC), -40 to 85°C	€ 788.40

Industrial Ethernet	PT-7710-F-HV	IEC 61850-3 modular managed Ethernet switch system with 1 slot for fast Ethernet modules, and 1 slot for fast Ethernet or Gigabit Ethernet modules, up to 10 or 8+2G ports, front cabling, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C	€ 788.40
Industrial Ethernet	PT-7710-F-LV	IEC 61850-3 modular managed Ethernet switch system with 1 slot for fast Ethernet modules, and 1 slot for fast Ethernet or Gigabit Ethernet modules, up to 10 or 8+2G ports, front cabling, 1 power supply (24/48 VDC), -40 to 85°C	€ 788.40
Industrial Ethernet	PT-7728-F-24	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with one power supply of 24 VDC, for a total of 24+4G ports	€ 1,371.60
Industrial Ethernet	PT-7728-F-24-24	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, and 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with two 24 VDC power supplies, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7728-F-24-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with two power supplies of 24 VDC and 88-300 VDC or 85-264 VAC, for a total of 24+4G port	€ 1,600.20
Industrial Ethernet	PT-7728-F-48	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with one power supply of 48 VDC, for a total of 24+4G ports	€ 1,371.60
Industrial Ethernet	PT-7728-F-48-48	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with two 48 VDC power supplies, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7728-F-48-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with two power supplies of 48 VDC and 88-300 VDC or 85-264 VAC, for a total of 24+4G port	€ 1,600.20
Industrial Ethernet	PT-7728-F-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with one power supply of 88-300 VDC or 85-264 VAC, for a total of 24+4G ports	€ 1,371.60
Industrial Ethernet	PT-7728-F-HV-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on front panel, LED display on front panel, with two 88-300 VDC or 85-264 VAC power supplies, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7728-PTP-F-24	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on front panel, 1 isolated power supply (24 VDC), -40~85°C	€ 2,534.40
Industrial Ethernet	PT-7728-PTP-F-24-24	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 2 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on front panel, 1 isolated power supply (24 VDC), -40~85°C	€ 2,763.00

Industrial Ethernet	PT-7728-PTP-F-24-HV	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on front panel, 2 isolated power supply (24 VDC and 88-300 VDC or 85-264 VAC), -40~85°C	€ 2,763.00
Industrial Ethernet	PT-7728-PTP-F-48	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on front panel, 1 isolated power supply (48 VDC), -40~85°C	€ 2,534.40
Industrial Ethernet	PT-7728-PTP-F-48-48	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on front panel, 2 isolated power supply (48 VDC), -40~85°C	€ 2,763.00
Industrial Ethernet	PT-7728-PTP-F-HV	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on front panel, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40~85°C	€ 2,534.40
Industrial Ethernet	PT-7728-PTP-F-HV-HV	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on front panel, 2 isolated power supply (88-300VDC or 85-264VAC), -40~85°C	€ 2,763.00
Industrial Ethernet	PT-7728-PTP-R-24	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on rear panel, 1 isolated power supply (24 VDC), -40~85°C	€ 2,534.40
Industrial Ethernet	PT-7728-PTP-R-24-24	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 2 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on rear panel, 1 isolated power supply (24 VDC), -40~85°C	€ 2,763.00
Industrial Ethernet	PT-7728-PTP-R-24-HV	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on rear panel, 2 isolated power supply (24 VDC and 88-300 VDC or 85-264 VAC), -40~85°C	€ 2,763.00
Industrial Ethernet	PT-7728-PTP-R-48	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on rear panel, 1 isolated power supply (48 VDC), -40~85°C	€ 2,534.40
Industrial Ethernet	PT-7728-PTP-R-48-48	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on rear panel, 2 isolated power supply (48 VDC), -40~85°C	€ 2,763.00
Industrial Ethernet	PT-7728-PTP-R-HV	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on rear panel, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40~85°C	€ 2,534.40

Industrial Ethernet	PT-7728-PTP-R-HV-HV	IEC 61850-3 modular rackmount PTP switch w/ 4 slots for IEEE 1588 fast Ethernet modules, or 1 slot for Gigabit Ethernet modules, total up to 24+4G ports, cabling on rear panel, 2 isolated power supply (88-300VDC or 85-264VAC), -40~85°C	€ 2,763.00
Industrial Ethernet	PT-7728-R-24	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with one power supply of 24 VDC, for a total of 24+4G ports	€ 1,371.60
Industrial Ethernet	PT-7728-R-24-24	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, and 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with two 24 VDC power supplies, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7728-R-24-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with two power supplies of 24 VDC and 88-300 VDC or 85-264 VAC, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7728-R-48	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with one power supply of 48 VDC, for a total of 24+4G ports	€ 1,371.60
Industrial Ethernet	PT-7728-R-48-48	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with two 48 VDC power supplies, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7728-R-48-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with two power supplies of 48 VDC and 88-300 VDC or 85-264 VAC, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7728-R-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with one power supply of 88-300 VDC or 85-264 VAC, for a total of 24+4G ports	€ 1,371.60
Industrial Ethernet	PT-7728-R-HV-HV	Modular Managed Ethernet Switch System with 3 slots for 100 Mbps modules, 1 slot for Gbps modules, Ethernet ports on rear panel, LED display on front panel, with two 88-300 VDC or 85-264 VAC power supplies, for a total of 24+4G ports	€ 1,600.20
Industrial Ethernet	PT-7828-F-24	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 1 isolated power supply (24 VDC), -40 to 85°C	€ 2,082.60
Industrial Ethernet	PT-7828-F-24-24	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 2 isolated power supplies (24 VDC), -40 to 85°C	€ 2,311.20

Industrial Ethernet	PT-7828-F-24-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 2 isolated power supplies (24 VDC and 88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-7828-F-48	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 1 isolated power supply (48 VDC), -40 to 85°C	€ 2,082.60
Industrial Ethernet	PT-7828-F-48-48	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 2 isolated power supplies (48 VDC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-7828-F-48-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 2 isolated power supplies (48 VDC and 88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-7828-F-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,082.60
Industrial Ethernet	PT-7828-F-HV-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, front cabling, 2 isolated power supplies (88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-7828-R-24	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 1 isolated power supply (24 VDC), -40 to 85°C	€ 2,082.60
Industrial Ethernet	PT-7828-R-24-24	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 2 isolated power supplies (24 VDC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-7828-R-24-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 2 isolated power supplies (24 VDC and 88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-7828-R-48	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 1 isolated power supply (48 VDC), -40 to 85°C	€ 2,082.60
Industrial Ethernet	PT-7828-R-48-48	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 2 isolated power supplies (48 VDC), -40 to 85°C	€ 2,311.20

Industrial Ethernet	PT-7828-R-48-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 2 isolated power supplies (48 VDC and 88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-7828-R-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,082.60
Industrial Ethernet	PT-7828-R-HV-HV	IEC 61850-3 Layer 3 modular managed Ethernet switch system with 3 slots for fast Ethernet modules, and 1 slot for Gigabit Ethernet modules, up to 24+4G ports, rear cabling, 2 isolated power supplies (88-300 VDC or 85-264 VAC), -40 to 85°C	€ 2,311.20
Industrial Ethernet	PT-G503-PHR-PTP-HV	IEC 61850-3 and IEC 62439-3 full Gigabit managed redundancy box, with 3 10/100/1000BaseT(X) ports or 100/1000Base SFP ports, 1 10/100/1000BaseT(X) Ethernet console port, isolated dual power supply(88 to 300 VDC or 85 to 264 VAC), -40 to 85°C operating temperature	€ 2,308.81
Industrial Ethernet	PT-G503-PHR-PTP-WV	IEC 61850-3 and IEC 62439-3 full Gigabit managed redundancy box, with 3 10/100/1000BaseT(X) ports or 100/1000Base SFP ports, 1 10/100/1000BaseT(X) Ethernet console port, 1 isolated dual power supply(24/48 VDC), -40 to 85°C operating temperature	€ 2,668.81
Industrial Ethernet	PT-G7509-F-24	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on front panel, 1 isolated power supply (24VDC), -40 to 85°C operating temp.	€ 2,091.60
Industrial Ethernet	PT-G7509-F-24-24	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on front panel, 2 isolated power supply (24VDC), -40 to 85°C operating temp.	€ 2,320.20
Industrial Ethernet	PT-G7509-F-24-HV	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on front panel, 2 isolated power supply (24VDC and 88-300VDC or 85-264VAC), -40 to 85°C operating temp.	€ 2,320.20
Industrial Ethernet	PT-G7509-F-48	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on front panel, 1 isolated power supply (48VDC), -40 to 85°C operating temp.	€ 2,091.60
Industrial Ethernet	PT-G7509-F-48-48	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on front panel, 2 isolated power supply (48VDC), -40 to 85°C operating temp.	€ 2,320.20

Industrial Ethernet	PT-G7509-F-HV	IEC 61850-3 full Gigabit managed rackmount Ethernet switch system with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE series Gigabit/Fast Ethernet modules, cabling on front panel, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 2,091.60
Industrial Ethernet	PT-G7509-F-HV-HV	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE modules, cabling on front panel, 2 isolated power supply (88-300VDC or 85-264VAC), -40 to 85°C operating temp.	€ 2,320.20
Industrial Ethernet	PT-G7509-R-24	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on rear panel, 1 isolated power supply (24VDC), -40 to 85°C operating temp.	€ 2,091.60
Industrial Ethernet	PT-G7509-R-24-24	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on rear panel, 2 isolated power supply (24VDC), -40 to 85°C operating temp.	€ 2,320.20
Industrial Ethernet	PT-G7509-R-24-HV	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on rear panel, 2 isolated power supply (24VDC and 88-300VDC or 85-264VAC), -40 to 85°C operating temp.	€ 2,320.20
Industrial Ethernet	PT-G7509-R-48	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on rear panel, 1 isolated power supply (48VDC), -40 to 85°C operating temp.	€ 2,091.60
Industrial Ethernet	PT-G7509-R-48-48	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for SFP-1G/1FE modules, cabling on rear panel, 2 isolated power supply (48VDC), -40 to 85°C operating temp.	€ 2,320.20
Industrial Ethernet	PT-G7509-R-HV	IEC 61850-3 full Gigabit managed rackmount Ethernet switch system with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE series Gigabit/Fast Ethernet modules, cabling on rear panel, 1 isolated power supply (88-300 VDC or 85-264 VAC), -40 to 85°C operating temperature	€ 2,091.60
Industrial Ethernet	PT-G7509-R-HV-HV	IEC 61850-3 full Gigabit managed rackmount Ethernet switch with 9 combo 10/100/1000BaseT(X) or 100/1000BaseSFP slots for adding SFP-1G/1FE modules, cabling on rear panel, 2 isolated power supply (88-300VDC or 85-264VAC), -40 to 85°C operating temp.	€ 2,320.20
Industrial Ethernet	PWR-G7000A-AC	Power supply module (85 to 264 VAC) for ICS-G7748A/G7750A/G7752A/G7848A/G7850A/G7852A Series, -10 to 60°C operating temperature	€ 1,548.00

Industrial Ethernet	RK-4U	19" Rackmont set	€ 126.00
Industrial Ethernet	SDR-480P-48	480W DIN-Rail 48 VDC power supply, -25 to 70°C, current sharing up to	€ 505.80
Industrial Ethernet	SFP-10GERLC	SFP+ module with 1 10GBase-ER port for 40 km transmission, LC connector, 0 to 60°C operating temperature.	€ 5,702.40
Industrial Ethernet	SFP-10GLRLC	SFP+ module with 1 10GBase-LR port for 10 km transmission, LC connector, 0 to 60°C operating temperature	€ 1,749.60
Industrial Ethernet	SFP-10GSRLC	SFP+ module with 1 10GBase-SR port for 33 m transmission, LC connector, 0 to 60°C operating temperature	€ 1,051.20
Industrial Ethernet	SFP-1FELLC-T	Small Form Factor pluggable transceiver with 100Base single-mode, LC connector, 80Km, -40 to 85°C	€ 799.20
Industrial Ethernet	SFP-1FEMLC-T	Small Form Factor pluggable transceiver with 100Base multi-mode, LC connector, 4Km, -40 to 85°C	€ 95.40
Industrial Ethernet	SFP-1FESLC-T	Small Form Factor pluggable transceiver with 100Base single-mode, LC connector, 40Km, -40 to 85°C	€ 214.20
Industrial Ethernet	SFP-1G10ALC	Small Form Factor pluggable transceiver with 1000Base WDM,type A, LC connector, 10 km, 0 to 60°C	€ 250.20
Industrial Ethernet	SFP-1G10ALC-T	Small Form Factor pluggable transceiver with 1000Base WDM,type A, LC connector, 10 km, -40 to 85°C	€ 302.40
Industrial Ethernet	SFP-1G10BLC	Small Form Factor pluggable transceiver with 1000Base WDM,type B, LC connector, 10 km, 0 to 60°C	€ 543.60
Industrial Ethernet	SFP-1G10BLC-T	Small Form Factor pluggable transceiver with 1000Base WDM,type B, LC connector, 10 km, -40 to 85°C	€ 594.00
Industrial Ethernet	SFP-1G20ALC	Small Form Factor pluggable transceiver with 1000Base WDM,type A, LC connector, 20 km, 0 to 60°C	€ 450.00
Industrial Ethernet	SFP-1G20ALC-T	Small Form Factor pluggable transceiver with 1000Base WDM,type A, LC connector, 20 km, -40 to 85°C	€ 498.60
Industrial Ethernet	SFP-1G20BLC	Small Form Factor pluggable transceiver with 1000Base WDM,type B, LC connector, 20 km, 0 to 60°C	€ 932.40
Industrial Ethernet	SFP-1G20BLC-T	Small Form Factor pluggable transceiver with 1000Base WDM,type B, LC connector, 20 km, -40 to 85°C	€ 982.80
Industrial Ethernet	SFP-1G40ALC	Small Form Factor pluggable transceiver with 1000Base WDM,type A, LC connector, 40 km, 0 to 60°C	€ 1,159.20
Industrial Ethernet	SFP-1G40ALC-T	Small Form Factor pluggable transceiver with 1000Base WDM,type A, LC connector, 40 km, -40 to 85°C	€ 1,207.80
Industrial Ethernet	SFP-1G40BLC	Small Form Factor pluggable transceiver with 1000Base WDM,type B, LC connector, 40 km, 0 to 60°C	€ 1,276.20

Industrial Ethernet	SFP-1G40BLC-T	Small Form Factor pluggable transceiver with 1000Base WDM,type B, LC connector, 40 km, -40 to 85°C	€ 1,326.60
Industrial Ethernet	SFP-1GEZXLC	Small Form Factor pluggable transceiver with 1000BaseEZXC, LC connector, 110Km, 0 to 60°C	€ 1,481.40
Industrial Ethernet	SFP-1GEZXLC-120	Small Form Factor pluggable transceiver with 1000BaseEZXC, LC connector, 120Km, 0 to 60°C	€ 1,774.80
Industrial Ethernet	SFP-1GLHLC	SFP module with 1 1000BaseSFP port with LC connector for 30km transmission, 0 to 60°C	€ 255.60
Industrial Ethernet	SFP-1GLHLC-T	SFP module with 1 1000BaseSFP port with LC connector for 30km transmission,-40 to 85°C	€ 291.60
Industrial Ethernet	SFP-1GLHXC	Small Form Factor pluggable transceiver with 1000BaseLHX, LC connector, 40 km, 0 to 60°C	€ 622.80
Industrial Ethernet	SFP-1GLHXC-T	Small Form Factor pluggable transceiver with 1000BaseLHX, LC connector, 40 km, -40 to 85°C	€ 662.40
Industrial Ethernet	SFP-1GLSXC	Small Form Factor pluggable transceiver with 1000BaseSX+, LC connector, 2Km, 0 to 60°C	€ 216.00
Industrial Ethernet	SFP-1GLSXC-T	Small Form Factor pluggable transceiver with 1000BaseSX+, LC connector, 2Km, -40 to 85°C	€ 266.40
Industrial Ethernet	SFP-1GLXC	Small Form Factor pluggable transceiver with 1000BaseLX, LC connector, 10 km, 0 to 60°C	€ 201.60
Industrial Ethernet	SFP-1GLXC-T	Small Form Factor pluggable transceiver with 1000BaseLX, LC connector, 10 km, -40 to 85°C	€ 237.60
Industrial Ethernet	SFP-1GSXC	Small Form Factor pluggable transceiver with 1000BaseSX, LC connector, 0.5 km, 0 to 60°C	€ 113.40
Industrial Ethernet	SFP-1GSXC-T	Small Form Factor pluggable transceiver with 1000BaseSX, LC connector, 0.5 km, -20 to 75°C	€ 153.00
Industrial Ethernet	SFP-1GTXRJ45-T	SFP module with 10/100/1000 Base-T port, RJ-45 Connector, -40~75°C Operation Temperature	€ 250.20
Industrial Ethernet	SFP-1GZXLC	Small Form Factor pluggable transceiver with 1000BaseZX, LC connector, 80 km, 0 to 60°C	€ 1,038.60
Industrial Ethernet	SFP-1GZXLC-T	Small Form Factor pluggable transceiver with 1000BaseZX, LC connector, 80 km, -40 to 85°C	€ 1,074.60
Industrial Ethernet	SPL-24	Industrial IEEE802.3af PoE splitter, Maximum output of 12.95W at 24 VDC, 0 to 60°C	€ 117.00
Industrial Ethernet	SPL-24-T	Industrial IEEE802.3af PoE splitter, Maximum output of 12.95W at 24 VDC, -40 to 75°C	€ 174.60
Industrial Ethernet	WK-195	Wall Mounting Kit for PT-7710 series modular Ethernet Switches	€ 43.20
Industrial Ethernet	WK-30	Wall mounting kit for EDS-205A	€ 3.60
Industrial Ethernet	WK-32	Wall Mounting Kit	€ 16.20

Industrial Ethernet	WK-46	Wall Mounting Kit	€ 3.60
Industrial Ethernet	WK-75	Wall Mounting Kit for EDS-600 series modular DIN-Rail Ethernet Switches	€ 16.20
Industrial Ethernet Gateway	MGate 4101I-MB-PBS	1-port Modbus to PROFIBUS Slave gateway with 2KV Isolation, 12-48VDC, 0~60°C	€ 581.40
Industrial Ethernet Gateway	MGate 4101I-MB-PBS-T	1-port Modbus to PROFIBUS Slave gateway with 2KV Isolation, 12-48VDC, -40~75°C	€ 703.80
Industrial Ethernet Gateway	MGate 4101-MB-PBS	1-port Modbus to PROFIBUS Slave gateway, 12-48VDC, 0~60°C	€ 491.40
Industrial Ethernet Gateway	MGate 4101-MB-PBS-T	1-port Modbus to PROFIBUS Slave gateway, 12-48VDC, -40~75°C	€ 615.60
Industrial Ethernet Gateway	MGate 5101-PBM-MN	1-port PROFIBUS Master to Modbus TCP gateway, 12-48VDC, 0~60°C	€ 840.60
Industrial Ethernet Gateway	MGate 5101-PBM-MN-T	1-port PROFIBUS Master to Modbus TCP gateway, 12-48VDC, -40~75°C	€ 1,009.80
Industrial Ethernet Gateway	MGate 5102-PBM-PN	1-port PROFIBUS Master to PROFINET gateway, 0 to 60°C operating temperature	€ 840.60
Industrial Ethernet Gateway	MGate 5102-PBM-PN-T	1-port PROFIBUS Master to PROFINET gateway, -40~75°C operating temperature	€ 1,051.20
Industrial Ethernet Gateway	MGate 5105-MB-EIP	1-port Modbus RTU to EtherNet/IP gateway, 0 to 60°C operating temperature	€ 462.60
Industrial Ethernet Gateway	MGate 5105-MB-EIP-T	1-port Modbus RTU to EtherNet/IP gateway, -40 to 75°C operating temperature	€ 579.60
Industrial Ethernet Gateway	MGate EIP3170	1-port DF1 to EtherNet/IP gateway, 0 to 55°C operating temperature	€ 266.40
Industrial Ethernet Gateway	MGate EIP3170I	1-port DF1 to EtherNet/IP gateway with 2 KV isolation, 0 to 55°C operating temperature	€ 309.60
Industrial Ethernet Gateway	MGate EIP3170-IEX	1-port DF1 to EtherNet/IP gateway, 0 to 55°C operating temperature, IECEx certified.	€ 306.00
Industrial Ethernet Gateway	MGate EIP3170I-IEX	1-port DF1 to EtherNet/IP gateway with 2 KV isolation, 0 to 55°C operating temperature	€ 356.40
Industrial Ethernet Gateway	MGate EIP3170I-T	1-port DF1 to EtherNet/IP gateway with 2 KV isolation, -40 to 75°C operating Temperature	€ 403.20
Industrial Ethernet Gateway	MGate EIP3170I-T-IEX	1-port DF1 to EtherNet/IP gateway with 2 KV isolation, -40 to 75°C operating Temperature	€ 462.60
Industrial Ethernet Gateway	MGate EIP3170-T	1-port DF1 to EtherNet/IP gateway, -40 to 75°C operating temperature	€ 345.60
Industrial Ethernet Gateway	MGate EIP3170-T-IEX	1-port DF1 to EtherNet/IP gateway, -40 to 75°C operating temperature, IECEx certified.	€ 397.80
Industrial Ethernet Gateway	MGate EIP3270	2-port DF1 to EtherNet/IP gateway, 0 to 55°C operating temperature	€ 441.00
Industrial Ethernet Gateway	MGate EIP3270I	2-port DF1 to EtherNet/IP gateway with 2 KV isolation, 0 to 55°C operating temperature	€ 531.00
Industrial Ethernet Gateway	MGate EIP3270-IEX	2-port DF1 to EtherNet/IP gateway, 0 to 55°C operating temperature, IECEx certified.	€ 507.60
Industrial Ethernet Gateway	MGate EIP3270I-IEX	2-port DF1 to EtherNet/IP gateway with 2 KV isolation, 0 to 55°C operating temperature	€ 610.20
Industrial Ethernet Gateway	MGate EIP3270I-T	2-port DF1 to EtherNet/IP gateway with 2 KV isolation, -40 to 75°C operating temperature	€ 689.40

Industrial Ethernet Gateway	MGate EIP3270-T	2-port DF1 to EtherNet/IP gateway, -40 to 75°C operating temperature	€	574.20
Industrial Ethernet Gateway	MGate EIP3270-T-IEX	2-port DF1 to EtherNet/IP gateway, -40 to 75°C operating temperature, IECEx certified.	€	660.60
Industrial Ethernet Gateway	MGate MB3170	1 Port RS-232/422/485 advanced Modbus TCP to Serial Communication Gateway	€	257.40
Industrial Ethernet Gateway	MGate MB3170I	1 Port RS-232/422/485 advanced Modbus TCP to Serial Communication Gateway with 2 KV Isolation	€	302.40
Industrial Ethernet Gateway	MGate MB3170-IEX	1 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, IECEx	€	295.20
Industrial Ethernet Gateway	MGate MB3170I-IEX	1 Port Modbus TCP - Serial Comm. Gateway advanced with 2 KV Isolation, 3 in 1	€	347.40
Industrial Ethernet Gateway	MGate MB3170I-M-SC	1-port advanced Modbus gateway with 1 100BaseF(X) multi-mode fiber port (SC connectors) and 2 KV optical isolation, 0 to 60°C operating temperature	€	391.77
Industrial Ethernet Gateway	MGate MB3170I-M-SC-T	1-port advanced Modbus gateway with 1 100BaseF(X) multi-mode fiber port (SC connectors) and 2 KV optical isolation, -40 to 75°C operating temperature	€	520.94
Industrial Ethernet Gateway	MGate MB3170I-S-SC	1-port advanced Modbus gateway with 1 100BaseF(X) single-mode fiber port (SC connectors) and 2 KV optical isolation, 0 to 60°C operating temperature	€	455.29
Industrial Ethernet Gateway	MGate MB3170I-S-SC-T	1-port advanced Modbus gateway with 1 100BaseF(X) single-mode fiber port (SC connectors) and 2 KV optical isolation, -40 to 75°C operating temperature	€	592.94
Industrial Ethernet Gateway	MGate MB3170I-T	1 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, -40~75°C, with 2 KV Isolation	€	435.60
Industrial Ethernet Gateway	MGate MB3170I-T-IEX	1 Port Modbus TCP - Serial Comm. Gateway advanced with 2 KV Isolation, 3 in 1, -40~75°C	€	500.40
Industrial Ethernet Gateway	MGate MB3170-M-SC	1-port advanced Modbus gateway with 1 100BaseF(X) multi-mode fiber port (SC connectors), 0 to 60°C operating temperature	€	334.58
Industrial Ethernet Gateway	MGate MB3170-M-SC-T	1-port advanced Modbus gateway with 1 100BaseF(X) multi-mode fiber port (SC connectors), -40 to 75°C operating temperature	€	434.12
Industrial Ethernet Gateway	MGate MB3170-M-ST	1-port advanced Modbus gateway with 1 100BaseF(X) multi-mode fiber port (ST connectors), 0 to 60°C operating temperature	€	334.58
Industrial Ethernet Gateway	MGate MB3170-M-ST-T	1-port advanced Modbus gateway with 1 100BaseF(X) multi-mode fiber port (ST connectors), -40 to 75°C operating temperature	€	434.12
Industrial Ethernet Gateway	MGate MB3170-S-SC	1-port advanced Modbus gateway with 1 100BaseF(X) single-mode fiber port (SC connectors), 0 to 60°C operating temperature	€	385.42
Industrial Ethernet Gateway	MGate MB3170-S-SC-T	1-port advanced Modbus gateway with 1 100BaseF(X) single-mode fiber port (SC connectors), -40 to 75°C operating temperature	€	497.65
Industrial Ethernet Gateway	MGate MB3170-T	1 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, -40~75°C	€	372.60

Industrial Ethernet Gateway	MGate MB3170-T-IEX	1 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, -40~75°C, IECEx certified.	€ 430.20
Industrial Ethernet Gateway	MGate MB3180	1 Port RS-232/422/485 Modbus TCP to Serial Communication Gateway	€ 189.00
Industrial Ethernet Gateway	MGate MB3270	2 Port RS-232/422/485 advanced Modbus TCP to Serial Communication Gateway	€ 478.80
Industrial Ethernet Gateway	MGate MB3270I	2 Port RS-232/422/485 advanced Modbus TCP to Serial Communication Gateway with 2 KV Isolation	€ 572.40
Industrial Ethernet Gateway	MGate MB3270-IEX	2 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, IECEx	€ 552.60
Industrial Ethernet Gateway	MGate MB3270I-IEX	2 Port Modbus TCP - Serial Comm. Gateway advanced with 2 KV Isolation, 3 in 1	€ 658.80
Industrial Ethernet Gateway	MGate MB3270I-T	2 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, -40~75°C, with 2 KV Isolation	€ 743.40
Industrial Ethernet Gateway	MGate MB3270I-T-IEX	2 Port Modbus TCP - Serial Comm. Gateway advanced with 2 KV Isolation, 3 in 1, -40~75°C	€ 856.80
Industrial Ethernet Gateway	MGate MB3270-T	2 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, -40~75°C	€ 621.00
Industrial Ethernet Gateway	MGate MB3270-T-IEX	2 Port Modbus TCP - Serial Comm. Gateway advanced, 3 in 1, -40~75°C, IECEx certified.	€ 714.60
Industrial Ethernet Gateway	MGate MB3280	2 Port RS-232/422/485 Modbus TCP to Serial Communication Gateway	€ 338.40
Industrial Ethernet Gateway	MGate MB3480	4 Port RS-232/422/485 Modbus TCP to Serial Communication Gateway	€ 509.40
Industrial Ethernet Gateway	MGate MB3660-16-2AC	16 ports Modbus gateway, dual AC power input	€ 1,397.65
Industrial Ethernet Gateway	MGate MB3660-16-2DC	16 ports Modbus gateway, dual DC power input	€ 1,465.42
Industrial Ethernet Gateway	MGate MB3660-8-2AC	8 ports Modbus gateway, dual AC power input	€ 1,111.77
Industrial Ethernet Gateway	MGate MB3660-8-2DC	8 ports Modbus gateway, dual DC power input	€ 1,179.52
Industrial Ethernet Gateway	MGate MB3660I-8-2AC	8 ports Modbus gateway, dual AC power input, 2kV isolation	€ 1,355.29
Industrial Ethernet Gateway	MGate W5108	1-port Modbus/DNP3 gateway with 802.11 a/b/g/n WLAN (includes US/Euro/Japan bands), 0 to 60°C operating temperature.	€ 404.48
Industrial Ethernet Gateway	MGate W5108-T	1-port Modbus/DNP3 gateway with 802.11 a/b/g/n WLAN (includes US/Euro/Japan bands), -40 to 75°C operating temperature.	€ 508.23

Industrial Ethernet Gateway	MGate W5208	2-port Modbus/DNP3 gateway with 802.11 a/b/g/n WLAN (includes US/Euro/Japan bands), 0 to 60°C operating temperature.	€ 571.77
Industrial Ethernet Gateway	MGate W5208-T	2-port Modbus/DNP3 gateway with 802.11 a/b/g/n WLAN (includes US/Euro/Japan bands), -40 to 75°C operating temperature.	€ 715.77
Industrial Ethernet Gateway	Moxa EtherNet/IP Demo Kit	Moxa EtherNet/IP Demo Kit V1.0	€ 4,000.00
Industrial Ethernet Gateway	Moxa PI Demo Kit	PROFIBUS/PROFINET Gateway DEMO KIT	€ 5,400.00
Industrial Ethernet Gateway	Moxa PROFINET Demo Kit	Demonstration Kit for Optimizing PLC Network Deployment	€ 6,480.00
Industrial Video	MxNVR-IA8	8-channel Industrial Network Video Recorder, 1 10/100/1000BaseT(X) Ethernet port, 24VDC, 0 to 60°C	€ 1,747.80
Industrial Video	MxNVR-IA8-T	8-channel Industrial Network Video Recorder, 1 10/100/1000BaseT(X) Ethernet port, 24VDC, -40 to 75°C	€ 2,082.60
Industrial Video	MxNVR-MO4	4-channel H.264/MJPEG Industrial Video Recorder, 1 SATA socket, M12 Ethernet connector, 0 to 60°C operating temperature	€ 1,288.80
Industrial Video	MxNVR-MO4-T	4-channel H.264/MJPEG Industrial Video Recorder, 1 SATA socket, M12 Ethernet connector, -40 to 75°C operating temperature	€ 1,380.60
Industrial Video	SoftCMS-100	100-channel video management software for large scale industrial automation systems	€ 2,511.00
Industrial Video	SoftCMS-200	200-channel video management software for large scale industrial automation systems	€ 4,008.60
Industrial Video	SoftCMS-500	500-channel video management software for large scale industrial automation systems	€ 7,533.00
Industrial Video	SoftNVR-IA	64-channel IP video surveillance software for industrial automation systems	€ 504.00
Industrial Video	VP-06TC1	Top cover for VPort 06-1MP	€ 25.20
Industrial Video	VP-1214MPIR	12.5mm-50mm, Day& Night, Megapixel, Auto Iris DC Driver, IR Lens	€ 394.20
Industrial Video	VP-3112MPIR	CS mount, 3.1mm-8mm, f1.2, DC auto iris, day&night lens	€ 153.00
Industrial Video	VP-3113MPIR	2.6X, 3.1mm-8mm, F1.2, Day & Night, Megapixel, Variable focal, Manual Iris, IR Lens	€ 153.00
Industrial Video	VP-510CPM	O67 to 178mm Pole mounting kit for VP-520LB	€ 105.88
Industrial Video	VP-520HB	Pendant Mounting Kit for mounting VPort 26 on ceiling (with 30cm straight	€ 181.80
Industrial Video	VP-520L	Wall Mounting Kit for mounting VPort 26 on the wall	€ 55.80
Industrial Video	VP-520LB	Wall Mounting Kit for mounting PTZ Dome camera on the wall	€ 149.40
Industrial Video	VP-CI701	IP68 protection housing for VPort box type IP camera, 406 x 109 x 145 mm	€ 91.80
Industrial Video	VP-CI800	Mount Kit for mounting CI-701 onto wall	€ 23.40
Industrial Video	VP-CI803	indoor mounting kit, aluminum, black	€ 12.60

Industrial Video	VP-CI808	O50 to 130mm pole mouting kit for VP-CI800	€	101.65
Industrial Video	VP-CI815	Mount Kit for mounting CI-800 onto pole	€	68.40
Industrial Video	VP-CI820	O360mm pole mounting kit for VP-CI800	€	283.77
Industrial Video	VP-CPM	Pole/Corner Mounting Kit for mounting VPort 26 on a pole or corner with VP-520L	€	46.80
Industrial Video	VP-FD1	Front decorative plate of VPort P06HC	€	77.40
Industrial Video	VP-FP1	Fixed plate for VPort P06-1MP-M12's surface mounting	€	10.80
Industrial Video	VP-IR22080	Infrared LED illuminator 20°, 850nm, 12Vdc, distances up to 60m-100m	€	546.75
Industrial Video	VP-IR26080	Infrared LED illuminator 60°, 850nm, 12Vdc, distances up to 20m-50m	€	546.75
Industrial Video	VP-IR31081	Infrared LED illuminator 10°, 850nm, 24Vac - 12/24Vdc, used with VP-PT2101 only	€	707.40
Industrial Video	VP-IR33081	Infrared LED illuminator 30°, 850nm, 24Vac - 12/24Vdc, used with VP-PT2101 only	€	707.40
Industrial Video	VP-IR36081	Infrared LED illuminator 60°, 850nm, 24Vac - 12/24Vdc, used with VP-PT2101 only	€	707.40
Industrial Video	VP-MK2	Mounting kit for mounting VPort 26 onto straight tube (VP-520HB) and pendant (VP-520L)	€	46.80
Industrial Video	VPort 06-2L25M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 24VDC,2.5mm Lens,-25 to55°C	€	722.38
Industrial Video	VPort 06-2L25M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 2.5mm Lens,-25 to55°C, coating	€	742.00
Industrial Video	VPort 06-2L25M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 2.5mm Lens,-40 to70°C, coating	€	856.01
Industrial Video	VPort 06-2L25M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 2.5mm Lens,-40 to70°C	€	714.01
Industrial Video	VPort 06-2L36M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 3.6mm Lens,-25 to55°C	€	617.99
Industrial Video	VPort 06-2L36M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 3.6mm Lens,-25 to55°C, coating	€	742.00
Industrial Video	VPort 06-2L36M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 3.6mm Lens,-40 to70°C, coating	€	856.01
Industrial Video	VPort 06-2L36M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 3.6mm Lens,-40 to70°C	€	714.01
Industrial Video	VPort 06-2L42M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 4.2mm Lens,-25 to55°C	€	617.99
Industrial Video	VPort 06-2L42M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 4.2mm Lens,-25 to55°C, coating	€	742.00
Industrial Video	VPort 06-2L42M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 4.2mm Lens,-40 to70°C, coating	€	856.01

Industrial Video	VPort 06-2L42M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 4.2mm Lens,-40 to70°C	€ 714.01
Industrial Video	VPort 06-2L60M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 24VDC,6.0mm Lens,-25 to55°C	€ 722.38
Industrial Video	VPort 06-2L60M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 6.0mm Lens,-25 to55°C, coating	€ 742.00
Industrial Video	VPort 06-2L60M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 6.0mm Lens,-40 to70°C, coating	€ 856.01
Industrial Video	VPort 06-2L60M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 6.0mm Lens,-40 to70°C	€ 714.01
Industrial Video	VPort 06-2L80M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 8.0mm Lens,-25 to55°C	€ 617.99
Industrial Video	VPort 06-2L80M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 8.0mm Lens,-25 to55°C, coating	€ 742.00
Industrial Video	VPort 06-2L80M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 8.0mm Lens,-40 to70°C, coating	€ 906.35
Industrial Video	VPort 06-2L80M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input, 12/24VDC, 8.0mm Lens,-40 to70°C	€ 756.00
Industrial Video	VPort 26	Outdoor H.264/MJPEG fixed dome IP camera, 12/24VDC or 24VAC, -40 to 50°C operating temperature	€ 928.80
Industrial Video	VPort 26A-1MP	Outdoor H.264/MJPEG HD fixed dome IP camera, 12/24VDC or 24VAC, -40 to 50°C operating temperature	€ 1,110.60
Industrial Video	VPort 26A-1MP-T	Outdoor H.264/MJPEG HD fixed dome IP camera, 12/24VDC or 24VAC, -40 to 75°C operating temperature	€ 1,312.20
Industrial Video	VPort 354	Full Motion, 4-ch MPEG4/MJPEG Industrial Video Encoder, 2 10/100BaseT(X) Ethernet port, 0 to 60°C	€ 867.60
Industrial Video	VPort 354-MM-SC	Full Motion, 4-channel MPEG4/MJPEG Industrial Video Encoder, 2 multi mode 100BaseFX Ethernet port, SC Connector, 0 to 60°C	€ 945.00
Industrial Video	VPort 354-MM-SC-T	Full Motion, 4-channel MPEG4/MJPEG Industrial Video Encoder, 2 multi mode 100BaseFX Ethernet port, SC Connector, -30 to 70°C	€ 1,024.20
Industrial Video	VPort 354-SS-SC	Full Motion, 4-channel MPEG4/MJPEG Industrial Video Encoder, 2 single mode 100BaseFX Ethernet port, SC Connector, 0 to 60°C	€ 986.40
Industrial Video	VPort 354-SS-SC-T	Full Motion, 4-channel MPEG4/MJPEG Industrial Video Encoder, 2 single mode 100BaseFX Ethernet port, SC Connector, -30 to 70°C	€ 1,062.00
Industrial Video	VPort 354-T	Full Motion, 4-ch MPEG4/MJPEG Industrial Video Encoder, 2 10/100BaseT(X) Ethernet port, -30 to 70°C	€ 1,049.40
Industrial Video	VPort 36-1MP	H.264/MJPEG fixed box IP camera, 12/24 VDC or 24 VAC, PoE, -25 to 60°C operating temperature	€ 682.20
Industrial Video	VPort 36-1MP-IVA	H.264/MJPEG fixed box IP camera, 12/24 VDC or 24 VAC, PoE, -25 to 60°C operating temperature, IVA functions enabled	€ 833.40

Industrial Video	VPort 36-1MP-IVA-T	H.264/MJPEG fixed box IP camera, 12/24 VDC or 24 VAC, PoE, -40 to 75°C operating temperature, IVA functions enabled	€ 923.40
Industrial Video	VPort 36-1MP-T	H.264/MJPEG fixed box IP camera, 12/24 VDC or 24 VAC, PoE, -40 to 75°C operating temperature	€ 774.00
Industrial Video	VPort 364A	4-channel H.264/MJPEG Industrial Video Encoder, 1 10/100BaseT(X) Ethernet port, 0 to 60°C	€ 865.80
Industrial Video	VPort 364A-M-SC	4-channel H.264/MJPEG Industrial Video Encoder, 1 multi mode 100BaseFX Ethernet port, 0 to 60°C	€ 945.00
Industrial Video	VPort 364A-M-SC-T	4-channel H.264/MJPEG Industrial Video Encoder, 1 multi mode 100BaseFX Ethernet port, -40 to 75°C	€ 1,024.20
Industrial Video	VPort 364A-S-SC	4-channel H.264/MJPEG Industrial Video Encoder, 1 single mode 100BaseFX Ethernet port, 0 to 60°C	€ 984.60
Industrial Video	VPort 364A-S-SC-T	4-channel H.264/MJPEG Industrial Video Encoder, 1 single mode 100BaseFX Ethernet port, -40 to 75°C	€ 1,062.00
Industrial Video	VPort 364A-T	4-channel H.264/MJPEG Industrial Video Encoder, 1 10/100BaseT(X) Ethernet port, -40 to 75°C	€ 945.00
Industrial Video	VPort 56-2MP-CAM10X	Full HD zoom IP camera, RJ45, 24VAC/VDC/PoE, -25 to 60°C	€ 3,755.25
Industrial Video	VPort 56-2MP-CAM10X-S-SC	Full HD zoom IP camera, Single mode SC fiber, 24VAC/VDC/PoE, -25 to	€ 4,097.25
Industrial Video	VPort 56-2MP-CAM10X-S-SC-T	Full HD zoom IP camera, Single mode SC fiber, 24VAC/VDC/PoE, -40 to 75°C	€ 4,666.50
Industrial Video	VPort 56-2MP-CAM10X-T	Full HD zoom IP camera, RJ45, 24VAC/VDC/PoE, -40 to 75°C	€ 4,324.50
Industrial Video	VPort 66-2MP-CAM22X	1080P PTZ dome IP camera, 22X optical zoom, RJ45 Ethernet port, 24 VAC/VDC, -40 to 65°C	€ 5,895.00
Industrial Video	VPort 66-2MP-CAM30X	1080P PTZ dome IP camera, 30X optical zoom, RJ45 Ethernet port, 24 VAC/VDC, -40 to 65°C	€ 7,098.75
Industrial Video	VPort P06-1MP-M12-CAM36	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,3.6mm Lens,-25 to55°C	€ 630.23
Industrial Video	VPort P06-1MP-M12-CAM36-CT	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,3.6mm Lens,-25 to55°C,coating	€ 756.29
Industrial Video	VPort P06-1MP-M12-CAM36-CT-T	EN50155, HD, compact IP camera, M12 connector, 1 audio input, PoE, 3.6mm Lens, -40 to 70°C, coating	€ 907.58
Industrial Video	VPort P06-1MP-M12-CAM36-T	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,3.6mm Lens,-40 to70°C	€ 756.29
Industrial Video	VPort P06-1MP-M12-CAM42	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,4.2mm Lens,-25 to55°C	€ 630.23
Industrial Video	VPort P06-1MP-M12-CAM42-CT	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,4.2mm Lens,-25 to55°C,coating	€ 756.29
Industrial Video	VPort P06-1MP-M12-CAM42-CT-T	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,4.2mm Lens,-40 to70°C,coating	€ 907.58
Industrial Video	VPort P06-1MP-M12-CAM42-T	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,4.2mm Lens,-40 to70°C	€ 756.29

Industrial Video	VPort P06-1MP-M12-CAM60	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,6.0mm Lens,-25 to55°C	€ 630.23
Industrial Video	VPort P06-1MP-M12-CAM60-CT	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,6.0mm Lens,-25 to55°C,coating	€ 756.29
Industrial Video	VPort P06-1MP-M12-CAM60-CT-T	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,6.0mm Lens,-40 to70°C,coating	€ 907.58
Industrial Video	VPort P06-1MP-M12-CAM60-T	EN50155,HD,compact IP camera,M12 connector,1 audio-in,PoE,6.0mm Lens,-40 to70°C	€ 756.29
Industrial Video	VPort P06-1MP-M12-MIC-CAM36	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,3.6mm Lens,-25 to55°C	€ 676.48
Industrial Video	VPort P06-1MP-M12-MIC-CAM36-CT	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,3.6mm Lens,-25 to55°C,coating	€ 810.92
Industrial Video	VPort P06-1MP-M12-MIC-CAM36-CT-T	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,3.6mm Lens,-40 to70°C,coating	€ 962.17
Industrial Video	VPort P06-1MP-M12-MIC-CAM36-T	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,3.6mm Lens,-40 to70°C	€ 802.51
Industrial Video	VPort P06-1MP-M12-MIC-CAM42	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,4.2mm Lens,-25 to55°C	€ 676.48
Industrial Video	VPort P06-1MP-M12-MIC-CAM42-CT	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,4.2mm Lens,-25 to55°C,coating	€ 810.92
Industrial Video	VPort P06-1MP-M12-MIC-CAM42-CT-T	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,4.2mm Lens,-40 to70°C,coating	€ 962.17
Industrial Video	VPort P06-1MP-M12-MIC-CAM42-T	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,4.2mm Lens,-40 to70°C	€ 802.51
Industrial Video	VPort P06-1MP-M12-MIC-CAM60	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,6.0mm Lens,-25 to55°C	€ 676.48
Industrial Video	VPort P06-1MP-M12-MIC-CAM60-CT	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,6.0mm Lens,-25 to55°C,coating	€ 810.92
Industrial Video	VPort P06-1MP-M12-MIC-CAM60-CT-T	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,6.0mm Lens,-40 to70°C,coating	€ 962.17
Industrial Video	VPort P06-1MP-M12-MIC-CAM60-T	EN50155,HD,compact IP camera,M12 connector,1 microphone,PoE,6.0mm Lens,-40 to70°C	€ 802.51
Industrial Video	VPort P06-2L25M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 2.5mm Lens,-25 to55°C	€ 617.99
Industrial Video	VPort P06-2L25M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 2.5mm Lens,-25 to55°C, coating	€ 742.00
Industrial Video	VPort P06-2L25M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 2.5mm Lens,-40 to70°C, coating	€ 856.01
Industrial Video	VPort P06-2L25M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 2.5mm Lens,-40 to70°C	€ 714.01

Industrial Video	VPort P06-2L36M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 3.6mm Lens,-25 to55°C	€ 617.99
Industrial Video	VPort P06-2L36M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 3.6mm Lens,-25 to55°C, coating	€ 742.00
Industrial Video	VPort P06-2L36M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 3.6mm Lens,-40 to70°C, coating	€ 856.01
Industrial Video	VPort P06-2L36M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 3.6mm Lens,-40 to70°C	€ 714.01
Industrial Video	VPort P06-2L42M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 4.2mm Lens,-25 to55°C	€ 617.99
Industrial Video	VPort P06-2L42M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 4.2mm Lens,-25 to55°C, coating	€ 742.00
Industrial Video	VPort P06-2L42M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 4.2mm Lens,-40 to70°C, coating	€ 856.01
Industrial Video	VPort P06-2L42M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 4.2mm Lens,-40 to70°C	€ 714.01
Industrial Video	VPort P06-2L60M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 6.0mm Lens,-25 to55°C	€ 617.99
Industrial Video	VPort P06-2L60M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 6.0mm Lens,-25 to55°C, coating	€ 742.00
Industrial Video	VPort P06-2L60M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 6.0mm Lens,-40 to70°C, coating	€ 856.01
Industrial Video	VPort P06-2L60M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 6.0mm Lens,-40 to70°C	€ 714.01
Industrial Video	VPort P06-2L80M	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 8.0mm Lens,-25 to55°C	€ 617.99
Industrial Video	VPort P06-2L80M-CT	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 8.0mm Lens,-25 to55°C, coating	€ 742.00
Industrial Video	VPort P06-2L80M-CT-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 8.0mm Lens,-40 to70°C, coating	€ 856.01
Industrial Video	VPort P06-2L80M-T	EN50155,FHD,H.264/MJPEG IP camera,M12 connector,1 audio input,PoE , 8.0mm Lens,-40 to70°C	€ 714.01
Industrial Video	VPort P06HC-1MP-M12-CAM36	EN 50155 compliant, HD, H.264/MJPEG square IP camera, 2.5 mm lens, M12 Ethernet connector, PoE, -25 to 55°C operating temperature	€ 757.80
Industrial Video	VPort P06HC-1MP-M12-CAM36-CT	EN 50155 , HD, square IP camera, M12 connector, PoE, 3.6mm lens,-25 to 55°C, coating	€ 903.60
Industrial Video	VPort P16-1MP-M12-CAM36	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 3.6mm lens, -25 to 55°C	€ 797.40
Industrial Video	VPort P16-1MP-M12-CAM36-CT	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 3.6mm lens, -25 to 55°C, coating	€ 957.60

Industrial Video	VPort P16-1MP-M12-CAM36-CT-T	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 3.6mm lens, -40 to 70°C, coating	€ 1,078.20
Industrial Video	VPort P16-1MP-M12-CAM36-T	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 3.6mm lens, -40 to 70°C	€ 898.20
Industrial Video	VPort P16-1MP-M12-CAM80	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 8.0mm lens, -25 to 55°C	€ 808.20
Industrial Video	VPort P16-1MP-M12-CAM80-CT	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 8.0mm lens, -25 to 55°C, coating	€ 968.40
Industrial Video	VPort P16-1MP-M12-CAM80-CT-T	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 8.0mm lens, -40 to 70°C, coating	€ 1,090.80
Industrial Video	VPort P16-1MP-M12-CAM80-T	EN50155, HD image, rugged fixed-dome IP camera, PoE, M12 connector, 8.0mm lens, -40 to 70°C	€ 909.00
Industrial Video	VPort P16-1MP-M12-IR-CAM36	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 3.6mm lens, -25 to 55°C	€ 858.60
Industrial Video	VPort P16-1MP-M12-IR-CAM36-CT	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 3.6mm lens, -25 to 55°C, coating	€ 1,029.60
Industrial Video	VPort P16-1MP-M12-IR-CAM36-CT-T	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 3.6mm lens, -40 to 70°C, coating	€ 1,437.35
Industrial Video	VPort P16-1MP-M12-IR-CAM36-T	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 3.6mm lens, -40 to 70°C	€ 959.29
Industrial Video	VPort P16-1MP-M12-IR-CAM80	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 8.0mm lens, -25 to 55°C	€ 867.60
Industrial Video	VPort P16-1MP-M12-IR-CAM80-CT	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 8.0mm lens, -25 to 55°C, coating	€ 1,040.40
Industrial Video	VPort P16-1MP-M12-IR-CAM80-CT-T	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 8.0mm lens, -40 to 70°C, coating	€ 1,453.23
Industrial Video	VPort P16-1MP-M12-IR-CAM80-T	EN50155, HD image, fixed-dome IP camera, PoE, M12 connector, IR, MIC, 1DI, 8.0mm lens, -40 to 70°C	€ 969.88
Industrial Video	VPort P16-2MR36M-CT	EN50155, day& night, IR, FHD IP Camera, 3.6mm lens, PoE, M12 connector, -25 to 55°C, coating	€ 1,217.38
Industrial Video	VPort P16-2MR36M-CT-T	EN50155, day& night, IR, FHD IP Camera, 3.6mm lens, PoE, M12 connector, -40 to 70°C, coating	€ 1,352.38
Industrial Video	VPort P16-2MR36M-T	EN50155, day& night, IR, FHD IP Camera, 3.6mm lens, PoE, M12 connector, -40 to 70°C	€ 1,129.73
Industrial Video	VPort P16-2MR42M	EN50155, day& night, IR, FHD IP Camera, 4.2mm lens, PoE, M12 connector, -25 to 55°C	€ 1,016.05
Industrial Video	VPort P16-2MR42M-CT	EN50155, day& night, IR, FHD IP Camera, 4.2mm lens, PoE, M12 connector, -25 to 55°C, coating	€ 1,217.38
Industrial Video	VPort P16-2MR42M-CT-T	EN50155, day& night, IR, FHD IP Camera, 4.2mm lens, PoE, M12 connector, -40 to 70°C, coating	€ 1,352.38

Industrial Video	VPort P16-2MR42M-T	EN50155, day& night, IR, FHD IP Camera, 4.2mm lens, PoE, M12 connector, -40 to 70°C	€ 1,129.73
Industrial Video	VPort P16-2MR60M	EN50155, day& night, IR, FHD IP Camera, 6.0mm lens, PoE, M12 connector, -25 to 55°C	€ 1,016.05
Industrial Video	VPort P16-2MR60M-CT	EN50155, day& night, IR, FHD IP Camera, 6.0mm lens, PoE, M12 connector, -25 to 55°C, coating	€ 1,217.38
Industrial Video	VPort P16-2MR60M-CT-T	EN50155, day& night, IR, FHD IP Camera, 6.0mm lens, PoE, M12 connector, -40 to 70°C, coating	€ 1,352.38
Industrial Video	VPort P16-2MR60M-T	EN50155, day& night, IR, FHD IP Camera, 6.0mm lens, PoE, M12 connector, -40 to 70°C	€ 1,129.73
Industrial Video	VPort P16-2MR80M	EN50155, day& night, IR, FHD IP Camera, 8.0mm lens, PoE, M12 connector, -25 to 55°C	€ 1,016.05
Industrial Video	VPort P16-2MR80M-CT	EN50155, day& night, IR, FHD IP Camera, 8.0mm lens, PoE, M12 connector, -25 to 55°C, coating	€ 1,217.38
Industrial Video	VPort P16-2MR80M-CT-T	EN50155, day& night, IR, FHD IP Camera, 8.0mm lens, PoE, M12 connector, -40 to 70°C, coating	€ 1,352.38
Industrial Video	VPort P16-2MR80M-T	EN50155, day& night, IR, FHD IP Camera, 8.0mm lens, PoE, M12 connector, -40 to 70°C	€ 1,129.73
Industrial Video	VPort P26A-1MP	Outdoor H.264/MJPEG HD fixed dome IP camera, PoE, -40 to 50°C operating temperature	€ 1,110.60
Industrial Video	VPort P26A-1MP-T	Outdoor H.264/MJPEG HD fixed dome IP camera, PoE, -40 to 75°C operating temperature	€ 1,312.20
Industrial Video	VP-PT2101	PT Scanner for network camera, 24Vac, bracket for IR illuminators, wiper and heater	€ 5,513.40
Industrial Video	VP-PTAP1	Pole mount adaptor O 80 - 150mm (3.14 - 5.9in) for VP-PTAW1	€ 144.00
Industrial Video	VP-PTAR1	Parapet bracket with internal cable channel, suitable for VP-PT2101	€ 140.40
Industrial Video	VP-PTAW1	Wall mount bracket with internal cable channel, suitable for VP-PT2101	€ 140.40
Industrial Video	VP-SCO1	Side-cable-out adaptor for VPort P06-1MP-M12's surface mounting	€ 5.40
Industrial Video	VP-SH1	Sun sheild, Aluminum, for VPort 66-2MP	€ 54.00
Industrial Wireless	A-ADP-QMAM-RF	QMA (male) to RP-SMA (female) Adaptor for antenna	€ 10.80
Industrial Wireless	A-CAP-M12F-M	CAP-M for M12FF	€ 5.40
Industrial Wireless	A-CAP-M12M-M	Metal cap to cover M12-male connector	€ 5.40
Industrial Wireless	A-CAP-M30M-MIP67	Metal cap to cover M30 connector	€ 10.80
Industrial Wireless	A-CAP-N-M	Metal cap to cover N-type connector	€ 7.20
Industrial Wireless	A-CAP-WPRJ45-MC	Metal cap with chain for RJ45 connector	€ 14.40
Industrial Wireless	A-CRF-NMNM-LL4-300	LMR-400 LITE cable, N-type (male) to N-type (male), 3 meters	€ 64.80
Industrial Wireless	A-CRF-NMNM-LL4-600	LMR-400 LITE cable, N-type (male) to N-type (male), 6 meters	€ 95.40
Industrial Wireless	A-CRF-NMNM-LL4-900	LMR-400 LITE cable, N-type (male) to N-type (male), 9 meters	€ 149.40

Industrial Wireless	A-CRF-QMAMNM-R2-50	RG316 cable, QMA (male) to N-type (male), 0.5 meters	€ 50.40
Industrial Wireless	A-CRF-RFQMAM-R2-50	RG316 cable, QMA (male) to RP-SMA (female) , 0.5 meters	€ 41.40
Industrial Wireless	A-CRF-RFRM-S1-060	S141 cable, RP SMA (male) to RP SMA (female), 0.6 meters	€ 45.00
Industrial Wireless	A-CRF-RMNM-L1-300	LMR-195 LITE cable, N-type (male) to RP SMA (male), 3 meters	€ 63.00
Industrial Wireless	A-CRF-RMNM-L1-600	LMR-195 LITE cable, N-type (male) to RP SMA (male), 6 meters	€ 91.80
Industrial Wireless	A-CRF-RMNM-L1-900	LMR-195 LITE cable, N-type (male) to RP SMA (male), 9 meters	€ 144.00
Industrial Wireless	ANT-CQB-AHSM-00-3m	Quad-band GSM/GPRS, Omni directional, 0 dBi, 10cm hight, magnetic SMA, 3 meters	€ 9.00
Industrial Wireless	ANT-CQB-AHSM-03-3m	Quad-band GSM/GPRS, Omni directional, 3 dBi, 25cm hight, magnetic SMA, 3 meters	€ 18.00
Industrial Wireless	ANT-CQB-AHSM-05-3m	Quad-band GSM/GPRS, Omni directional, 5 dBi, 37cm hight, magnetic SMA, 3 meters	€ 36.00
Industrial Wireless	ANT-CQB-ASM-01	Quad-band GSM/GPRS, Omni directional, 1 dBi, rubber SMA	€ 9.00
Industrial Wireless	ANT-LTE-ASM-02	Antenna, Cellular band on UMTS/LTE, Omni directional, 2 dBi, rubber SMA	€ 14.40
Industrial Wireless	ANT-LTEUS-ASM-01	Antenna, Cellular US band on UMTS/LTE, Omni directional, 2 dBi, rubber	€ 16.79
Industrial Wireless	ANT-WCDMA-AHSM-04-2.5m	Five-band GSM/GPRS/UMTS/HSDPA, Omni directional, 4 dBi, 11cm hight, magnetic SMA, 2.5 meters	€ 34.20
Industrial Wireless	ANT-WCDMA-ANF-00	Five-band GSM/GPRS/UMTS/HSDPA, Omni directional, 0 dBi, Glass fiber, N-type (female)	€ 124.20
Industrial Wireless	ANT-WCDMA-ASM-1.5	Five-band GSM/GPRS/UMTS/HSDPA, Omni directional, 1.5 dBi, rubber SMA	€ 18.00
Industrial Wireless	ANT-WDB-ANF-0407	2.4/5GHz, Dual-band omni-directional antenna, 4/7 dBi, N-type (female)	€ 77.40
Industrial Wireless	ANT-WDB-ANF-0609	2.4/5GHz, Dual-band omni-directional antenna, 6/9 dBi, N-type (female)	€ 136.80
Industrial Wireless	ANT-WDB-ANM-0407	2.4/5GHz, Dual-band omni-directional antenna, 4/7 dBi, N-type (male)	€ 63.00
Industrial Wireless	ANT-WDB-ANM-0502	2.4/5GHz, Dual-band omni-directional antenna, 5/2 dBi, N-type(male)	€ 16.20
Industrial Wireless	ANT-WDB-ANM-0609	2.4/5GHz, Dual-band omni-directional antenna, 6/9 dBi, N-type (male)	€ 95.40
Industrial Wireless	ANT-WDB-ARM-02	2.4/5.5GHz 2dBi dual-band antenna, RP-SMA(male) connector	€ 3.60
Industrial Wireless	ANT-WDB-PNF-1518	2.4/5GHz, Dual-band Panel Antenna, 15/18 dBi, N-type (female)	€ 315.00
Industrial Wireless	ANT-WSB0.9-ANF-09	900 MHz, omni-directional antenna, 9 dBi, N-type (female)	€ 225.58
Industrial Wireless	ANT-WSB5-ANF-12	5GHz, Omni-directional antenna, 12 dBi, N-type (female)	€ 158.40
Industrial Wireless	ANT-WSB5-PNF-18	5GHz, Panel Antenna, 18 dBi, N-type (female)	€ 189.00
Industrial Wireless	ANT-WSB-AHRM-05-1.5m	2.4GHz, Omni-directional antenna, 5 dBi, R-SMA (male), magnetic, 1.5 meters	€ 14.40
Industrial Wireless	ANT-WSB-ANF-09	2.4GHz, Omni-directional antenna, 9 dBi, N-type (female)	€ 91.80
Industrial Wireless	ANT-WSB-PNF-12	2.4GHz, Panel Antenna, 12 dBi, N-type (female)	€ 151.20
Industrial Wireless	ANT-WSB-PNF-18	2.4GHz, Panel Antenna, 18 dBi, N-type (female)	€ 183.60
Industrial Wireless	A-PLG-WPM30IP67-01	Field-Installation for M30 plug	€ 41.40
Industrial Wireless	A-PLG-WPRJ	Field-installable RJ-type plug	€ 5.40

Industrial Wireless	A-SA-NFNF-01	Surge Arrester, 0-6GHz, N-type (female) to N-type (female)	€	46.80
Industrial Wireless	A-SA-NMNF-01	Surge Arrester, 0-6GHz, N-type (female) to N-type (male)	€	46.80
Industrial Wireless	A-TRM-50-NM	Terminating resistor, 50 ohm, N-type (male)	€	19.80
Industrial Wireless	A-TRM-50-RM	Terminating resistor, 50 ohm, RP-SMA (male)	€	21.60
Industrial Wireless	AWK-1121-EU	802.11a/b/g Wireless Client, EU band, 0 to 60°C	€	289.80
Industrial Wireless	AWK-1121-EU-T	802.11a/b/g Wireless Client, EU band, -40 to 75°C	€	331.20
Industrial Wireless	AWK-1121-JP	802.11a/b/g Wireless Client, JP band, 0 to 60°C	€	289.80
Industrial Wireless	AWK-1121-JP-T	802.11a/b/g Wireless Client, JP band, -40 to 75°C	€	331.20
Industrial Wireless	AWK-1121-PoE-EU	802.11a/b/g Wireless Client, PoE support, EU band, 0 to 60°C	€	331.20
Industrial Wireless	AWK-1121-PoE-EU-T	802.11a/b/g Wireless Client, PoE support, EU band, -40 to 75°C	€	372.60
Industrial Wireless	AWK-1121-PoE-JP	802.11a/b/g Wireless Client, PoE support, JP band, 0 to 60°C	€	331.20
Industrial Wireless	AWK-1121-PoE-JP-T	802.11a/b/g Wireless Client, PoE support, JP band, -40 to 75°C	€	372.60
Industrial Wireless	AWK-1121-PoE-US	802.11a/b/g Wireless Client, PoE support, US band, 0 to 60°C	€	331.20
Industrial Wireless	AWK-1121-PoE-US-T	802.11a/b/g Wireless Client, PoE support, US band, -40 to 75°C	€	372.60
Industrial Wireless	AWK-1121-US	802.11a/b/g Wireless Client, US band, 0 to 60°C	€	289.80
Industrial Wireless	AWK-1121-US-T	802.11a/b/g Wireless Client, US band, -40 to 75°C	€	331.20
Industrial Wireless	AWK-1127-EU	802.11a/b/g Wireless Client, EU band, 0 to 60°C	€	331.20
Industrial Wireless	AWK-1127-EU-T	802.11a/b/g Wireless Client, EU band, -40 to 75°C	€	372.60
Industrial Wireless	AWK-1127-JP	802.11a/b/g Wireless Client, JP band, 0 to 60°C	€	331.20
Industrial Wireless	AWK-1127-JP-T	802.11a/b/g Wireless Client, JP band, -40 to 75°C	€	372.60
Industrial Wireless	AWK-1127-PoE-EU	802.11a/b/g Wireless Client, PoE support, EU band, 0 to 60°C	€	372.60
Industrial Wireless	AWK-1127-PoE-EU-T	802.11a/b/g Wireless Client, PoE support, EU band, -40 to 75°C	€	412.20
Industrial Wireless	AWK-1127-PoE-JP	802.11a/b/g Wireless Client, PoE support, JP band, 0 to 60°C	€	372.60
Industrial Wireless	AWK-1127-PoE-JP-T	802.11a/b/g Wireless Client, PoE support, JP band, -40 to 75°C	€	412.20
Industrial Wireless	AWK-1127-PoE-US	802.11a/b/g Wireless Client, PoE support, US band, 0 to 60°C	€	372.60
Industrial Wireless	AWK-1127-PoE-US-T	802.11a/b/g Wireless Client, PoE support, US band, -40 to 75°C	€	412.20
Industrial Wireless	AWK-1127-US	802.11a/b/g Wireless Client, US band, 0 to 60°C	€	331.20
Industrial Wireless	AWK-1127-US-T	802.11a/b/g Wireless Client, US band, -40 to 75°C	€	372.60
Industrial Wireless	AWK-1131A-EU	802.11n Access Point, EU band, 0 to 60°C	€	421.20
Industrial Wireless	AWK-1131A-EU-T	802.11n Access Point, EU band, -40 to 75°C	€	472.23
Industrial Wireless	AWK-1131A-JP	802.11n Access Point, JP band, 0 to 60°C	€	421.20
Industrial Wireless	AWK-1131A-JP-T	802.11n Access Point, JP band, -40 to 75°C	€	472.23
Industrial Wireless	AWK-1131A-US	802.11n Access Point, US band, 0 to 60°C	€	421.20
Industrial Wireless	AWK-1131A-US-T	802.11n Access Point, US band, -40 to 75°C	€	472.23

Industrial Wireless	AWK-3121-EU	802.11a/b/g Access Point, EU band, -25 to 60°C	€	466.20
Industrial Wireless	AWK-3121-EU-T	802.11a/b/g Access Point, EU band, -40 to 75°C	€	550.80
Industrial Wireless	AWK-3121-JP	802.11a/b/g Access Point, JP band, -25 to 60°C	€	466.20
Industrial Wireless	AWK-3121-JP-T	802.11a/b/g Access Point, JP band, -40 to 75°C	€	550.80
Industrial Wireless	AWK-3121-M12-EU	802.11a/b/g Access Point, M12/QMA EU band, -25 to 60°C	€	522.00
Industrial Wireless	AWK-3121-M12-EU-T	802.11a/b/g Access Point, M12/QMA, EU band, -40 to 75°C	€	613.80
Industrial Wireless	AWK-3121-M12-HP-RTG-EU	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, EU band, -25 to 60°C	€	790.20
Industrial Wireless	AWK-3121-M12-HP-RTG-EU-CT	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, EU band, -25 to 60°C, Coating	€	932.40
Industrial Wireless	AWK-3121-M12-HP-RTG-EU-CT-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, EU band, -40 to 75°C, Coating	€	1,110.60
Industrial Wireless	AWK-3121-M12-HP-RTG-EU-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, EU band, -40 to 75°C	€	932.40
Industrial Wireless	AWK-3121-M12-HP-RTG-US	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, US band, -25 to 60°C	€	790.20
Industrial Wireless	AWK-3121-M12-HP-RTG-US-CT	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, US band, -25 to 60°C, Coating	€	932.40
Industrial Wireless	AWK-3121-M12-HP-RTG-US-CT-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, US band, -40 to 75°C, Coating	€	1,110.60
Industrial Wireless	AWK-3121-M12-HP-RTG-US-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, High Power, US band, -40 to 75°C	€	932.40
Industrial Wireless	AWK-3121-M12-JP	802.11a/b/g Access Point, M12/QMA, JP band, -25 to 60°C	€	522.00
Industrial Wireless	AWK-3121-M12-JP-T	802.11a/b/g Access Point, M12/QMA, JP band, -40 to 75°C	€	613.80
Industrial Wireless	AWK-3121-M12-RTG-EU	Train to ground, 802.11a/b/g Access Point, M12/QMA, EU band, -25 to 60°C	€	739.80
Industrial Wireless	AWK-3121-M12-RTG-EU-CT	Train to ground, 802.11a/b/g Access Point, M12/QMA, EU band, -25 to 60°C, Coating	€	887.40
Industrial Wireless	AWK-3121-M12-RTG-EU-CT-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, EU band, -40 to 75°C, Coating	€	1,065.60
Industrial Wireless	AWK-3121-M12-RTG-EU-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, EU band, -40 to 75°C	€	887.40
Industrial Wireless	AWK-3121-M12-RTG-US	Train to ground, 802.11a/b/g Access Point, M12/QMA, US band, -25 to 60°C	€	739.80
Industrial Wireless	AWK-3121-M12-RTG-US-CT	Train to ground, 802.11a/b/g Access Point, M12/QMA, US band, -25 to 60°C, Coating	€	887.40
Industrial Wireless	AWK-3121-M12-RTG-US-CT-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, US band, -40 to 75°C, Coating	€	1,065.60
Industrial Wireless	AWK-3121-M12-RTG-US-T	Train to ground, 802.11a/b/g Access Point, M12/QMA, US band, -40 to 75°C	€	887.40
Industrial Wireless	AWK-3121-M12-US	802.11a/b/g Access Point, M12/QMA, US band, -25 to 60°C	€	522.00
Industrial Wireless	AWK-3121-M12-US-T	802.11a/b/g Access Point, M12/QMA, US band, -40 to 75°C	€	613.80

Industrial Wireless	AWK-3121-SSC-EU	802.11a/b/g Access Point, SSC/RP-SMA, EU band, -25 to 60°C	€ 792.00
Industrial Wireless	AWK-3121-SSC-EU-T	802.11a/b/g Access Point, SSC/RP-SMA, EU band, -40 to 75°C	€ 891.00
Industrial Wireless	AWK-3121-SSC-JP	802.11a/b/g Access Point, SSC/RP-SMA, JP band, -25 to 60°C	€ 792.00
Industrial Wireless	AWK-3121-SSC-JP-T	802.11a/b/g Access Point, SSC/RP-SMA, JP band, -40 to 75°C	€ 891.00
Industrial Wireless	AWK-3121-SSC-RTG-EU	Train to ground, 802.11a/b/g Access Point, SSC/RP-SMA, EU band, -25 to 60°C	€ 1,051.20
Industrial Wireless	AWK-3121-SSC-RTG-EU-T	Train to ground, 802.11a/b/g Access Point, SSC/RP-SMA, EU band, -40 to 75°C	€ 1,182.60
Industrial Wireless	AWK-3121-SSC-RTG-US	Train to ground, 802.11a/b/g Access Point, SSC/RP-SMA, US band, -25 to 60°C	€ 1,051.20
Industrial Wireless	AWK-3121-SSC-RTG-US-T	Train to ground, 802.11a/b/g Access Point, SSC/RP-SMA, US band, -40 to 75°C	€ 1,182.60
Industrial Wireless	AWK-3121-SSC-US	802.11a/b/g Access Point, SSC/RP-SMA, US band, -25 to 60°C	€ 792.00
Industrial Wireless	AWK-3121-SSC-US-T	802.11a/b/g Access Point, SSC/RP-SMA, US band, -40 to 75°C	€ 891.00
Industrial Wireless	AWK-3121-US	802.11a/b/g Access Point,US band, -25 to 60°C	€ 466.20
Industrial Wireless	AWK-3121-US-T	802.11a/b/g Access Point,US band, -40 to 75°C	€ 550.80
Industrial Wireless	AWK-3131A-EU	Industrial 802.11a/b/g/n Access Point, EU Band, -25°C to 60°C	€ 588.71
Industrial Wireless	AWK-3131A-EU-T	Industrial 802.11a/b/g/n Access Point, EU Band, -40°C to 75°C	€ 673.42
Industrial Wireless	AWK-3131A-JP	Industrial 802.11a/b/g/n Access Point, JP Band, -25°C to 60°C	€ 588.71
Industrial Wireless	AWK-3131A-JP-T	Industrial 802.11a/b/g/n Access Point, JP Band, -40°C to 75°C	€ 673.42
Industrial Wireless	AWK-3131A-US	Industrial 802.11a/b/g/n Access Point, US Band, -25°C to 60°C	€ 588.71
Industrial Wireless	AWK-3131A-US-T	Industrial 802.11a/b/g/n Access Point, US Band, -40°C to 75°C	€ 673.42
Industrial Wireless	AWK-3131-EU	802.11n Access Point, EU band, -25 to 60°C	€ 923.40
Industrial Wireless	AWK-3131-EU-T	802.11n Access Point, EU band, -40 to 75°C	€ 1,018.80
Industrial Wireless	AWK-3131-JP	802.11n Access Point, JP band, -25 to 60°C	€ 957.60
Industrial Wireless	AWK-3131-JP-T	802.11n Access Point, JP band, -40 to 75°C	€ 1,056.60
Industrial Wireless	AWK-3131-M12-EU	802.11n Access Point, M12/QMA, EU band, -25 to 60°C	€ 1,038.60
Industrial Wireless	AWK-3131-M12-EU-T	802.11n Access Point, M12/QMA, EU band, -40 to 75°C	€ 1,137.60
Industrial Wireless	AWK-3131-M12-JP	802.11n Access Point, M12/QMA, JP band, -25 to 60°C	€ 1,038.60
Industrial Wireless	AWK-3131-M12-JP-T	802.11n Access Point, M12/QMA, JP band, -40 to 75°C	€ 1,137.60
Industrial Wireless	AWK-3131-M12-RCC-EU	Rail onboard, 802.11n Access Point, M12/QMA, EU band, -25 to 60°C	€ 1,211.40
Industrial Wireless	AWK-3131-M12-RCC-EU-CT	Rail onboard, 802.11n Access Point, M12/QMA, EU band, -25 to 60°C, Coating	€ 1,452.60
Industrial Wireless	AWK-3131-M12-RCC-EU-CT-T	Rail onboard, 802.11n Access Point, M12/QMA, EU band, -40 to 75°C, Coating	€ 1,576.80
Industrial Wireless	AWK-3131-M12-RCC-EU-T	Rail onboard, 802.11n Access Point, M12/QMA, EU band, -40 to 75°C	€ 1,319.40
Industrial Wireless	AWK-3131-M12-RCC-JP	Rail onboard, 802.11n Access Point, M12/QMA, JP band, -25 to 60°C	€ 1,211.40
Industrial Wireless	AWK-3131-M12-RCC-JP-CT	Rail onboard, 802.11n Access Point, M12/QMA, JP band, -25 to 60°C, Coating	€ 1,452.60

Industrial Wireless	AWK-3131-M12-RCC-JP-CT-T	Rail onboard, 802.11n Access Point, M12/QMA, JP band, -40 to 75°C, Coating	€	1,576.80
Industrial Wireless	AWK-3131-M12-RCC-JP-T	Rail onboard, 802.11n Access Point, M12/QMA, JP band, -40 to 75°C	€	1,319.40
Industrial Wireless	AWK-3131-M12-RCC-US	Rail onboard, 802.11n Access Point, M12/QMA, US band, -25 to 60°C	€	1,211.40
Industrial Wireless	AWK-3131-M12-RCC-US-CT	Rail onboard, 802.11n Access Point, M12/QMA, US band, -25 to 60°C, Coating	€	1,452.60
Industrial Wireless	AWK-3131-M12-RCC-US-CT-T	Rail onboard, 802.11n Access Point, M12/QMA, US band, -40 to 75°C, Coating	€	1,576.80
Industrial Wireless	AWK-3131-M12-RCC-US-T	Rail onboard, 802.11n Access Point, M12/QMA, US band, -40 to 75°C	€	1,319.40
Industrial Wireless	AWK-3131-M12-US	802.11n Access Point, M12/QMA, US band, -25 to 60°C	€	1,038.60
Industrial Wireless	AWK-3131-M12-US-T	802.11n Access Point, M12/QMA, US band, -40 to 75°C	€	1,137.60
Industrial Wireless	AWK-3131-US	802.11n Access Point, US band, -25 to 60°C	€	923.40
Industrial Wireless	AWK-3131-US-T	802.11n Access Point, US band, -40 to 75°C	€	1,018.80
Industrial Wireless	AWK-3191-US	Industrial 900MHz Access Point, US band, -25 to 60°C	€	1,261.80
Industrial Wireless	AWK-3191-US-T	Industrial 900MHz Access Point, US band, -40 to 75°C	€	1,387.80
Industrial Wireless	AWK-4121-EU-T	802.11a/b/g Access Point, EU band, -40 to 75°C	€	910.80
Industrial Wireless	AWK-4121-JP-T	802.11a/b/g Access Point, JP band, -40 to 75°C	€	910.80
Industrial Wireless	AWK-4121-US-T	802.11a/b/g Access Point, US band, -40 to 75°C	€	910.80
Industrial Wireless	AWK-4131-M12-EU-T	802.11n Access Point, M12/N-Type, EU band, -40 to 75°C	€	1,616.40
Industrial Wireless	AWK-4131-M12-JP-T	802.11n Access Point, M12/N-Type, JP band, -40 to 75°C	€	1,616.40
Industrial Wireless	AWK-4131-M12-US-T	802.11n Access Point, M12/N-Type, US band, -40 to 75°C	€	1,616.40
Industrial Wireless	AWK-5222-EU	802.11a/b/g Dual-RF Access Point, EU band, -25 to 60°C	€	869.40
Industrial Wireless	AWK-5222-EU-T	802.11a/b/g Dual-RF Access Point, EU band, -40 to 75°C	€	1,049.40
Industrial Wireless	AWK-5222-M12-EU	802.11a/b/g Dual-RF Access Point, M12/QMA, EU band, -25 to 60°C	€	939.60
Industrial Wireless	AWK-5222-M12-EU-T	802.11a/b/g Dual-RF Access Point, M12/QMA, EU band, -40 to 75°C	€	1,090.80
Industrial Wireless	AWK-5222-M12-JP	802.11a/b/g Dual-RF Access Point, M12/QMA, JP band, -25 to 60°C	€	939.60
Industrial Wireless	AWK-5222-M12-JP-T	802.11a/b/g Dual-RF Access Point, M12/QMA, JP band, -40 to 75°C	€	1,090.80
Industrial Wireless	AWK-5222-M12-US	802.11a/b/g Dual-RF Access Point, M12/QMA, US band, -25 to 60°C	€	939.60
Industrial Wireless	AWK-5222-M12-US-T	802.11a/b/g Dual-RF Access Point, M12/QMA, US band, -40 to 75°C	€	1,090.80
Industrial Wireless	AWK-5222-US	802.11a/b/g Dual-RF Access Point, US band, -25 to 60°C	€	786.60
Industrial Wireless	AWK-5222-US-T	802.11a/b/g Dual-RF Access Point, US band, -40 to 75°C	€	1,031.40
Industrial Wireless	AWK-5232-EU	802.11n Dual-RF Access Point, EU band, -25 to 60°C	€	1,312.20
Industrial Wireless	AWK-5232-EU-T	802.11n Dual-RF Access Point, EU band, -40 to 75°C	€	1,476.00
Industrial Wireless	AWK-5232-JP	802.11n Dual-RF Access Point, JP band, -25 to 60°C	€	1,312.20
Industrial Wireless	AWK-5232-JP-T	802.11n Dual-RF Access Point, JP band, -40 to 75°C	€	1,476.00
Industrial Wireless	AWK-5232-M12-EU	802.11n Dual-RF Access Point, M12/QMA, EU band, -25 to 60°C	€	1,639.80
Industrial Wireless	AWK-5232-M12-EU-T	802.11n Dual-RF Access Point, M12/QMA, EU band, -40 to 75°C	€	1,823.40

Industrial Wireless	AWK-5232-M12-JP	802.11n Dual-RF Access Point, M12/QMA, JP band, -25 to 60°C	€ 1,639.80
Industrial Wireless	AWK-5232-M12-JP-T	802.11n Dual-RF Access Point, M12/QMA, JP band, -40 to 75°C	€ 1,823.40
Industrial Wireless	AWK-5232-M12-RCC-EU	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, EU band, -25 to	€ 1,731.60
Industrial Wireless	AWK-5232-M12-RCC-EU-CT	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, EU band, -25 to 60°C, Coating	€ 2,034.00
Industrial Wireless	AWK-5232-M12-RCC-EU-CT-T	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, EU band, -40 to 75°C, Coating	€ 2,203.20
Industrial Wireless	AWK-5232-M12-RCC-EU-T	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, EU band, -40 to	€ 1,900.80
Industrial Wireless	AWK-5232-M12-RCC-JP	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, JP band, -25 to 60°C	€ 1,731.60
Industrial Wireless	AWK-5232-M12-RCC-JP-CT	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, JP band, -25 to 60°C, Coating	€ 2,034.00
Industrial Wireless	AWK-5232-M12-RCC-JP-CT-T	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, JP band, -40 to 75°C, Coating	€ 2,203.20
Industrial Wireless	AWK-5232-M12-RCC-JP-T	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, JP band, -40 to 75°C	€ 1,900.80
Industrial Wireless	AWK-5232-M12-RCC-US	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, US band, -25 to	€ 1,731.60
Industrial Wireless	AWK-5232-M12-RCC-US-CT	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, US band, -25 to 60°C, Coating	€ 2,034.00
Industrial Wireless	AWK-5232-M12-RCC-US-CT-T	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, US band, -40 to 75°C, Coating	€ 2,203.20
Industrial Wireless	AWK-5232-M12-RCC-US-T	Rail onboard, 802.11n Duail-RF Access Point, M12/QMA, US band, -40 to	€ 1,900.80
Industrial Wireless	AWK-5232-M12-US	802.11n Dual-RF Access Point, M12/QMA, US band, -25 to 60°C	€ 1,639.80
Industrial Wireless	AWK-5232-M12-US-T	802.11n Dual-RF Access Point, M12/QMA, US band, -40 to 75°C	€ 1,823.40
Industrial Wireless	AWK-5232-US	802.11n Dual-RF Access Point, US band, -25 to 60°C	€ 1,312.20
Industrial Wireless	AWK-5232-US-T	802.11n Dual-RF Access Point, US band, -40 to 75°C	€ 1,476.00
Industrial Wireless	AWK-6222-EU-T	802.11a/b/g Dual-RF Access Point, RJ45/N-type, EU band, -40 to 75°C	€ 1,362.60
Industrial Wireless	AWK-6222-JP-T	802.11a/b/g Dual-RF Access Point, RJ45/N-type, JP band, -40 to 75°C	€ 1,362.60
Industrial Wireless	AWK-6222-US-T	802.11a/b/g Dual-RF Access Point, RJ45/N-type, US band, -40 to 75°C	€ 1,362.60
Industrial Wireless	AWK-6232-M12-EU-T	802.11n Dual-RF Access Point, M12/N-type, EU band, -40 to 75°C	€ 2,143.80
Industrial Wireless	AWK-6232-M12-JP-T	802.11n Dual-RF Access Point, M12/N-type, JP band, -40 to 75°C	€ 2,143.80
Industrial Wireless	AWK-6232-M12-US-T	802.11n Dual-RF Access Point, M12/N-type, US band, -40 to 75°C	€ 2,143.80
Industrial Wireless	CBL-M12DFF4PRJ45-BK-10-IP67	10 cm M12-to-RJ45 Cat-5E UTP Ethernet cable with IP67-rated female 4-pin D-coded M12 connector	€ 30.60
Industrial Wireless	CBL-M12MM8PRJ45-BK-100-IP67	M12 to RJ45 Cat-5E UTP Ethernet cable with IP67-rated male 8-pin A-coded M12 connector, 1m	€ 34.20
Industrial Wireless	CRF-MHF/SMA(M)-14.2	Mini1.13 cable, MHF to RP-SMA (female), 0.14 meters	€ 5.40
Industrial Wireless	CRF-N0117SA-3M	CFD200 cable, N-type (male) to RP SMA (male), 3 meters	€ 43.20
Industrial Wireless	CRF-N0429N-3M	CFD400 cable, N-type (male) to N-type (male), 3 meters	€ 66.60

Industrial Wireless	CRF-SMA(M)/N(M)-300	CFD200 cable, N-type (male) to SMA (male), 3 meters	€ 32.40
Industrial Wireless	DK-DC50131	Din-rail mounting kit, 50x131mm	€ 19.80
Industrial Wireless	M12A-8PFF-IP68	Field-installation A-coded screw-in 8-pin connector, female conn, female pin	€ 14.40
Industrial Wireless	M12A-8PMM-IP68	Field-installable A-coded screw-in 8-pin connector, male conn, male pin	€ 9.00
Industrial Wireless	OnCell 5004-HSPA	4 port Five-band industrial UMTS/HSPA+ Router, -30 to 55°C	€ 786.31
Industrial Wireless	OnCell 5104-HSPA	4 port Five-band industrial UMTS/HSPA+ Router, IA design, -30 to 55°C	€ 786.31
Industrial Wireless	OnCell 5104-HSPA-T	4 port Five-band industrial UMTS/HSPA+ Router, IA design, -30 to 70°C	€ 871.58
Industrial Wireless	OnCell G2111	1 port GSM/GPRS Modem, RS-232, DB9 female, -20 to 55°C	€ 153.00
Industrial Wireless	OnCell G2111-T	1 port GSM/GPRS Modem, RS-232, DB9 female, -30 to 70°C	€ 207.00
Industrial Wireless	OnCell G2151I	1 port GSM/GPRS Modem, RS-232/422/485, DB9 female, Isolation, -20 to	€ 212.40
Industrial Wireless	OnCell G3110	1 port Quad-band industrial GSM/GPRS/EDGE IP gateway, RS-232, DB9 male, -30 to 55°C	€ 414.00
Industrial Wireless	OnCell G3110-HSPA	1 port Five-band industrial UMTS/HSPA+ IP gateway, RS-232, DB9 male, -30 to 55°C	€ 568.42
Industrial Wireless	OnCell G3110-HSPA-T	1 port Five-band industrial UMTS/HSPA+ IP gateway, RS-232, DB9 male, -30 to 70°C	€ 644.20
Industrial Wireless	OnCell G3110-T	1 port Quad-band industrial GSM/GPRS/EDGE IP gateway, RS-232/422/485, DB9 male, -30-70°C	€ 484.20
Industrial Wireless	OnCell G3111	1 port Quad-band industrial GSM/GPRS IP gateway, RS-232, DB9 male, -30 to 55°C	€ 286.20
Industrial Wireless	OnCell G3111-HSPA	1 port Five-band industrial HSPA/UMTS IP gateway, RS-232, DB9 male	€ 445.39
Industrial Wireless	OnCell G3150	1 port Quad-band industrial GSM/GPRS/EDGE IP gateway, RS-232/422/485, DB9 male, -30 to 55°C	€ 424.80
Industrial Wireless	OnCell G3150-HSPA	1 port Five-band industrial UMTS/HSPA+ IP gateway, RS-232/422/485, DB9 male, -30 to 55°C	€ 577.89
Industrial Wireless	OnCell G3150-HSPA-T	1 port Five-band industrial UMTS/HSPA+ IP gateway, RS-232/422/485, DB9 male, -30 to 70°C	€ 653.69
Industrial Wireless	OnCell G3150-T	1 port Quad-band industrial GSM/GPRS/EDGE IP gateway, RS-232/422/485, DB9 male, -30-70°C	€ 500.40
Industrial Wireless	OnCell G3151	1 port Quad-band industrial GSM/GPRS IP gateway, RS-232/422/485, DB9 male, -30 to 70°C	€ 297.00
Industrial Wireless	OnCell G3151-HSPA	1 port Five-band industrial HSPA/UMTS IP gateway, RS-232/422/485, DB9	€ 453.80
Industrial Wireless	OnCell G3211	2 ports Quad-band industrial GSM/GPRS IP gateway, RS-232, DB9 male, -30 to 55°C	€ 340.20
Industrial Wireless	OnCell G3251	2 ports Quad-band industrial GSM/GPRS IP gateway, RS-232/422/485, DB9 male, -30 to 55°C	€ 360.00
Industrial Wireless	OnCell G3470A-LTE-EU	4 port, 2G/3G/4G industrial LTE Ethernet IP gateway, -30 to 55°C	€ 991.58
Industrial Wireless	OnCell G3470A-LTE-EU-T	4 port, 2G/3G/4G industrial LTE Ethernet IP gateway, -30 to 70°C	€ 1,075.64

Industrial Wireless	OnCell G3470A-LTE-US	4 port, 2G/3G/4G industrial LTE Ethernet IP gateway, -30 to 55°C	€ 991.58
Industrial Wireless	OnCell G3470A-LTE-US-T	4 port, 2G/3G/4G industrial LTE Ethernet IP gateway, -30 to 70°C	€ 1,075.64
Industrial Wireless	PK-DC2DOF	Pole-mounting kit	€ 32.40
Industrial Wireless	TAP-6226-TC-EU-T	IEEE802.11a/b/g IP68 Dual-RF Wireless Trackside AP, top connector, high power, EU band, -40 to 75°C	€ 3,699.00
Industrial Wireless	TAP-6226-TC-US-T	IEEE802.11a/b/g IP68 Dual-RF Wireless Trackside AP, top connector, high power, US band, -40 to 75°C	€ 3,699.00
Industrial Wireless	WAC-1001	Industrial wireless access controller, 0 to 60°C	€ 1,881.00
Industrial Wireless	WAC-1001-T	Industrial wireless access controller, -40 to 75°C	€ 2,255.40
Industrial Wireless	WAC-2004	Advanced industrial wireless access controller with EU power cord, 0 to 50°C	€ 17,820.00
Industrial Wireless	WDR-3124A-EU	802.11a/b/g/n HSPA 4-Port Wireless Router, RJ45/RP-SMA, EU band, 0 to 55°C	€ 1,368.85
Industrial Wireless	WDR-3124A-EU-T	802.11a/b/g/n HSPA 4-Port Wireless Router, RJ45/RP-SMA, EU band, -30 to 70°C	€ 1,491.14
Industrial Wireless	WDR-3124A-US	802.11a/b/g/n HSPA 4-Port Wireless Router, RJ45/RP-SMA, US band, 0 to 55°C	€ 1,368.85
Industrial Wireless	WDR-3124A-US-T	802.11a/b/g/n HSPA 4-Port Wireless Router, RJ45/RP-SMA, US band, -30 to 70°C	€ 1,491.14
Industrial Wireless	WK-51-01	Wall-mounting kit, 51mm wide	€ 10.80
Industrial Wireless	WK-55	Wall-mounting kit, 55mm high	€ 10.80
Marine Panel Computers	A-PLG-WPF9-IP67-01	Field-installation screw-in D-Sub 9-pin female connector, rated IP67	€ 52.20
Marine Panel Computers	EXPC-1319-STX-FX-W7E	Fanless rugged Zone 2 19-inch 1000 nits LCD panel computer, single point touch screen, IP66, dual core Atom D525 CPU, -20 to 60°C operating temperature, Fiber port	€ 11,204.48
Marine Panel Computers	EXPC-1319-STX-IHS-FX-W7E	Fanless rugged Zone 2 19-inch 1000 nits LCD panel computer, single point touch screen, IP66, dual core Atom D525 CPU, -20 to 60°C operating temperature, Fiber port	€ 11,988.79
Marine Panel Computers	EXPC-1319-STX-IHS-W7E	Fanless rugged Zone 2 19-inch 1000 nits LCD panel computer, single point touch screen, IP66, Dual Core Atom D525 CPU, -40 to 60°C operating temperature, Intelligent Heater	€ 11,205.59
Marine Panel Computers	EXPC-1319-STX-W7E	Fanless rugged Zone 2 19-inch 1000 nits LCD panel computer, single point touch screen, IP66, dual core Atom D525 CPU, -20 to 60°C operating temperature	€ 10,420.79
Marine Panel Computers	EXPC-1519-C1-S1-T	19" 1000 nits LCD panel computer, 1047UE, cable gland W/standard I/O design, -40~70, SSD tray, CFastSlot	€ 11,500.27
Marine Panel Computers	EXPC-1519-C1-S2-T	19" 1000 nits LCD panel computer, 1047UE, cable gland W/TB I/O design, -40-70, SSD tray, CFastSlot	€ 11,500.27
Marine Panel Computers	EXPC-1519-C1-S3-T	19" 1000 nits LCD panel computer, 1047UE, harsh environment I/O connector, -40-70, SSD tray, CFastSlo	€ 12,358.53

Marine Panel Computers	EXPC-1519-C7-S1-T	19" 1000 nits LCD panel computer,i7-3555LE,cable gland W/STD I/O design,-40-70,SSD tray,CFastSlot	€ 13,564.12
Marine Panel Computers	EXPC-1519-C7-S2-T	19" 1000 nits LCD panel computer,i7-3555LEz,cable gland W/TB I/O design,-40-70,SSD tray,CFastSlot	€ 13,564.12
Marine Panel Computers	EXPC-1519-C7-S3-T	19" 1000 nits LCD panel computer,i7-3555LE,harsh environment I/O connector,-40-70,SSD tray,CFastSlot	€ 14,745.10
Marine Panel Computers	FK-76127-02	Hard Disk installation package for MC-7000 series	€ 34.20
Marine Panel Computers	MC-4510-C23	x86 Compact and Extreme Computer with Intel Core 2 Due 2.26GHz CPU processor, 2 Gigabit LAN, 2 RS-232/422/485, CF, 2 SATA II, 6 USB, VGA, DVI-D, Audio I/O and PS/2	€ 3,135.60
Marine Panel Computers	MC-5150-AC	x86-based ECDIS computer with IntelR Core i5 CPU processor, 4 serial ports, 8 NMEA ports, 2 Gigabit Ethernet ports, 6 USB hosts, storage, VGA/DVI, and AC power input	€ 3,616.20
Marine Panel Computers	MC-5150-DC	x86-based ECDIS computer with IntelR Core i5 CPU processor, 4 serial ports, 8 NMEA ports, 2 Gigabit Ethernet ports, 6 USB hosts, storage, VGA/DVI, and DC power input	€ 3,616.20
Marine Panel Computers	MC-5150-DC-CP	x86-based industrial computer with IntelR Core i5 CPU processor, 4 serial ports, 2 Gigabit Ethernet ports, 6 USB hosts, storage, VGA/DVI, and DC power input	€ 3,306.60
Marine Panel Computers	MC-5157-AC	x86-based ECDIS computer with IntelR Core? i5 CPU processor, 4 serial ports, 12 NMEA ports, 2 Gigabit Ethernet ports, 6 USB hosts, storage, VGA/DVI, 2 Universal PCI slots, and AC power input	€ 3,857.40
Marine Panel Computers	MC-5157-DC	x86-based ECDIS computer with IntelR Core? i5 CPU processor, 4 serial ports, 12 NMEA ports, 2 Gigabit Ethernet ports, 6 USB hosts, storage, VGA/DVI, 2 Universal PCI slots, and DC power input	€ 3,798.00
Marine Panel Computers	MC-7130-MP	x86 marine computer powered by 3rd gen IntelR Core? i3 3120ME processor, offers 8 NMEA0183 ports, 4 serial ports, 4 Gigabit Ethernet ports, 6 USB 2.0, 3 SuperSpeed USB 3.0 ports. 2 PCI and 1 gen 3 PCI-e x16 slots.	€ 4,102.20
Marine Panel Computers	MC-7210-DC-CP-T	x86 Marine computer with Intel IVB Celeron-1047UE, fanlaess, compact size, 6 USB 2.0, 4 LAN, 2 DVI-D, 1 VGA, 4 serial port, LPT port, DC power.	€ 2,538.59
Marine Panel Computers	MC-7210-MP-T	x86 Marine computer with Intel IVB Celeron-1047UE CPU, fanlaess, full Marine I/O, PCI/PCIe, 2 USB3.0, 6 USB 2.0, 4 LAN, 2 DVI-D, 1 VGA, 4 serial port, LPT port, dual power.	€ 3,762.00
Marine Panel Computers	MC-7230-DC-CP-T	x86 Marine computer with Intel IVB i3-3210ME CPU, fanlaess, compact size, 6 USB 2.0, 4 LAN, 2 DVI-D, 1 VGA, 4 serial port, LPT port, DC power.	€ 3,102.28

Marine Panel Computers	MC-7230-MP-T	x86 Marine computer with Intel IVB i3-3210ME CPU, fanlaess, full Marine I/O, PCI/PCle, 2 USB3.0, 6 USB 2.0, 4 LAN, 2 DVI-D, 1 VGA, 4 serial port, LPT port, dual power.	€ 4,518.00
Marine Panel Computers	MC-7270-DC-CP-T	x86 Marine computer with Intel IVB i7-3555LE CPU, fanlaess, compact size, 6 USB 2.0, 4 LAN, 2 DVI-D, 1 VGA, 4 serial port, LPT port, DC power.	€ 4,042.42
Marine Panel Computers	MC-7270-MP-T	x86 Marine computer with Intel IVB i7-3555LE CPU, fanlaess, full Marine I/O, PCI/PCle, 2 USB3.0, 6 USB 2.0, 4 LAN, 2 DVI-D, 1 VGA, 4 serial port, LPT port, dual power.	€ 5,568.75
Marine Panel Computers	MD-119-X1	19" display with 4:3 aspect ratio.LED backlighting. Multi-Power supply (AC/DC) with Tape Bonding.	€ 3,366.00
Marine Panel Computers	MD-124X	24 inches marine display with 16:9 aspect ratio. Full HD (1920x1080). LED backlighting. Multi-Power supply (AC/DC) with Tape Bonding.	€ 4,887.95
Marine Panel Computers	MD-124Y	24 inches marine display with 16:9 aspect ratio. Full HD (1920x1080). LED backlighting. Multi-Power supply (AC/DC) with Optical Bonding.	€ 5,620.73
Marine Panel Computers	MD-124Z	24 inches marine display with 16:9 aspect ratio. Full HD (1920x1080). LED backlighting. Multi-Power supply (AC/DC) with Touch.	€ 5,828.09
Marine Panel Computers	MD-219X	19-inch, 5:4 aspect ratio display (1280x1024), LED backlight, DVI-D/VGA, RS-232 & RS-422/485 serial ports, AC/DC dual power	€ 2,293.22
Marine Panel Computers	MD-219Z	19-inch, 5:4 aspect ratio display (1280x1024), projected capacitive multi-touch, LED backlight, DVI-D/VGA, RS-232 & RS-422/485 serial ports, AC/DC dual power	€ 2,781.95
Marine Panel Computers	MD-219Z-HB	"19-inch sunlight readable display, 5:4 aspect ratio (1280x1024), glove-friendly multi-touch, LED backlight, DVI-D/VGA, RS-232 and RS-422/485 serial ports, AC/DC dual power, tape bonding"	€ 3,157.88
Marine Panel Computers	MD-224X	24-inch display, 16:9 aspect ratio, full HD (1920x1080), LED backlighting, RS-232 & RS-422/485 serial ports, dual-power supply (AC/DC)	€ 2,462.40
Marine Panel Computers	MD-224Z	24-inch display, 16:9 aspect ratio, full HD (1920x1080), projected-capacitive touch panel, LED backlighting, RS-232 & RS-422/485 serial ports, dual-power supply (AC/DC)	€ 3,054.51
Marine Panel Computers	MD-224Z-HB	"24-inch tape bonded display, 16:9 aspect ratio, full HD (1920x1080), 1000-nit sunlight readable, glove-friendly multi touch, LED backlighting, dual-power supply (AC/DC)"	€ 3,646.60
Marine Panel Computers	MD-226X	26-inch Full-HD display, 16:10 aspect ratio, LED backlighting, RS-232 & RS-422/485 serial ports, dual-power supply (AC/DC)	€ 4,796.98
Marine Panel Computers	MPC-2150X-T	15' 1000 nits LCD panel computer,Celeron 1047UE,-40~70,SSD tray,CFastSlot,w/o touch, AC+DC	€ 4,191.73
Marine Panel Computers	MPC-2150Z-T	15' 1000 nits LCD panel computer,Celeron 1047UE,-40~70,SSD tray,CFastSlot,w touch, AC+DC	€ 4,943.61

Marine Panel Computers	MPC-2157X-T	15' 1000 nits LCD panel computer,i7-3517UE,-40~70,SSD tray,CFastSlot,w/o touch, AC+DC	€ 5,507.50
Marine Panel Computers	MPC-2157Z-T	15' 1000 nits LCD panel computer,i7-3517UE,-40~70,SSD tray,CFastSlot,w/ touch, AC+DC	€ 6,259.37
Marine Panel Computers	MPC-2190X	19 inch fanless panel computer with Intel Celeron 1.4GHz CPU, NMEA 0183, SSD trays, AC&DC power, tape bonding	€ 4,662.47
Marine Panel Computers	MPC-2190Z	19 inch fanless panel computer with Intel Celeron 1.4GHz CPU, NMEA 0183, SSD trays, AC&DC power, Projected capacitive touch screen, tape bonding	€ 5,338.89
Marine Panel Computers	MPC-2197X	19 inch fanless panel computer with Intel Core i7 processor 2610UE 1.50GHz CPU, NMEA 0183, SSD trays, dual AC/DC power inputs, tap bonding	€ 5,620.73
Marine Panel Computers	MPC-2197Z	19 inch fanless panel computer with Intel Core i7 processor 3517UE 1.50GHz CPU, NMEA 0183, SSD trays, dual AC/DC power inputs, Projected capacitive touch screen, tape bonding	€ 6,278.18
Marine Panel Computers	MPC-2240X	24 inch fanless panel computer with Intel Celeron 1.4GHz CPU, NMEA 0183, SSD trays, AC&DC power	€ 5,246.30
Marine Panel Computers	MPC-2240Z	24 inch fanless panel computer with Intel Celeron 1.4GHz CPU, NMEA 0183, SSD trays, AC&DC power, Projected capacitive touch screen, tape bonding	€ 5,922.70
Marine Panel Computers	MPC-2247X	24 inch fanless panel computer with Intel Core i7 processor 2610UE 1.50GHz CPU, NMEA 0183, SSD trays, dual AC/DC power inputs, tap bonding	€ 6,204.55
Marine Panel Computers	MPC-2247Z	24 inch fanless panel computer with Intel Core i7 processor 3517UE 1.50GHz CPU, NMEA 0183, SSD trays, dual AC/DC power inputs, Projected capacitive touch screen, tape bonding	€ 6,860.90
Marine Panel Computers	MPC-2260X	26-inch fanless panel computer with Intel Celeron 1047UE 1.4 GHz processor, NMEA 0183, RS-232/422/485 serial ports, Gigabit LAN ports, USB 2.0 ports, SSD trays, dual AC/DC power inputs, tape bonding	€ 5,733.07
Marine Panel Computers	MPC-2267X	26-inch fanless panel computer with Intel Core i7 3517UE 1.7 GHz processor, NMEA 0183, RS-232/422/485 serial ports, Gigabit LAN ports, USB 2.0 ports, SSD trays, dual AC/DC power inputs, tape bonding	€ 6,992.48
Marine Panel Computers	MPC-MD-2-19-DMTK w/ hinge	MPC-MD-2-19-Desktop Mounting kit w/ hinge	€ 302.53
Marine Panel Computers	MPC-MD-2-19-DMTK w/o hinge	MPC-MD-2-19-Desktop Mounting kit w/o hinge	€ 218.48
Marine Panel Computers	MPC-MD-2-19-PMTK	MPC-MD-2-19 Panel Mounting kit	€ 117.65
Marine Panel Computers	MPC-MD-2-19-VESAMTK	MPC-MD-2-19' VESA Mounting kit	€ 134.44
Marine Panel Computers	MPC-MD-2-24-26-DMTK w/ hinge	MPC-MD-2-24-26-Desktop Mounting kit w/ hinge	€ 336.13
Marine Panel Computers	MPC-MD-2-24-26-DMTK w/o hinge	MPC-MD-2-24-26-Desktop Mounting kit w/o hinge	€ 252.11
Marine Panel Computers	MPC-MD-2-24-PMTK	MPC-MD-2-24 Panel Mounting kit	€ 134.48
Marine Panel Computers	MPC-MD-2-24-RMTK	MPC-MD-2-24-Rubber V1.0	€ 129.60
Marine Panel Computers	MPC-MD-2-24-VESAMTK	MPC-MD-2-24-VESA mount kit V1.0	€ 144.00

Marine Panel Computers	Pack/EXPC-1319/FKx2/PADx1/SCx16/Spacerx8	EXPC-1319 panel mounting kit	€ 219.60
Marine Panel Computers	Pack/EXPC-1319/WKx2/TMSx6/M4x10mm Nylok	EXPC-1319 Wall mount kit	€ 169.20
Railway Switches	ABC-01-M12	Configuration backup and restoration tool with M12 Connection	€ 79.20
Railway Switches	A-PLG-WPM23-01-IP67	M23 cable connector, female 6pin, crimp type	€ 73.80
Railway Switches	CBL-M12(FF5P)/OPEN-100 IP67	1-meter M12-to-5-pin power cable with waterproof 5-pin A-coded M12	€ 16.20
Railway Switches	CBL-M12D(MM4P)/RJ45-100 IP67	1-meter M12-to-RJ45 Cat-5E UTP Ethernet cable with waterproof 4-pin D-coded M12 connector	€ 16.20
Railway Switches	CBL-M12DMM4PM12DMM4P-BK-100-IP67	1-Meter M12-to-M12 Cat-5E STP Ethernet cable with waterproof 4-pin D-coded M12 connector	€ 66.60
Railway Switches	CBL-M12XMM8PRJ45-Y-200-IP67	2-meters M12-to-RJ45 Cat-5 UTP Ethernet cable with IP67-rated 8-pin male X-coded crimp type M12 connector	€ 119.03
Railway Switches	CBL-M12XMM8P-Y-100-IP67	1-meter M12-to-M12 Cat-5 UTP Ethernet cable with IP67-rated 8-pin male X-coded crimp type M12 connector	€ 185.72
Railway Switches	CBL-M12XMM8P-Y-300-IP67	3-meters M12-to-M12 Cat-5 UTP Ethernet cable with IP67-rated 8-pin male X-coded crimp type M12 connector	€ 209.52
Railway Switches	CBL-M23(FF5P)Open-BK-100-IP67	1-meter M23-to-5-pin power cable with IP67-rated female 5-pin M23 connector	€ 59.40
Railway Switches	CBL-M23(FF6P)/OPEN-BK-100 IP67	1-meter M23 to 6pin power cable with IP67-rate female 6-pin M23 connector	€ 82.80
Railway Switches	DK-M12-305	DIN Rail kit for EDS-305-M12	€ 10.80
Railway Switches	DK-TN-5308	DIN-Kit for TN-5308 Series	€ 19.80
Railway Switches	M12A-5P-IP68	Field-installable A-coded screw-in sensor connector, female	€ 12.60
Railway Switches	M12A-8PMM-IP67	M12 D-coded connector, quickon type, 8-pin male, IP67-rated	€ 81.00
Railway Switches	M12D-4P-IP68	Field-installable D-coded screw-in sensor connector, male	€ 12.60
Railway Switches	M12D-4PMM-IP67	M12 D-coded connector, quickon type, 4-pin male, IP67-rated	€ 55.80
Railway Switches	M12X-8PMM-IP67-HTG	Field-installable M12 X-coded crimp type, slim design connector, 8-pin male, IP67-rated	€ 87.30
Railway Switches	TN-4516A-4GTXP-WV-CT-T	Managed Ethernet switch with 12 10/100BaseT(X) ports, and 4 10/100/1000BaseT(X) ports with M12 connectors, 4 Gigabit ports with bypass relay function support, dual redundant power inputs (24 - 110 VDC), -40 to 75°C operating temperature, conformal coating model	€ 3,465.97
Railway Switches	TN-4516A-4GTXP-WV-T	Managed Ethernet switch with 12 10/100BaseT(X) ports, and 4 10/100/1000BaseT(X) ports with M12 connectors, 4 Gigabit ports with bypass relay function support, dual redundant power inputs (24 - 110 VDC), -40 to 75°C operating temperature	€ 3,208.32

Railway Switches	TN-4516A-4GTX-WV-CT-T	Managed Ethernet switch with 12 10/100BaseT(X) ports, and 4 10/100/1000BaseT(X) ports with M12 connectors, dual redundant power inputs (24 - 110 VDC), -40 to 75°C operating temperature, conformal coating model	€ 3,233.25
Railway Switches	TN-4516A-4GTX-WV-T	Managed Ethernet switch with 12 10/100BaseT(X) ports, and 4 10/100/1000BaseT(X) ports with M12 connectors, dual redundant power inputs (24 - 110 VDC), -40 to 75°C operating temperature	€ 2,992.21
Railway Switches	TN-5305	Unmanaged Ethernet switch with 5 10/100BaseT(X) ports and with M12 connectors, 0 to 60°C operating temperature	€ 290.61
Railway Switches	TN-5305-T	Unmanaged Ethernet switch with 5 10/100BaseT(X) ports and with M12 connectors, -40 to 75°C operating temperature	€ 353.45
Railway Switches	TN-5308-4PoE-48	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports with M12 connectors, 48 VDC, 0 to 60°C	€ 654.55
Railway Switches	TN-5308-4PoE-48-T	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports with M12 connectors, 48 VDC, -40 to 75°C	€ 727.85
Railway Switches	TN-5308-8PoE-48	Unmanaged Ethernet switch with 8 10/100BaseT(X) PoE ports, M12 connectors, 1 isolated power inputs(48 VDC), -25 to 60°C operating	€ 790.69
Railway Switches	TN-5308-8PoE-48-T	Unmanaged Ethernet switch with 8 10/100BaseT(X) PoE ports, M12 connectors, 1 isolated power inputs(48 VDC), -40 to 75°C operating	€ 866.61
Railway Switches	TN-5308-LV	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports with M12 connectors, 12/24/36/48 VDC, 0 to 60°C	€ 500.08
Railway Switches	TN-5308-LV-CT-T	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports, M12 connectors, 12/24/36/48 VDC, conformal coating, -40 to 75°C operating temperature	€ 688.59
Railway Switches	TN-5308-LV-T	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports with M12 connectors, 12/24/36/48 VDC, -40 to 75°C	€ 576.00
Railway Switches	TN-5308-MV	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports with M12 connectors, 72/96/110 VDC, 0 to 60°C	€ 641.45
Railway Switches	TN-5308-MV-CT-T	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports, M12 connectors, 72/96/110 VDC, conformal coating, -40 to 75°C operating temperature	€ 864.00
Railway Switches	TN-5308-MV-T	Unmanaged Ethernet switch with 8 10/100BaseT(X) ports with M12 connectors, 72/96/110 VDC, -40 to 75°C	€ 720.00
Railway Switches	TN-5508A-8PoE-WV-CT-T	8 * FE with 802.3at PoE+ M12 ports, power input 24 - 110 VDC, conformal coating, -40 to 75°C operation temperature	€ 2,679.43
Railway Switches	TN-5508A-8PoE-WV-T	8 * FE with 802.3at PoE+ M12 ports, power input 24 - 110 VDC, -40 to 75°C operation temperature	€ 2,480.38
Railway Switches	TN-5508A-WV-CT-T	L2 Managed Ethernet switch with 8 10/100BaseT(X) M12 ports, 24 - 110 VDC dual power input, conformal coating, -40 to 75°C operation temperature	€ 2,112.88
Railway Switches	TN-5508A-WV-T	L2 managed switch with 8 10/100BaseT(X) M12 Ports, dual power input, 24 to 110 VDC, -40 to 75°C operating temperature	€ 1,958.40
Railway Switches	TN-5510A-2GLSX-ODC-WV-CT-T	L2 Managed Ethernet switch with 8 10/100BaseT(X) and 2 1000 BaseLSX Q-ODC ports, 24 - 110 VDC dual power input, conformal coating, -40 to 75°C operation temperature	€ 4,576.59

Railway Switches	TN-5510A-2GLSX-ODC-WV-T	L2 Managed Ethernet switch with 8 10/100BaseT(X) and 2 1000 BaseLSX Q-ODC ports, 24 - 110 VDC dual power input, -40 to 75°C operation temperature	€ 4,238.84
Railway Switches	TN-5510A-2GTXPB-WV-CT-T	L2 Managed Ethernet switch with 8 10/100BaseT(X) and 2 10/100/1000 Base-T(X) M12 ports with bypass relay function, 24 - 110 VDC dual power input, conformal coating, -40 to 75°C operation temperature	€ 2,893.09
Railway Switches	TN-5510A-2GTXPB-WV-T	L2 Managed Ethernet switch with 8 10/100BaseT(X) and 2 10/100/1000 Base-T(X) M12 ports with bypass relay function, 24 - 110 VDC dual power input, -40 to 75°C operation temperature	€ 2,678.40
Railway Switches	TN-5510A-2GTX-WV-CT-T	L2 Managed Ethernet switch with 8 10/100BaseT(X) and 2 10/100/1000 Base-T(X) M12 ports, 24 - 110 VDC dual power input, conformal coating, -40 to 75°C operation temperature	€ 2,770.04
Railway Switches	TN-5510A-2GTX-WV-T	L2 Managed Ethernet switch with 8 10/100BaseT(X) and 2 10/100/1000 Base-T(X) M12 ports, 24 - 110 VDC dual power input, -40 to 75°C operation temperature	€ 2,563.20
Railway Switches	TN-5510A-8PoE-2GLSX-ODC-WV-CT-T	8 * FE with 802.3at PoE+ M12 ports and 2 * GE fiber ports, power input 24 - 110 VDC, conformal coating, -40 to 75°C operation temperature	€ 4,805.46
Railway Switches	TN-5510A-8PoE-2GLSX-ODC-WV-T	8 * FE with 802.3at PoE+ M12 ports and 2 * GE fiber ports, power input 24 - 110 VDC, -40 to 75°C operation temperature	€ 4,448.92
Railway Switches	TN-5510A-8PoE-2GTXPB-WV-CT-T	8 * FE with 802.3at PoE+ and 2 * GE M12 ports with bypass function, power input 24 - 110 VDC, conformal coating, -40 to 75°C operation temperature	€ 3,571.83
Railway Switches	TN-5510A-8PoE-2GTXPB-WV-T	8 * FE with 802.3at PoE+ and 2 * GE M12 ports with bypass function, power input 24 - 110 VDC, -40 to 75°C operation temperature	€ 3,307.18
Railway Switches	TN-5510A-8PoE-2GTX-WV-CT-T	8 * FE with 802.3at PoE+ and 2 * GE M12 ports, power input 24 - 110 VDC, conformal coating, -40 to 75°C operation temperature	€ 3,429.65
Railway Switches	TN-5510A-8PoE-2GTX-WV-T	8 * FE with 802.3at PoE+ and 2 * GE M12 ports, power input 24 - 110 VDC, -40 to 75°C operation temperature	€ 3,175.94
Railway Switches	TN-5516A-8PoE-WV-CT-T	L2 Managed Ethernet switch with 8 * 10/100BaseT(X) ports and 8 * 802.3at PoE+ M12 connectors, 24 - 110 VDC, conformal coating, -40 to 75°C operation temperature	€ 3,694.25
Railway Switches	TN-5516A-8PoE-WV-T	L2 Managed Ethernet switch with 8 * 10/100BaseT(X) ports and 8 * 802.3at PoE+ M12 connectors, 24 - 110 VDC, -40 to 75°C operation temperature	€ 3,419.35
Railway Switches	TN-5516A-WV-CT-T	L2 managed switch with 16 10/100BaseT(X) M12 ports, dual power input, 24 to 110 VDC, conformal coating, -40 to 75°C	€ 2,756.95
Railway Switches	TN-5516A-WV-T	L2 managed switch with 16 10/100BaseT(X) M12 ports, dual power input, 24 to 110 VDC, -40 to 75°C	€ 2,552.72
Railway Switches	TN-5518A-2GTXPB-WV-CT-T	L2 managed switch with 16 10/100BaseT(X) ports, and 2 10/100/1000BaseT(X) ports with M12 connectors, 2 Gigabit ports with bypass relay function, dual power input, 24 to 110 VDC, conformal coating, -40 to 75°C	€ 3,387.92
Railway Switches	TN-5518A-2GTXPB-WV-T	L2 managed switch with 16 10/100BaseT(X) ports, and 2 10/100/1000BaseT(X) ports with M12 connectors, 2 Gigabit ports with bypass relay function, dual power input, 24 to 110 VDC, -40 to 75°C	€ 3,136.59

Railway Switches	TN-5518A-2GTX-WV-CT-T	L2 managed switch with 16 10/100BaseT(X) ports, and 2 10/100/1000BaseT(X) ports with M12 connectors, dual power input, 24 to 110 VDC, conformal coating, -40 to 75°C	€ 3,325.09
Railway Switches	TN-5518A-2GTX-WV-T	L2 managed switch with 16 10/100BaseT(X) ports, and 2 10/100/1000BaseT(X) ports with M12 connectors, dual power input, 24 to 110 VDC, -40 to 75°C	€ 3,078.99
Railway Switches	TN-5518A-8PoE-2GTXBP-WV-CT-T	L2 Managed Ethernet switch with 8* 10/100BaseT(X) ports and 8 * 802.3at PoE+ M12 connectors, 2 10/100/1000 Base-T(X) M12 connectors with bypass function, 24 - 110 VDC, conformal coating, -40 to 75°C operation temperature	€ 4,492.80
Railway Switches	TN-5518A-8PoE-2GTXBP-WV-T	L2 Managed Ethernet switch with 8* 10/100BaseT(X) ports and 8 * 802.3at PoE+ M12 connectors, 2 10/100/1000 Base-T(X) M12 connectors with bypass function, 24 - 110 VDC, -40 to 75°C operation temperature	€ 4,160.29
Railway Switches	TN-5518A-8PoE-2GTX-WV-CT-T	L2 Managed Ethernet switch with 8* 10/100BaseT(X) ports and 8 * 802.3at PoE+ M12 connectors, 2 10/100/1000 Base-T(X) M12 connectors, 24 - 110 VDC, conformal coating, -40 to 75°C operation temperature	€ 4,348.80
Railway Switches	TN-5518A-8PoE-2GTX-WV-T	L2 Managed Ethernet switch with 8* 10/100BaseT(X) ports and 8 * 802.3at PoE+ M12 connectors, 2 10/100/1000 Base-T(X) with M12 connectors, 24 - 110 VDC, -40 to 75°C operation temperature	€ 4,026.76
Railway Switches	TN-5524-8PoE-P24-CT-T	24 FE M12 with 8 PoE ports L2 Managed Switch, conformal coating, 24 VDC, -40 to 75°C operating temperature	€ 4,745.45
Railway Switches	TN-5524-8PoE-P24-T	24 FE M12 with 8 PoE ports L2 Managed Switch, 24 VDC, -40 to 75°C	€ 4,394.39
Railway Switches	TN-5816BP-HV-HV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, HV-HV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 4,990.25
Railway Switches	TN-5816BP-HV-HV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, HV-HV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,178.76
Railway Switches	TN-5816BP-LV-HV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, LV-HV power Input, Relay Bypass, 0 to 60°C operating	€ 4,990.25
Railway Switches	TN-5816BP-LV-HV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, LV-HV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,178.76
Railway Switches	TN-5816BP-LV-LV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, LV-LV power Input, Relay Bypass, 0 to 60°C operating	€ 4,990.25
Railway Switches	TN-5816BP-LV-LV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, LV-LV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,178.76
Railway Switches	TN-5816BP-LV-MV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, LV-MV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 4,990.25

Railway Switches	TN-5816BP-LV-MV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, LV-MV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,178.76
Railway Switches	TN-5816BP-MV-HV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, MV-HV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 4,990.25
Railway Switches	TN-5816BP-MV-HV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, MV-HV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,178.76
Railway Switches	TN-5816BP-MV-MV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, MV-MV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 4,990.25
Railway Switches	TN-5816BP-MV-MV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and M12 connectors, MV-MV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,178.76
Railway Switches	TN-5818-2GTXBP-HV-HV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, HV-HV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 5,566.25
Railway Switches	TN-5818-2GTXBP-HV-HV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, HV-HV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,752.15
Railway Switches	TN-5818-2GTXBP-LV-HV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, LV-HV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 5,566.25
Railway Switches	TN-5818-2GTXBP-LV-HV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, LV-HV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,752.15
Railway Switches	TN-5818-2GTXBP-LV-LV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, LV-LV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 5,566.25
Railway Switches	TN-5818-2GTXBP-LV-LV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, LV-LV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,752.15
Railway Switches	TN-5818-2GTXBP-LV-MV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, LV-MV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 5,566.25
Railway Switches	TN-5818-2GTXBP-LV-MV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, LV-MV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,752.15

Railway Switches	TN-5818-2GTXBP-MV-HV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, MV-HV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 5,566.25
Railway Switches	TN-5818-2GTXBP-MV-HV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, MV-HV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,752.15
Railway Switches	TN-5818-2GTXBP-MV-MV	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, MV-MV power Input, Relay Bypass, 0 to 60°C operating temperature	€ 5,566.25
Railway Switches	TN-5818-2GTXBP-MV-MV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, MV-MV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 5,752.15
Railway Switches	TN-5818A-2GTXBP-WV-CT-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, WV power Input, Relay Bypass, Conformal coating, -40 to 75°C operating temperature	€ 6,574.25
Railway Switches	TN-5818A-2GTXBP-WV-T	Layer 3 Managed Ethernet switch with 16 10/100BaseT(X) ports and 2 10/100/1000BaseT(X) ports with M12 connectors, WV power Input, Relay Bypass, -40 to 75°C operating temperature	€ 6,087.28
Remote i/o Servers	20P To 20P Flat Cable-500mm	20P To 20P Flat Cable-500mm	€ 4.73
Remote i/o Servers	85M-1602-T	ioPAC 85xx I/O module, 16 DIs, 24 VDC sink/source type, -40 to 75°C	€ 392.72
Remote i/o Servers	85M-2600-T	ioPAC 85xx I/O module, 16 DOs, 24 VDC sink type, -40 to 75°C	€ 392.72
Remote i/o Servers	85M-3800-T	ioPAC 85xx I/O module, 8 AIs, 4 to 20 mA, -40 to 75°C	€ 654.55
Remote i/o Servers	85M-3801-T	ioPAC 85xx I/O module, 8 AIs, 4 to 20 mA, 40 kHz, -40 to 75°C	€ 785.45
Remote i/o Servers	85M-3810-T	ioPAC 85xx I/O module, 8 AIs, 0 to 10 V, -40 to 75°C	€ 654.55
Remote i/o Servers	85M-3811-T	ioPAC 85xx I/O module, 8 AIs, 0 to 10 V, 40 kHz, -40 to 75°C	€ 785.45
Remote i/o Servers	85M-5401-T	ioPAC 85xx communication module, 4-port Serial, DB44 connectors, -40 to 75°C	€ 867.28
Remote i/o Servers	85M-6600-T	ioPAC 85xx I/O module with 6 RTDs, -40 to 75°C operating temperature	€ 731.45
Remote i/o Servers	85M-6810-T	ioPAC 85xx I/O module with 8 TCs, -40 to 75°C operating temperature	€ 812.45
Remote i/o Servers	85M-BKTES	Empty slot cover for ioPAC 85xx modules (3 pcs per package)	€ 37.58
Remote i/o Servers	ioLogik 2512	Srsmart Remote I/O with 8 DIs, 8 DIOs	€ 430.00
Remote i/o Servers	ioLogik 2512-GPRS	Smart GPRS remote I/O with Click&Go Plus, 8 DIs, 8 DIOs	€ 734.00
Remote i/o Servers	ioLogik 2512-GPRS-T	Smart GPRS remote I/O with Click&Go Plus, 8 DIs, 8 DIOs, -30 to 70°C	€ 802.01
Remote i/o Servers	ioLogik 2512-HSPA	Srsmart Remote I/O with 8 DIs, 8 DIOs	€ 954.00
Remote i/o Servers	ioLogik 2512-HSPA-T	Srsmart Remote I/O with 8 DIs, 8 DIOs, -40 to 75°C	€ 1,048.00
Remote i/o Servers	ioLogik 2512-T	Srsmart Remote I/O with 8 DIs, 8 DIOs, -40 to 75°C	€ 529.99
Remote i/o Servers	ioLogik 2512-WL1-EU	Srsmart Remote I/O with 8 DIs, 8 DIOs	€ 794.00

Remote i/o Servers	ioLogik 2512-WL1-EU-T	Srsmart Remote I/O with 8 DI, 8 DIOs, -30 to 70°C	€ 889.99
Remote i/o Servers	ioLogik 2512-WL1-JP	Srsmart Remote I/O with 8 DI, 8 DIOs	€ 794.00
Remote i/o Servers	ioLogik 2512-WL1-JP-T	Srsmart Remote I/O with 8 DI, 8 DIOs, -30 to 70°C	€ 889.99
Remote i/o Servers	ioLogik 2512-WL1-US	Srsmart Remote I/O with 8 DI, 8 DIOs	€ 794.00
Remote i/o Servers	ioLogik 2512-WL1-US-T	Srsmart Remote I/O with 8 DI, 8 DIOs, -30 to 70°C	€ 889.99
Remote i/o Servers	ioLogik 2542	Srsmart Remote I/O with 4 AI, 12 DIOs	€ 570.01
Remote i/o Servers	ioLogik 2542-GPRS	Srsmart Remote I/O with 4 AI, 12 DIOs	€ 886.00
Remote i/o Servers	ioLogik 2542-GPRS-T	Smart GPRS remote I/O with Click&Go Plus, 4 AI, 12 DIOs, -30 to 70°C	€ 954.00
Remote i/o Servers	ioLogik 2542-HSPA	Srsmart Remote I/O with 4 AI, 12 DIOs	€ 1,144.01
Remote i/o Servers	ioLogik 2542-HSPA-T	Srsmart Remote I/O with 4 AI, 12 DIOs, -40 to 75°C	€ 1,240.00
Remote i/o Servers	ioLogik 2542-T	Srsmart Remote I/O with 4 AI, 12 DIOs, -40 to 75°C	€ 670.00
Remote i/o Servers	ioLogik 2542-WL1-EU	Srsmart Remote I/O with 4 AI, 12 DIOs	€ 995.99
Remote i/o Servers	ioLogik 2542-WL1-EU-T	Srsmart Remote I/O with 4 AI, 12 DIOs, -30 to 70°C	€ 1,092.01
Remote i/o Servers	ioLogik 2542-WL1-JP	Srsmart Remote I/O with 4 AI, 12 DIOs	€ 995.99
Remote i/o Servers	ioLogik 2542-WL1-JP-T	Srsmart Remote I/O with 4 AI, 12 DIOs, -30 to 70°C	€ 1,092.01
Remote i/o Servers	ioLogik 2542-WL1-US	Srsmart Remote I/O with 4 AI, 12 DIOs	€ 995.99
Remote i/o Servers	ioLogik 2542-WL1-US-T	Srsmart Remote I/O with 4 AI, 12 DIOs, -30 to 70°C	€ 1,092.01
Remote i/o Servers	ioLogik E1210	Remote Ethernet I/O, 16DI, 2-port Switch	€ 140.20
Remote i/o Servers	ioLogik E1210-T	Remote Ethernet I/O, 16DI, 2-port Switch, -40 to 75°C	€ 230.08
Remote i/o Servers	ioLogik E1211	Remote Ethernet I/O, 16DO, 2-port Switch	€ 153.38
Remote i/o Servers	ioLogik E1211-T	Remote Ethernet I/O, 16DO, 2-port Switch, -40 to 75°C	€ 248.11
Remote i/o Servers	ioLogik E1212	Remote Ethernet I/O, 8DI/8DIO, 2-port Switch	€ 153.38
Remote i/o Servers	ioLogik E1212-T	Remote Ethernet I/O, 8DI/8DIO, 2-port Switch, -40 to 75°C	€ 248.11
Remote i/o Servers	ioLogik E1213	Remote Ethernet I/O, 8DI, 4 Source DO, 4 Source DIO, 2-port Switch	€ 200.02
Remote i/o Servers	ioLogik E1213-T	Remote Ethernet I/O, 8DI, 4 Source DO, 4 Source DIO, 2-port Switch, -40 to 75°C	€ 270.68
Remote i/o Servers	ioLogik E1214	Remote Ethernet I/O, 6DI/6Relay, 2-port Switch	€ 157.90
Remote i/o Servers	ioLogik E1214-T	Remote Ethernet I/O, 6DI/6Relay, 2-port Switch, -40 to 75°C	€ 261.67
Remote i/o Servers	ioLogik E1240	Remote Ethernet I/O, 8AI, 2-port Switch	€ 218.05
Remote i/o Servers	ioLogik E1240-T	Remote Ethernet I/O, 8AI, 2-port Switch, -40 to 75°C	€ 351.86
Remote i/o Servers	ioLogik E1241	Remote Ethernet I/O with 4AO, and 2-port Switch	€ 286.11
Remote i/o Servers	ioLogik E1241-T	Remote Ethernet I/O with 4AO, and 2-port Switch, -40 to 75°C	€ 406.03
Remote i/o Servers	ioLogik E1242	Remote Ethernet I/O with 4AI, 4DI, 4DIO, and 2-port Switch	€ 237.60
Remote i/o Servers	ioLogik E1242-T	Remote Ethernet I/O with 4AI, 4DI, 4DIO, and 2-port Switch, -40 to 75°C	€ 351.86
Remote i/o Servers	ioLogik E1260	Remote Ethernet I/O with 6RTD, and 2-port Switch	€ 261.67

Remote i/o Servers	ioLogik E1260-T	Remote Ethernet I/O with 6RTD, and 2-port Switch, -40 to 75°C	€ 378.95
Remote i/o Servers	ioLogik E1261H-T	Ethernet remote I/O with 2-port Ethernet switches, 12 DIOS, 5 AIs and 3 RTDs, -40 to 75°C operating temperature.	€ 1,155.08
Remote i/o Servers	ioLogik E1261W-T	Ethernet remote IO with 12 DIOS, 5 AIs, 3 RTDs, -40~75°C operating temperature	€ 862.45
Remote i/o Servers	ioLogik E1262	Remote Ethernet I/O with 8TC, and 2-port Switch	€ 286.11
Remote i/o Servers	ioLogik E1262-T	Remote Ethernet I/O with 8TC, and 2-port Switch, -40 to 75°C	€ 407.38
Remote i/o Servers	ioLogik E1263H-T	Ethernet remote I/O with 2-port Ethernet switches, 24 DIOS, 10 AIs and 3 RTDs, -40 to 75°C operating temperature.	€ 1,447.70
Remote i/o Servers	ioLogik E1510-M12-CT-T	Ethernet remote I/O, M12 connector, 12 DIs, coating, -40 to 85°C operating temperature.	€ 1,324.49
Remote i/o Servers	ioLogik E1510-M12-T	Ethernet remote I/O, M12 connector, 12 DIs, -40 to 85°C operating	€ 1,028.79
Remote i/o Servers	ioLogik E1512-M12-CT-T	Ethernet remote I/O, M12 connector, 4 DIs, 4 DIOS, coating, -40 to 85°C operating temperature.	€ 1,296.77
Remote i/o Servers	ioLogik E1512-M12-T	Ethernet remote I/O, M12 connector, 4 DIs, 4 DIOS, -40 to 85°C operating temperature.	€ 1,004.15
Remote i/o Servers	ioLogik E2210	Active Ethernet I/O Server, 12DI/8DO	€ 231.16
Remote i/o Servers	ioLogik E2210-T	Active Ethernet I/O Server, 12DI/8DO, -40 to 75°C	€ 351.52
Remote i/o Servers	ioLogik E2212	Active Ethernet I/O Server, 8DI/8DO/4DIO	€ 316.42
Remote i/o Servers	ioLogik E2212-T	Active Ethernet I/O Server, 8DI/8DO/4DIO, -40 to 75°C	€ 457.42
Remote i/o Servers	ioLogik E2214	Active Ethernet I/O server, 6DI/6Relay	€ 344.84
Remote i/o Servers	ioLogik E2214-T	Active Ethernet I/O server, 6DI/6Relay	€ 487.06
Remote i/o Servers	ioLogik E2240	Active Ethernet I/O Server, 8AI/2AO	€ 407.38
Remote i/o Servers	ioLogik E2240-T	Active Ethernet I/O Server, 8AI/2AO	€ 582.35
Remote i/o Servers	ioLogik E2242	Active Ethernet I/O server, 4AI/12DIO	€ 435.80
Remote i/o Servers	ioLogik E2242-T	Ethernet Micro Controller with 4AI and 12DIO, -40 to 75°C	€ 550.58
Remote i/o Servers	ioLogik E2260	Active Ethernet I/O Server, 6RTD/4DO	€ 388.42
Remote i/o Servers	ioLogik E2260-T	Active Ethernet I/O Server, 6RTD/4DO, -40 to 75°C	€ 550.58
Remote i/o Servers	ioLogik E2262	Active Ethernet I/O server, 8TC/4DO	€ 435.80
Remote i/o Servers	ioLogik E2262-T	Active Ethernet I/O server, 8TC/4DO, -40 to 75°C	€ 614.12
Remote i/o Servers	ioLogik E4200	Active Ethernet Network Adapter	€ 462.31
Remote i/o Servers	ioLogik R1210	RS-485 remote I/O, 16 DIs, -10 to 75°C operating temperature.	€ 136.42
Remote i/o Servers	ioLogik R1210-T	RS-485 remote I/O, 16 DIs, -40 to 85°C operating temperature.	€ 183.40
Remote i/o Servers	ioLogik R1212	RS-485 remote I/O, 8 DIs, 8 DIOS, -10 to 75°C operating temperature.	€ 151.58
Remote i/o Servers	ioLogik R1212-T	RS-485 remote I/O, 8 DIs, 8 DIOS, -40 to 85°C operating temperature.	€ 193.27
Remote i/o Servers	ioLogik R1214	RS-485 remote I/O, 6 DIs, 6 Relays, -10 to 75°C operating temperature.	€ 156.60

Remote i/o Servers	ioLogik R1214-T	RS-485 remote I/O, 6 Dis, 6 Relays, -40 to 85°C operating temperature.	€ 227.38
Remote i/o Servers	ioLogik R1240	RS-485 remote I/O, 8 AIs, -10 to 75°C operating temperature.	€ 216.00
Remote i/o Servers	ioLogik R1240-T	RS-485 remote I/O, 8 AIs, -40 to 85°C operating temperature.	€ 289.80
Remote i/o Servers	ioLogik R1241	RS-485 remote I/O, 4 AOs, -10 to 75°C operating temperature.	€ 267.73
Remote i/o Servers	ioLogik R1241-T	RS-485 remote I/O, 4 AOs, -40 to 85°C operating temperature.	€ 299.38
Remote i/o Servers	ioLogik R2140	RS-485 Remote I/O Server, 8AI/2AO	€ 367.58
Remote i/o Servers	ioLogik W5340-HSPA	HSPA micro RTU controller with 4 AIs, 8 DIOs, 2 relays, -10 to 55°C operating temperature	€ 2,050.45
Remote i/o Servers	ioLogik W5340-HSPA-T	HSPA micro RTU controller with 4 AIs, 8 DIOs, 2 relays, -30 to 70°C operating temperature	€ 2,563.06
Remote i/o Servers	ioMirror E3210	Ethernet Peer-to-Peer I/O Server,8DI/8DO	€ 214.11
Remote i/o Servers	ioPAC 5542-C-T	RTU controller with 8 AIs, 8 Dis, 8 DIOs, C/C++, -40 to 75°C operating temperature	€ 2,452.82
Remote i/o Servers	ioPAC 5542-HSPA-C-T	RTU controller with HSPA module, 8AIs, 8 Dis, 8DIOs, C/C++, -30 to 75°C operating temperature	€ 3,472.54
Remote i/o Servers	ioPAC 5542-HSPA-IEC-T	RTU controller with HSPA module, 8AIs, 8 Dis, 8 DI/Os, IEC 61131-3, -30 to 75°C operating temperature	€ 3,899.72
Remote i/o Servers	ioPAC 5542-IEC-T	RTU controller, 8AIs, 8 Dis, 8 DI/Os, IEC 61131-3, -40 to 75°C operating	€ 2,893.79
Remote i/o Servers	ioPAC 8020-5-M12-C-T	Modular RTU Controller w/ M12, -40 ~ 75 degree C, 5 I/O slots, C	€ 1,636.36
Remote i/o Servers	ioPAC 8020-5-RJ45-C-T	Modular RTU Controller w/ RJ45, -40 ~ 75 degree C, 5 I/O slots, C	€ 1,570.91
Remote i/o Servers	ioPAC 8020-9-M12-C-T	Modular RTU Controller w/ M12, -40 ~ 75 degree C, 9 I/O slots, C	€ 1,819.64
Remote i/o Servers	ioPAC 8020-9-RJ45-C-T	Modular RTU Controller w/ RJ45, -40 ~ 75 degree C, 9 I/O slots, C	€ 1,754.19
Remote i/o Servers	ioPAC 8500-2-M12-C-T	Modular RTU controller, M12 connectors, 2 I/O slots, C/C++, -40 to 75°C	€ 1,959.01
Remote i/o Servers	ioPAC 8500-2-M12-IEC-T	Modular RTU controller with M12 connectors, 2 I/O slots, IEC 61131-3, -40 to 75°C operating temperature	€ 2,448.77
Remote i/o Servers	ioPAC 8500-2-RJ45-C-T	Modular RTU controller, RJ45 connectors, 2 I/O slots, C/C++, -40 to 75°C	€ 1,888.16
Remote i/o Servers	ioPAC 8500-2-RJ45-IEC-T	Modular RTU controller with RJ45 connectors, 2 I/O slots, IEC 61131-3, -40 to 75°C operating temperature	€ 2,374.85
Remote i/o Servers	ioPAC 8500-5-M12-C-T	Modular RTU controller, M12 connectors, 5 I/O slots, C/C++, -40 to 75°C	€ 2,082.22
Remote i/o Servers	ioPAC 8500-5-M12-IEC-T	Modular RTU controller with M12 connectors, 5 I/O slots, IEC 61131-3, -40 to 75°C operating temperature	€ 2,571.98
Remote i/o Servers	ioPAC 8500-5-RJ45-C-T	Modular RTU controller, RJ45 connectors, 5 I/O slots, C/C++, -40 to 75°C	€ 2,008.30
Remote i/o Servers	ioPAC 8500-5-RJ45-IEC-T	Modular RTU controller with RJ45 connectors, 5 I/O slots, IEC 61131-3, -40 to 75°C operating temperature	€ 2,498.06
Remote i/o Servers	ioPAC 8500-9-M12-C-T	Modular RTU controller, M12 connectors, 9 I/O slots, C/C++, -40 to 75°C	€ 2,205.43
Remote i/o Servers	ioPAC 8500-9-M12-IEC-T	Modular RTU controller with M12 connectors, 9 I/O slots, IEC 61131-3, -40 to 75°C operating temperature	€ 2,695.19

Remote i/o Servers	ioPAC 8500-9-RJ45-C-T	Modular RTU controller, RJ45 connectors, 9 I/O slots, C/C++, -40 to 75°C	€ 2,131.51
Remote i/o Servers	ioPAC 8500-9-RJ45-IEC-T	Modular RTU controller with RJ45 connectors, 9 I/O slots, IEC 61131-3, -40 to 75°C operating temperature	€ 2,621.27
Remote i/o Servers	KM-2430-T	4-port unmanaged Ethernet Switch, M12 connectors	€ 490.57
Remote i/o Servers	LDP1602	LCD module w/ 16 x 2 text & 5 buttons	€ 28.42
Remote i/o Servers	M-1450	I/O Module, 4DI, 110VAC, RTB	€ 60.62
Remote i/o Servers	M-1451	I/O Module, 4DI, 220VAC, RTB	€ 60.62
Remote i/o Servers	M-1600	I/O Module, 16DI, Sink, 24VDC, 20pin	€ 104.20
Remote i/o Servers	M-1601	I/O Module, 16DI, Source, 24VDC, 20pin	€ 104.20
Remote i/o Servers	M-1800	I/O Module, 8DI, Sink, 24VDC, RTB	€ 62.53
Remote i/o Servers	M-1801	I/O Module, 8DI, Source, 24VDC, RTB	€ 62.53
Remote i/o Servers	M-2450	I/O Module, 4DO, Relay, 230VAC, 24VDC, 2.0A, RTB	€ 111.80
Remote i/o Servers	M-2600	I/O Module, 16DO, Sink, 24VDC, 0.3A, 20pin	€ 121.27
Remote i/o Servers	M-2601	I/O Module, 16DO, Source, 24VDC, 0.3A, 20pin	€ 121.27
Remote i/o Servers	M-2800	I/O Module, 8DO, Sink, 24VDC, 0.5A, RTB	€ 68.20
Remote i/o Servers	M-2801	I/O Module, 8DO, Source, 24VDC, 0.5A, RTB	€ 68.20
Remote i/o Servers	M-3802	I/O Module, 8AI, 4~20mA, single-ended, 12bit, RTB	€ 291.80
Remote i/o Servers	M-3810	I/O Module, 8AI, 0~10V, single-ended, 12bit, RTB	€ 291.80
Remote i/o Servers	M-4402	I/O Module, 4AO, Current, 4~20mA, 12bit, RTB	€ 288.00
Remote i/o Servers	M-4410	I/O Module, 4AO, Voltage, 0~10V, 12bit, RTB	€ 288.00
Remote i/o Servers	M-6200	I/O Module, 2AI, RTD: PT100, JPT100, RTB	€ 244.42
Remote i/o Servers	M-6201	I/O Module, 2AI, Thermocouple: 30mV (1uV/bit), RTB	€ 244.42
Remote i/o Servers	M-7001	I/O Module, System expansion power supply, 1A (5VDC)	€ 49.27
Remote i/o Servers	M-7002	I/O Module, F. Power Dist., 10A (24/48VDC, 110/220VAC)	€ 28.42
Remote i/o Servers	M-7804	I/O Module, Potential Dist., 8ch, 0VDC	€ 28.42
Remote i/o Servers	M-7805	I/O Module, Potential Dist., 8ch, 24VDC	€ 28.42
Remote i/o Servers	M-8001-PK	Removable terminal block, 9pcs per pack	€ 56.84
Remote i/o Servers	M-8003-PK	Marker with 0-9 numbering (100pcs)	€ 98.24
Remote i/o Servers	M-8004-PK	Blank marker (100pcs)	€ 98.24
Remote i/o Servers	MX-AOPC UA Server	MX-AOPC UA Active Data Acquisition Software	€ 480.01
Remote i/o Servers	NA-4010	Ethernet Network Adapter (Modbus/TCP)	€ 390.31
Remote i/o Servers	NA-4020	RS-485 Network Adapter (Modbus)	€ 325.89
Remote i/o Servers	NA-4021	RS-232 Network Adapter (Modbus)	€ 325.89
Remote i/o Servers	RM-1050-T	10 digital inputs, 110VDC, Ch-to-Ch isolated	€ 383.08
Remote i/o Servers	RM-1602-T	16 digital inputs, 24VDC, Sink/Source type	€ 330.71

Remote i/o Servers	RM-2600-T	16 digital outputs, 24VDC, Sink type, 0.2A	€	330.71
Remote i/o Servers	RM-3802-T	8 analog inputs, 4 to 20 mA, 16 bits	€	515.38
Remote i/o Servers	RM-3810-T	8 analog inputs, 0 to 10V, 16 bits	€	515.38
Remote i/o Servers	TB1600	Wiring Terminal Board (20pin)	€	37.89